

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	05/30/25
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	05/30/25
Client Sample ID:	OR-400-CF-402B-COMP-23MSD	SDG No.:	Q2177
Lab Sample ID:	Q2173-06MSD	Matrix:	TCLP
Analytical Method:	8151A	% Solid:	0
Sample Wt/Vol:	100	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TCLP Herbicide
GPC Factor :	1.0	PH :	
Prep Method :	SW3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030499.D	1	06/03/25 11:15	06/04/25 21:15	PB168263

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	49.8		9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	48.6		7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	616		70 (61) - 130 (136)	123%	SPK: 500

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit