

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: Q2177 SAS No.: Q2177 SDG No.: Q2177
Instrument ID: BNA_F Calibration Date(s): 05/20/2025 05/20/2025
Calibration Time(s): 12:10 15:31

LAB FILE ID:		RRF2.5 = BF142467.D			RRF005 = BF142468.D		RRF010 = BF142469.D	
		RRF020 = BF142470.D			RRF040 = BF142471.D		RRF050 = BF142472.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
2-Fluorophenol		1.264	1.214	1.225	1.125	1.220	1.187	5.0
Benzaldehyde		1.035	0.975	0.969	0.817	0.872	0.859	17.8
Phenol-d6		1.530	1.449	1.459	1.367	1.467	1.429	4.8
Phenol		1.716	1.621	1.646	1.530	1.657	1.608	4.8
bis(2-Chloroethyl) ether		1.202	1.155	1.168	1.108	1.209	1.157	3.5
2-Chlorophenol		1.345	1.293	1.315	1.252	1.338	1.293	3.4
2-Methylphenol		1.040	0.992	1.026	0.976	1.053	1.010	3.3
2,2-oxybis(1-Chloropropane)		2.082	1.978	1.983	1.868	2.011	1.944	5.1
Acetophenone		0.480	0.453	0.459	0.429	0.452	0.443	6.0
3+4-Methylphenols		1.412	1.319	1.337	1.246	1.337	1.293	6.6
n-Nitroso-di-n-propylamine	0.923	0.941	0.880	0.900	0.843	0.912	0.886	4.7
Nitrobenzene-d5		0.376	0.365	0.379	0.356	0.382	0.367	3.5
Hexachloroethane		0.533	0.503	0.523	0.489	0.529	0.507	4.2
Nitrobenzene		0.338	0.328	0.338	0.323	0.343	0.331	2.9
Isophorone		0.636	0.615	0.620	0.593	0.638	0.613	3.3
2-Nitrophenol		0.167	0.170	0.180	0.175	0.190	0.177	4.4
2,4-Dimethylphenol		0.315	0.315	0.318	0.303	0.325	0.312	3.2
bis(2-Chloroethoxy) methane		0.406	0.394	0.394	0.364	0.391	0.383	4.6
2,4-Dichlorophenol		0.288	0.282	0.290	0.276	0.300	0.283	3.7
Naphthalene		1.061	1.021	1.020	0.941	1.007	0.985	5.9
4-Chloroaniline		0.424	0.409	0.416	0.389	0.415	0.399	6.9
Hexachlorobutadiene		0.203	0.192	0.197	0.187	0.198	0.192	4.5
Caprolactam		0.081	0.076	0.083	0.079	0.085	0.080	4.3
4-Chloro-3-methylphenol		0.304	0.290	0.299	0.282	0.301	0.291	4.0
2-Methylnaphthalene		0.679	0.638	0.646	0.590	0.631	0.620	6.6
Hexachlorocyclopentadiene		0.318	0.350	0.383	0.393	0.430	0.387	10.6
2,4,6-Trichlorophenol		0.387	0.373	0.406	0.371	0.406	0.387	3.7
2-Fluorobiphenyl		1.726	1.619	1.558	1.387	1.480	1.490	10.5
2,4,5-Trichlorophenol		0.410	0.411	0.416	0.395	0.437	0.408	4.3
1,1-Biphenyl		1.672	1.605	1.595	1.480	1.595	1.552	5.8
2-Chloronaphthalene		1.218	1.170	1.177	1.094	1.183	1.146	4.8
2-Nitroaniline		0.333	0.318	0.338	0.324	0.354	0.331	3.7
Dimethylphthalate		1.441	1.340	1.367	1.255	1.366	1.320	6.2
Acenaphthylene		2.064	1.982	2.027	1.851	1.998	1.936	5.8

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: Q2177 SAS No.: Q2177 SDG No.: Q2177
Instrument ID: BNA_F Calibration Date(s): 05/20/2025 05/20/2025
Calibration Time(s): 12:10 15:31

LAB FILE ID:		RRF2.5 = BF142467.D			RRF005 = BF142468.D		RRF010 = BF142469.D	
		RRF020 = BF142470.D			RRF040 = BF142471.D		RRF050 = BF142472.D	
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
2,6-Dinitrotoluene		0.290	0.283	0.289	0.280	0.302	0.285	3.7
3-Nitroaniline		0.320	0.309	0.328	0.299	0.330	0.311	5.0
Acenaphthene		1.259	1.222	1.227	1.120	1.223	1.182	5.7
2,4-Dinitrophenol			0.110	0.137	0.149	0.169	0.147	14.4
4-Nitrophenol		0.221	0.217	0.242	0.227	0.252	0.230	5.6
Dibenzofuran		1.886	1.766	1.768	1.606	1.736	1.701	7.4
2,4-Dinitrotoluene		0.372	0.367	0.387	0.364	0.398	0.372	4.6
Diethylphthalate		1.422	1.310	1.359	1.231	1.343	1.289	7.5
4-Chlorophenyl-phenylether		0.724	0.678	0.676	0.609	0.653	0.646	8.3
Fluorene		1.477	1.399	1.372	1.231	1.343	1.314	8.9
4-Nitroaniline		0.303	0.283	0.303	0.277	0.294	0.282	7.0
4,6-Dinitro-2-methylphenol		0.086	0.094	0.110	0.115	0.129	0.112	14.7
n-Nitrosodiphenylamine		0.712	0.682	0.696	0.649	0.697	0.684	3.3
2,4,6-Tribromophenol		0.230	0.225	0.234	0.211	0.233	0.222	5.4
4-Bromophenyl-phenylether		0.240	0.235	0.239	0.222	0.246	0.236	3.5
Hexachlorobenzene		0.265	0.267	0.263	0.251	0.273	0.262	3.2
Atrazine		0.184	0.174	0.186	0.178	0.196	0.182	4.3
Pentachlorophenol		0.130	0.135	0.149	0.147	0.162	0.148	7.9
Phenanthrene		1.196	1.094	1.100	1.012	1.085	1.069	7.0
Anthracene		1.191	1.132	1.124	1.036	1.110	1.091	6.1
Carbazole		1.030	0.968	0.982	0.889	0.950	0.933	7.4
Di-n-butylphthalate		1.108	1.039	1.083	0.976	1.059	1.021	7.0
Fluoranthene		1.177	1.081	1.052	0.938	0.997	0.999	11.4
Pyrene		1.929	1.967	2.066	1.859	1.959	1.866	9.8
Terphenyl-d14		1.624	1.582	1.660	1.423	1.492	1.464	12.8
Butylbenzylphthalate		0.462	0.453	0.525	0.526	0.575	0.516	8.5
3,3-Dichlorobenzidine		0.360	0.364	0.402	0.407	0.444	0.405	8.3
Benzo (a) anthracene		1.424	1.287	1.403	1.278	1.391	1.336	5.4
Chrysene		1.222	1.204	1.193	1.145	1.255	1.200	3.2
Bis (2-ethylhexyl) phthalate		0.510	0.548	0.618	0.673	0.765	0.660	15.9
Di-n-octyl phthalate			0.958	1.108	1.266	1.432	1.290	17.3
Benzo (b) fluoranthene		1.317	1.105	1.293	1.126	1.209	1.184	7.6
Benzo (k) fluoranthene		1.191	1.166	1.032	1.042	1.178	1.109	6.7
Benzo (a) pyrene		1.154	1.081	1.114	1.081	1.185	1.116	4.0
Indeno (1,2,3-cd) pyrene		1.421	1.495	1.583	1.448	1.583	1.501	4.6

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: PORT06
Lab Code: CHEM Case No.: Q2177 SAS No.: Q2177 SDG No.: Q2177
Instrument ID: BNA_F Calibration Date(s): 05/20/2025 05/20/2025
Calibration Time(s): 12:10 15:31

LAB FILE ID:		RRF2.5 = BF142467.D		RRF005 = BF142468.D		RRF010 = BF142469.D		
		RRF020 = BF142470.D		RRF040 = BF142471.D		RRF050 = BF142472.D		
COMPOUND	RRF2.5	RRF005	RRF010	RRF020	RRF040	RRF050	RRF	% RSD
Dibenzo (a,h) anthracene		1.152	1.228	1.275	1.184	1.290	1.218	4.7
Benzo (g,h,i) perylene		1.154	1.220	1.270	1.180	1.299	1.218	4.6
1,2,4,5-Tetrachlorobenzene		0.592	0.580	0.588	0.552	0.592	0.574	3.4
1,4-Dioxane		0.493	0.460	0.474	0.458	0.500	0.475	3.8
2,3,4,6-Tetrachlorophenol		0.347	0.336	0.360	0.333	0.361	0.341	4.7