

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	05/31/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	06/02/25	
Client Sample ID:	B-187-SB00		SDG No.:	Q2177	
Lab Sample ID:	Q2177-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.2	
Sample Wt/Vol:	2.56	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022534.D	1		06/03/25 19:42	VY060325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	2.50	U	2.50	10.9	ug/Kg
74-87-3	Chloromethane	2.50	U	2.50	10.9	ug/Kg
75-01-4	Vinyl Chloride	1.70	U	1.70	10.9	ug/Kg
74-83-9	Bromomethane	2.30	U	2.30	10.9	ug/Kg
75-00-3	Chloroethane	2.80	U	2.80	10.9	ug/Kg
75-69-4	Trichlorofluoromethane	2.60	U	2.60	10.9	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	2.30	U	2.30	10.9	ug/Kg
75-35-4	1,1-Dichloroethene	2.20	U	2.20	10.9	ug/Kg
67-64-1	Acetone	10.4	U	10.4	54.7	ug/Kg
75-15-0	Carbon Disulfide	2.30	U	2.30	10.9	ug/Kg
1634-04-4	Methyl tert-butyl Ether	1.60	U	1.60	10.9	ug/Kg
79-20-9	Methyl Acetate	3.40	U	3.40	10.9	ug/Kg
75-09-2	Methylene Chloride	7.70	U	7.70	21.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.90	U	1.90	10.9	ug/Kg
75-34-3	1,1-Dichloroethane	1.80	U	1.80	10.9	ug/Kg
110-82-7	Cyclohexane	1.70	U	1.70	10.9	ug/Kg
78-93-3	2-Butanone	14.3	U	14.3	54.7	ug/Kg
56-23-5	Carbon Tetrachloride	2.10	U	2.10	10.9	ug/Kg
156-59-2	cis-1,2-Dichloroethene	1.60	U	1.60	10.9	ug/Kg
74-97-5	Bromochloromethane	2.50	U	2.50	10.9	ug/Kg
67-66-3	Chloroform	1.80	U	1.80	10.9	ug/Kg
71-55-6	1,1,1-Trichloroethane	2.00	U	2.00	10.9	ug/Kg
108-87-2	Methylcyclohexane	2.00	U	2.00	10.9	ug/Kg
71-43-2	Benzene	1.70	U	1.70	10.9	ug/Kg
107-06-2	1,2-Dichloroethane	1.70	U	1.70	10.9	ug/Kg
79-01-6	Trichloroethene	1.80	U	1.80	10.9	ug/Kg
78-87-5	1,2-Dichloropropane	2.00	U	2.00	10.9	ug/Kg
75-27-4	Bromodichloromethane	1.70	U	1.70	10.9	ug/Kg
108-10-1	4-Methyl-2-Pentanone	7.80	U	7.80	54.7	ug/Kg
108-88-3	Toluene	1.70	U	1.70	10.9	ug/Kg

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	05/31/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	06/02/25	
Client Sample ID:	B-187-SB00		SDG No.:	Q2177	
Lab Sample ID:	Q2177-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.2	
Sample Wt/Vol:	2.56	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022534.D	1		06/03/25 19:42	VY060325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	1.40	U	1.40	10.9	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	1.40	U	1.40	10.9	ug/Kg
79-00-5	1,1,2-Trichloroethane	2.00	U	2.00	10.9	ug/Kg
591-78-6	2-Hexanone	8.10	U	8.10	54.7	ug/Kg
124-48-1	Dibromochloromethane	1.90	U	1.90	10.9	ug/Kg
106-93-4	1,2-Dibromoethane	1.90	U	1.90	10.9	ug/Kg
127-18-4	Tetrachloroethene	2.30	U	2.30	10.9	ug/Kg
108-90-7	Chlorobenzene	2.00	U	2.00	10.9	ug/Kg
100-41-4	Ethyl Benzene	1.50	U	1.50	10.9	ug/Kg
179601-23-1	m/p-Xylenes	2.70	U	2.70	21.9	ug/Kg
95-47-6	o-Xylene	1.80	U	1.80	10.9	ug/Kg
100-42-5	Styrene	1.60	U	1.60	10.9	ug/Kg
75-25-2	Bromoform	1.90	U	1.90	10.9	ug/Kg
98-82-8	Isopropylbenzene	1.70	U	1.70	10.9	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	2.60	U	2.60	10.9	ug/Kg
541-73-1	1,3-Dichlorobenzene	3.70	U	3.70	10.9	ug/Kg
106-46-7	1,4-Dichlorobenzene	3.40	U	3.40	10.9	ug/Kg
95-50-1	1,2-Dichlorobenzene	3.20	U	3.20	10.9	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	4.00	U	4.00	10.9	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	6.50	U	6.50	10.9	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	7.00	U	7.00	10.9	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.3		70 (63) - 130 (155)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	51.7		70 (70) - 130 (134)	103%	SPK: 50
2037-26-5	Toluene-d8	48.7		70 (74) - 130 (123)	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	30.8	*	70 (17) - 130 (146)	62%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	250000	7.707			
540-36-3	1,4-Difluorobenzene	447000	8.616			
3114-55-4	Chlorobenzene-d5	314000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	80900	13.346			

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	05/31/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	06/02/25	
Client Sample ID:	B-187-SB00		SDG No.:	Q2177	
Lab Sample ID:	Q2177-01		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	89.2	
Sample Wt/Vol:	2.56	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022534.D	1		06/03/25 19:42	VY060325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products