

Surrogate Summary

SDG No.: Q2189

Client: PARSONS Engineering of New York, Inc.

Analytical Method: SW8260-Low

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q2189-01	MW-7-20250602	1,2-Dichloroethane-d4	50	48.9	98	74	125
		Dibromofluoromethane	50	49.3	99	75	124
		Toluene-d8	50	52.2	104	86	113
		4-Bromofluorobenzene	50	49.5	99	77	121
Q2189-02	MW-8-20250602	1,2-Dichloroethane-d4	50	54.0	108	74	125
		Dibromofluoromethane	50	50.4	101	75	124
		Toluene-d8	50	50.5	101	86	113
		4-Bromofluorobenzene	50	52.1	104	77	121
VN0611WBL01	VN0611WBL01	1,2-Dichloroethane-d4	50	48.3	97	74	125
		Dibromofluoromethane	50	49.3	99	75	124
		Toluene-d8	50	51.7	103	86	113
		4-Bromofluorobenzene	50	49.4	99	77	121
VN0611WBS02	VN0611WBS02	1,2-Dichloroethane-d4	50	47.1	94	74	125
		Dibromofluoromethane	50	51.1	102	75	124
		Toluene-d8	50	48.7	97	86	113
		4-Bromofluorobenzene	50	50.0	100	77	121
VN0611WBSD0	VN0611WBSD02	1,2-Dichloroethane-d4	50	47.9	96	74	125
		Dibromofluoromethane	50	52.3	105	75	124
		Toluene-d8	50	49.5	99	86	113
		4-Bromofluorobenzene	50	50.1	100	77	121
VX0603WBL01	VX0603WBL01	1,2-Dichloroethane-d4	50	51.5	103	74	125
		Dibromofluoromethane	50	49.1	98	75	124
		Toluene-d8	50	49.8	100	86	113
		4-Bromofluorobenzene	50	51.4	103	77	121
VX0603WBS01	VX0603WBS01	1,2-Dichloroethane-d4	50	48.8	98	74	125
		Dibromofluoromethane	50	50.4	101	75	124
		Toluene-d8	50	47.8	96	86	113
		4-Bromofluorobenzene	50	50.6	101	77	121