

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-2

Weigh By : RM

Start Digest Date: 06/04/2025 Time : 15:00 Temp : N/A

End Digest Date: 06/04/2025 Time : 16:30 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RM

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

06/04/2025
RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168267BL	PBS267	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2185-04DUP	TP02-MHB-WCDUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2185-04	TP02-MHB-WC	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2185-08	TP01-MHB-WC	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2194-02	COMP-12	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2194-04	COMP-13	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2198-02	B-202-SB02	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2198-04	B-207-SB01	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2206-04	TP-1	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2207-09	BU-703-COMP-01	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2207-18	BU-703-COMP-02	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2207-27	BU-703-COMP-03	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2207-36	BU-703-COMP-04	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2207-45	BU-703-COMP-05	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2208-09	BU-703-COMP-06	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2208-18	BU-703-COMP-07	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2208-27	BU-703-COMP-08	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2208-36	BU-703-COMP-09	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A