



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: Tully Environmental, Inc

SDG No.: Q2205

Contract: TULL01

Lab Code: CHEM

Case No.: Q2205

SAS No.: Q2205

Instrument ID:

Date:

Interelement Correction Factors (apparent ppb analyte/ppm interferent )

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |           |
|---------|-------------------------|------------------------------------------|-----------|-----------|-----------|-----------|
|         |                         | Al                                       | Ca        | Fe        | Mg        | Ag        |
| Iron    | 240.488                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789  
8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2205

**Contract:** TULL01

**Lab Code:** CHEM

**Case No.:** Q2205

**SAS No.:** Q2205

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |            |
|---------|-------------------------|------------------------------------------|-----------|-----------|-----------|------------|
|         |                         | As                                       | Ba        | Be        | Cd        | Co         |
| Iron    | 240.488                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | -0.0039600 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2205

**Contract:** TULL01

**Lab Code:** CHEM

**Case No.:** Q2205

**SAS No.:** Q2205

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |            |
|---------|-------------------------|------------------------------------------|-----------|-----------|-----------|------------|
|         |                         | Cr                                       | Cu        | K         | Mn        | Mo         |
| Iron    | 240.488                 | 0.0000000                                | 0.0000000 | 0.0000730 | 0.0000000 | -0.0015250 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789  
8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2205

**Contract:** TULL01

**Lab Code:** CHEM

**Case No.:** Q2205

**SAS No.:** Q2205

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |            |           |           |           |
|---------|-------------------------|------------------------------------------|------------|-----------|-----------|-----------|
|         |                         | Na                                       | Ni         | Pb        | Sb        | Se        |
| Iron    | 240.488                 | 0.0000000                                | -0.0017000 | 0.0000000 | 0.0000000 | 0.0000000 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789  
8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2205

**Contract:** TULL01

**Lab Code:** CHEM

**Case No.:** Q2205

**SAS No.:** Q2205

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |           |
|---------|-------------------------|------------------------------------------|-----------|-----------|-----------|-----------|
|         |                         | Sn                                       | Ti        | Tl        | V         | Zn        |
| Iron    | 240.488                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |