

## Report of Analysis

|                    |                    |                    |               |
|--------------------|--------------------|--------------------|---------------|
| Client:            | PSEG               | Date Collected:    | 06/02/25      |
| Project:           | BU-703 Willingboro | Date Received:     | 06/04/25      |
| Client Sample ID:  | BU-703-COMP-04     | SDG No.:           | Q2207         |
| Lab Sample ID:     | Q2207-28           | Matrix:            | SOIL          |
| Analytical Method: | 8081B              | % Solid:           | 88.8          |
| Sample Wt/Vol:     | 30.03              | Units:             | g             |
| Soil Aliquot Vol:  |                    |                    | uL            |
| Extraction Type:   |                    | Test:              | Pesticide-TCL |
| GPC Factor :       | 1.0                | Injection Volume : |               |
| Prep Method :      | SW3541B            |                    |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL095951.D        | 1         | 06/05/25 09:10 | 06/05/25 15:28 | PB168299      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.0019 | U         | 0.00015  | 0.0019     | mg/Kg             |
| 319-85-7          | beta-BHC             | 0.0019 | U         | 0.00020  | 0.0019     | mg/Kg             |
| 319-86-8          | delta-BHC            | 0.0019 | U         | 0.00044  | 0.0019     | mg/Kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 76-44-8           | Heptachlor           | 0.0019 | U         | 0.00014  | 0.0019     | mg/Kg             |
| 309-00-2          | Aldrin               | 0.0019 | U         | 0.00014  | 0.0019     | mg/Kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.0019 | U         | 0.00021  | 0.0019     | mg/Kg             |
| 959-98-8          | Endosulfan I         | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 60-57-1           | Dieldrin             | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 72-55-9           | 4,4-DDE              | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 72-20-8           | Endrin               | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 33213-65-9        | Endosulfan II        | 0.0019 | U         | 0.00033  | 0.0019     | mg/Kg             |
| 72-54-8           | 4,4-DDD              | 0.0019 | U         | 0.00017  | 0.0019     | mg/Kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.0019 | U         | 0.00015  | 0.0019     | mg/Kg             |
| 50-29-3           | 4,4-DDT              | 0.0019 | U         | 0.00016  | 0.0019     | mg/Kg             |
| 72-43-5           | Methoxychlor         | 0.0019 | U         | 0.00042  | 0.0019     | mg/Kg             |
| 53494-70-5        | Endrin ketone        | 0.0019 | U         | 0.00021  | 0.0019     | mg/Kg             |
| 7421-93-4         | Endrin aldehyde      | 0.0019 | U         | 0.00042  | 0.0019     | mg/Kg             |
| 5103-71-9         | alpha-Chlordane      | 0.0019 | U         | 0.00014  | 0.0019     | mg/Kg             |
| 5103-74-2         | gamma-Chlordane      | 0.0019 | U         | 0.00017  | 0.0019     | mg/Kg             |
| 8001-35-2         | Toxaphene            | 0.037  | U         | 0.0061   | 0.037      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 15.1   |           | 20 - 144 | 75%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 20.3   |           | 19 - 148 | 102%       | SPK: 20           |

## Report of Analysis

|                    |                    |                    |               |
|--------------------|--------------------|--------------------|---------------|
| Client:            | PSEG               | Date Collected:    | 06/02/25      |
| Project:           | BU-703 Willingboro | Date Received:     | 06/04/25      |
| Client Sample ID:  | BU-703-COMP-04     | SDG No.:           | Q2207         |
| Lab Sample ID:     | Q2207-28           | Matrix:            | SOIL          |
| Analytical Method: | 8081B              | % Solid:           | 88.8          |
| Sample Wt/Vol:     | 30.03              | Units:             | g             |
| Soil Aliquot Vol:  |                    |                    | uL            |
| Extraction Type:   |                    | Test:              | Pesticide-TCL |
| GPC Factor :       | 1.0                | Injection Volume : |               |
| Prep Method :      | SW3541B            |                    |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL095951.D        | 1         | 06/05/25 09:10 | 06/05/25 15:28 | PB168299      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit