

Report of Analysis

Client:	PSEG	Date Collected:	06/04/25
Project:	Clifton Electric	Date Received:	06/04/25
Client Sample ID:	72-11934-E2	SDG No.:	Q2218
Lab Sample ID:	Q2218-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.8
Sample Wt/Vol:	30.08	Units:	g
Soil Aliquot Vol:		Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF

Prep Date :	Date Analyzed :	Prep Batch ID
06/06/25 10:00	06/06/25 20:31	PB168322

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS							
Aliphatic C28-C40	Aliphatic C28-C40	11.0		1	1.25	2.13	mg/kg FG015974.D
Aliphatic C9-C28	Aliphatic C9-C28	15.7		1	0.97	4.25	mg/kg FG015974.D
Total AliphaticEPH	Total AliphaticEPH	26.7			2.22	6.38	mg/kg
Total EPH	Total EPH	26.7			2.22	6.38	mg/kg

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	06/04/25
Project:	Clifton Electric	Date Received:	06/04/25
Client Sample ID:	72-11934-E2	SDG No.:	Q2218
Lab Sample ID:	Q2218-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.8
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FG015974.D	1	06/06/25	06/06/25	PB168322

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	15.7		0.97	4.25	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	11.0		1.25	2.13	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	53.5		40 - 140	107%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	50.1		40 - 140	100%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2218-02	Acq On:	06 Jun 2025 20:31
Client Sample ID:	72-11934-E2	Operator:	YP\AJ
Data file:	FG015974.D	Misc:	
Instrument:	FID_G	ALS Vial:	31
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.118	6.761	418793	3.689	300	ug/ml
Aliphatic C12-C16	6.762	10.209	1154359	9.89	200	ug/ml
Aliphatic C16-C21	10.210	13.585	16222833	132.757	300	ug/ml
Aliphatic C21-C28	13.586	17.255	8994058	74.86	400	ug/ml
Aliphatic C28-C40	17.256	22.148	17202914	155.776	600	ug/ml
Aliphatic EPH	3.118	22.148	43992957	376.972		ug/ml
ortho-Terphenyl (SURR)	11.875	11.875	7458009	50.09		ug/ml
1-chlorooctadecane (SURR)	13.319	13.319	6159655	53.47		ug/ml
Aliphatic C9-C28	3.118	17.255	26790043	221.196	1200	ug/ml