

Test:

06/09/25

TCLP Pesticide



Report of Analysis

Client: ENTACT Date Collected:

Project: 540 Degraw St, Brooklyn, NY - E9309 Date Received: 06/09/25

Client Sample ID: PIBLK-PD088840.D SDG No.: Q2235

Lab Sample ID: I.BLK-PD088840.D Matrix: TCLP

Analytical Method: 8081B % Solid: 0 Decanted:

Sample Wt/Vol: 1000 Units: mL Final Vol: 10000 uL

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

uL

Prep Method: 3510C

Soil Aliquot Vol:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID
PD088840.D 1 06/09/25 pd060925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.0037	U	0.0037	0.050	ug/L
76-44-8	Heptachlor	0.0027	U	0.0027	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.0096	U	0.0096	0.050	ug/L
72-20-8	Endrin	0.0032	U	0.0032	0.050	ug/L
72-43-5	Methoxychlor	0.011	U	0.011	0.050	ug/L
8001-35-2	Toxaphene	0.17	U	0.17	1.00	ug/L
57-74-9	Chlordane	0.088	U	0.088	0.50	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	24.7		30 (57) - 150 (171)	123%	SPK: 20
877-09-8	Tetrachloro-m-xylene	23.3		30 (61) - 150 (148)	117%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit