

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 06/05/2025 Time : 11:45 Temp : N/A

Matrix : SOIL

End Digest Date: 06/05/2025 Time : 13:15 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature:

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature:

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/05/2025 13:25	RM (WC)	RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168294BL	PBS294	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2226-04	TP06-MHI-WC	5.08	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2226-04DUP	TP06-MHI-WCDUP	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2227-04	TP07-MHH-WC	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2228-04	TP08-MHI-WC	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2235-03	WC-A2-08-C	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2236-03	WC-A4-05A-C	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2236-07	WC-A2-04-C	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2236-11	WC-A4-05-C	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2236-15	WC-A4-06-C	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2236-19	WC-A4-07-C	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A