

## Analytical Summary Report

Analysis Method: 9095B  
Parameter: Paint Filter  
Run Number: LB136019

Reviewed By: Iwona  
Supervisor Review By: jignesh  
BalanceID: WC SC-7

| Seq | LabID       | ClientID       | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------|----------|-----------|------------------------|------------|-----------|
| 1   | Q2206-01    | TP-1           | 1        | 100.05    | 0.00                   | 06/05/2025 | 09:40     |
| 2   | Q2206-01DUP | TP-1DUP        | 1        | 100.08    | 0.00                   | 06/05/2025 | 09:48     |
| 3   | Q2207-01    | BU-703-COMP-01 | 1        | 100.03    | 0.00                   | 06/05/2025 | 09:55     |
| 4   | Q2207-10    | BU-703-COMP-02 | 1        | 100.01    | 0.00                   | 06/05/2025 | 10:03     |
| 5   | Q2207-19    | BU-703-COMP-03 | 1        | 100.08    | 0.00                   | 06/05/2025 | 10:10     |
| 6   | Q2207-28    | BU-703-COMP-04 | 1        | 100.02    | 0.00                   | 06/05/2025 | 10:18     |
| 7   | Q2207-37    | BU-703-COMP-05 | 1        | 100.07    | 0.00                   | 06/05/2025 | 10:25     |
| 8   | Q2208-01    | BU-703-COMP-06 | 1        | 100.07    | 0.00                   | 06/05/2025 | 10:32     |
| 9   | Q2208-10    | BU-703-COMP-07 | 1        | 100.05    | 0.00                   | 06/05/2025 | 10:40     |
| 10  | Q2208-19    | BU-703-COMP-08 | 1        | 100.02    | 0.00                   | 06/05/2025 | 10:47     |
| 11  | Q2208-28    | BU-703-COMP-09 | 1        | 100.03    | 0.00                   | 06/05/2025 | 10:55     |
| 12  | Q2214-01    | RBR251425      | 1        | 100.07    | 0.00                   | 06/05/2025 | 11:03     |
| 13  | Q2218-01    | 72-11934       | 1        | 100.06    | 0.00                   | 06/05/2025 | 11:10     |
| 14  | Q2219-01    | 72-11995       | 1        | 100.04    | 0.00                   | 06/05/2025 | 11:18     |
| 15  | Q2223-01    | HR-01-06042025 | 1        | 100.06    | 0.00                   | 06/05/2025 | 11:25     |
| 16  | Q2223-03    | HR-04-06042025 | 1        | 100.08    | 0.00                   | 06/05/2025 | 11:32     |
| 17  | Q2224-01    | EO-01-06042025 | 1        | 100.05    | 0.00                   | 06/05/2025 | 11:40     |
| 18  | Q2225-01    | SU-03-06042025 | 1        | 100.08    | 0.00                   | 06/05/2025 | 11:48     |
| 19  | Q2226-01    | TP06-MHI-WC    | 1        | 100.06    | 0.00                   | 06/05/2025 | 11:55     |
| 20  | Q2227-01    | TP07-MHH-WC    | 1        | 100.03    | 0.00                   | 06/05/2025 | 12:03     |
| 21  | Q2228-01    | TP08-MHI-WC    | 1        | 100.09    | 0.00                   | 06/05/2025 | 12:10     |
| 22  | Q2235-02    | WC-A2-08-C     | 1        | 100.05    | 0.00                   | 06/05/2025 | 12:18     |
| 23  | Q2236-02    | WC-A4-05A-C    | 1        | 100.00    | 0.00                   | 06/05/2025 | 12:25     |
| 24  | Q2236-06    | WC-A2-04-C     | 1        | 100.09    | 0.00                   | 06/05/2025 | 12:32     |
| 25  | Q2236-10    | WC-A2-05-C     | 1        | 100.08    | 0.00                   | 06/05/2025 | 12:40     |
| 26  | Q2236-14    | WC-A2-06-C     | 1        | 100.05    | 0.00                   | 06/05/2025 | 12:48     |
| 27  | Q2236-18    | WC-A2-07-C     | 1        | 100.05    | 0.00                   | 06/05/2025 | 12:55     |
| 28  | Q2240-01    | TP-3           | 1        | 100.05    | 0.00                   | 06/05/2025 | 13:15     |
| 29  | Q2240-05    | TP-2           | 1        | 100.05    | 0.00                   | 06/05/2025 | 13:23     |
| 30  | Q2240-09    | TP-1           | 1        | 100.02    | 0.00                   | 06/05/2025 | 13:30     |
| 31  | Q2241-01    | TP-N           | 1        | 100.07    | 0.00                   | 06/05/2025 | 13:38     |
| 32  | Q2241-05    | TP-S           | 1        | 100.05    | 0.00                   | 06/05/2025 | 13:45     |
| 33  | Q2241-05DUP | TP-SDUP        | 1        | 100.02    | 0.00                   | 06/05/2025 | 13:52     |

# WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525

WorkList ID : 189972

Department : Wet-Chemistry

Date : 06-05-2025 09:23:24

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| Q2206-01 | TP-1            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2207-01 | BU-703-COMP-01  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2207-10 | BU-703-COMP-02  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2207-19 | BU-703-COMP-03  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2207-28 | BU-703-COMP-04  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2207-37 | BU-703-COMP-05  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2208-01 | BU-703-COMP-06  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2208-10 | BU-703-COMP-07  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2208-19 | BU-703-COMP-08  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2208-28 | BU-703-COMP-09  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2214-01 | RBR251425       | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/02/2025   | 9095B  |
| Q2218-01 | 72-11934        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2219-01 | 72-11995        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2223-01 | HR-01-06042025  | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2223-03 | HR-04-06042025  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | N31                         | 06/04/2025   | 9095B  |
| Q2224-01 | EO-01-06042025  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | N31                         | 06/04/2025   | 9095B  |
| Q2225-01 | SU-03-06042025  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | N31                         | 06/04/2025   | 9095B  |
| Q2226-01 | TP06-MHI-WC     | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | N31                         | 06/04/2025   | 9095B  |
| Q2227-01 | TP07-MHH-WC     | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N42                         | 06/04/2025   | 9095B  |
| Q2228-01 | TP08-MHI-WC     | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N41                         | 06/03/2025   | 9095B  |
| Q2235-02 | WG-A2-08-C      | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N41                         | 06/04/2025   | 9095B  |
|          |                 |        |              |              | ENTA05   | N41                         | 06/04/2025   | 9095B  |

Date/Time 06/05/25 09:30  
Raw Sample Received by: 12609  
Raw Sample Relinquished by: 266007

Date/Time 06/05/25 14:10  
Raw Sample Received by: 266007  
Raw Sample Relinquished by: 12609

WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525

WorkList ID : 189972

Department : Wet-Chemistry

Date : 06-05-2025 09:23:24

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| Q2236-02 | WC-A4-05A-C     | Solid  | Paint Filter | Cool 4 deg C | ENTA05   | N31                         | 06/04/2025   | 9095B  |
| Q2236-06 | WC-A2-04-C      | Solid  | Paint Filter | Cool 4 deg C | ENTA05   | N31                         | 06/04/2025   | 9095B  |
| Q2236-10 | WC-A2-05-C      | Solid  | Paint Filter | Cool 4 deg C | ENTA05   | N31                         | 06/04/2025   | 9095B  |
| Q2236-14 | WC-A2-06-C      | Solid  | Paint Filter | Cool 4 deg C | ENTA05   | N31                         | 06/04/2025   | 9095B  |
| Q2236-18 | WC-A2-07-C      | Solid  | Paint Filter | Cool 4 deg C | ENTA05   | N31                         | 06/04/2025   | 9095B  |

Date/Time 06/05/25 09:30  
Raw Sample Received by: 12/20/25  
Raw Sample Relinquished by: [Signature]

Date/Time 06/05/25 14:10  
Raw Sample Received by: [Signature]  
Raw Sample Relinquished by: 12/20/25

# WORKLIST(Hardcopy Internal Chain)

LB136019

WorkList Name : PAINT FILTER-060525-2      WorkList ID : 189973      Department : Wet-Chemistry      Date : 06-05-2025 12:05:59

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| Q2240-01 | TP-3            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2240-05 | TP-2            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/04/2025   | 9095B  |
| Q2240-09 | TP-1            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N31                         | 06/05/2025   | 9095B  |
| Q2241-01 | TP-N            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N41                         | 06/05/2025   | 9095B  |
| Q2241-05 | TP-S            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | N41                         | 06/05/2025   | 9095B  |

Date/Time 06/05/25 13:05  
Raw Sample Received by: 12(wc)  
Raw Sample Relinquished by: JPACG

Date/Time 06/05/25 14:10  
Raw Sample Received by: JPACG  
Raw Sample Relinquished by: 12(wc)