



A

B

C

# SAMPLE DATA

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A4-05A-C                         | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-02                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 77.8           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 405   |      | 1  | 7.46 | 32.1       | mg/Kg             |           | 06/10/25 09:15 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 06/05/25 12:25 | 9095B        |
| pH             | 12.1  | H    | 1  | 0    | 0          | pH                |           | 06/05/25 14:47 | 9045D        |
| TS             | 77.3  |      | 1  | 1.00 | 5.00       | %                 |           | 06/05/25 11:00 | SM 2540 B-15 |
| TVS            | 15.5  |      | 1  | 1.00 | 10.0       | %                 |           | 06/05/25 17:00 | 160.4        |

Comments: pH result reported at temperature 26.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A4-05A-C                         | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-03                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.1   | H    | 1  | 0      | 0          | pH    |                | 06/05/25 14:47 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 06/05/25 11:17 | 1030     |
| Reactive Cyanide | 0.0084 | U    | 1  | 0.0084 | 0.050      | mg/Kg | 06/05/25 11:45 | 06/05/25 14:07 | 9012B    |
| Reactive Sulfide | 6.31   | J    | 1  | 0.20   | 10.0       | mg/Kg | 06/05/25 13:45 | 06/05/25 16:06 | 9034     |

Comments: pH result reported at temperature 26.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A4-05A-C                         | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-04                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.65  |      | 1  | 0.030 | 0.10       | mg/L  | 06/06/25 12:45 | 06/06/25 16:04 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 43.9  |      | 1  | 1.50  | 10.0       | mg/L  |                | 06/09/25 13:49 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.30  | J    | 1  | 0.29  | 5.00       | mg/L  |                | 06/09/25 12:30 | SW1664A                           |
| ASTM TS             | 863   |      | 1  | 1.00  | 5.00       | mg/L  |                | 06/06/25 12:00 | SM 2540 B-15                      |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-04-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-06                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 71.7           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 425   |      | 1  | 8.09 | 34.8       | mg/Kg             |           | 06/10/25 09:15 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 06/05/25 12:32 | 9095B        |
| pH             | 12.4  | H    | 1  | 0    | 0          | pH                |           | 06/05/25 14:55 | 9045D        |
| TS             | 71.8  |      | 1  | 1.00 | 5.00       | %                 |           | 06/05/25 11:00 | SM 2540 B-15 |
| TVS            | 21.1  |      | 1  | 1.00 | 10.0       | %                 |           | 06/05/25 17:00 | 160.4        |

Comments: pH result reported at temperature 27.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-04-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-07                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.4   | H    | 1  | 0      | 0          | pH    |                | 06/05/25 14:55 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 06/05/25 11:25 | 1030     |
| Reactive Cyanide | 0.0083 | U    | 1  | 0.0083 | 0.049      | mg/Kg | 06/05/25 11:45 | 06/05/25 14:07 | 9012B    |
| Reactive Sulfide | 6.39   | J    | 1  | 0.20   | 10.0       | mg/Kg | 06/05/25 13:45 | 06/05/25 16:08 | 9034     |

Comments: pH result reported at temperature 27.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-04-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-08                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 1.20  |      | 1  | 0.030 | 0.10       | mg/L  | 06/06/25 12:45 | 06/06/25 16:04 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 47.9  |      | 1  | 1.50  | 10.0       | mg/L  |                | 06/09/25 13:50 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.50  | J    | 1  | 0.29  | 5.00       | mg/L  |                | 06/09/25 12:30 | SW1664A                           |
| ASTM TS             | 1630  |      | 1  | 1.00  | 5.00       | mg/L  |                | 06/06/25 12:00 | SM 2540 B-15                      |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-05-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-10                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 79.2           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 202   |      | 1  | 7.32 | 31.5       | mg/Kg             |           | 06/10/25 09:15 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 06/05/25 12:40 | 9095B        |
| pH             | 12.3  | H    | 1  | 0    | 0          | pH                |           | 06/05/25 15:00 | 9045D        |
| TS             | 78.9  |      | 1  | 1.00 | 5.00       | %                 |           | 06/05/25 11:00 | SM 2540 B-15 |
| TVS            | 13.5  |      | 1  | 1.00 | 10.0       | %                 |           | 06/05/25 17:00 | 160.4        |

Comments: pH result reported at temperature 27.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-05-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-11                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.3   | H    | 1  | 0      | 0          | pH    |                | 06/05/25 15:00 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 06/05/25 11:32 | 1030     |
| Reactive Cyanide | 0.0083 | U    | 1  | 0.0083 | 0.050      | mg/Kg | 06/05/25 11:45 | 06/05/25 14:07 | 9012B    |
| Reactive Sulfide | 4.73   | J    | 1  | 0.20   | 10.0       | mg/Kg | 06/05/25 13:45 | 06/05/25 16:10 | 9034     |

Comments: pH result reported at temperature 27.2 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-05-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-12                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 1.00  |      | 1  | 0.030 | 0.10       | mg/L  | 06/06/25 12:45 | 06/06/25 16:04 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 47.9  |      | 1  | 1.50  | 10.0       | mg/L  |                | 06/09/25 13:50 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.50  | J    | 1  | 0.29  | 5.00       | mg/L  |                | 06/09/25 12:30 | SW1664A                           |
| ASTM TS             | 1040  |      | 1  | 1.00  | 5.00       | mg/L  |                | 06/06/25 12:00 | SM 2540 B-15                      |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-06-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-14                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 83.1           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 264   |      | 1  | 6.98 | 30.0       | mg/Kg             |           | 06/10/25 09:15 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 06/05/25 12:48 | 9095B        |
| pH             | 12.0  | H    | 1  | 0    | 0          | pH                |           | 06/05/25 15:10 | 9045D        |
| TS             | 83.6  |      | 1  | 1.00 | 5.00       | %                 |           | 06/05/25 11:00 | SM 2540 B-15 |
| TVS            | 5.00  | J    | 1  | 1.00 | 10.0       | %                 |           | 06/05/25 17:00 | 160.4        |

Comments: pH result reported at temperature 26.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-06-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-15                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.0   | H    | 1  | 0      | 0          | pH    |                | 06/05/25 15:10 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 06/05/25 11:40 | 1030     |
| Reactive Cyanide | 0.0083 | U    | 1  | 0.0083 | 0.050      | mg/Kg | 06/05/25 11:45 | 06/05/25 14:07 | 9012B    |
| Reactive Sulfide | 4.75   | J    | 1  | 0.20   | 10.0       | mg/Kg | 06/05/25 13:45 | 06/05/25 16:13 | 9034     |

Comments: pH result reported at temperature 26.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-06-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-16                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.91  |      | 1  | 0.030 | 0.10       | mg/L  | 06/06/25 12:45 | 06/06/25 16:05 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 36.7  |      | 1  | 1.50  | 10.0       | mg/L  |                | 06/09/25 13:51 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.29  | U    | 1  | 0.29  | 5.00       | mg/L  |                | 06/09/25 12:30 | SW1664A                           |
| ASTM TS             | 11100 |      | 1  | 1.00  | 5.00       | mg/L  |                | 06/06/25 12:00 | SM 2540 B-15                      |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-07-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-18                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 72.4           |

| Parameter      | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units(Dry Weight) | Prep Date | Date Ana.      | Ana Met.     |
|----------------|-------|------|----|------|------------|-------------------|-----------|----------------|--------------|
| Oil and Grease | 262   |      | 1  | 8.01 | 34.5       | mg/Kg             |           | 06/10/25 09:15 | SW9071B      |
| Paint Filter   | 1.00  | U    | 1  | 1.00 | 1.00       | ml/100gm          |           | 06/05/25 12:55 | 9095B        |
| pH             | 12.2  | H    | 1  | 0    | 0          | pH                |           | 06/05/25 15:15 | 9045D        |
| TS             | 72.7  |      | 1  | 1.00 | 5.00       | %                 |           | 06/05/25 11:00 | SM 2540 B-15 |
| TVS            | 14.1  |      | 1  | 1.00 | 10.0       | %                 |           | 06/05/25 17:00 | 160.4        |

Comments: pH result reported at temperature 26.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-07-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-19                            | Matrix:         | SOIL           |
|                   |                                     | % Solid:        | 100            |

| Parameter        | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. |
|------------------|--------|------|----|--------|------------|-------|----------------|----------------|----------|
| Corrosivity      | 12.2   | H    | 1  | 0      | 0          | pH    |                | 06/05/25 15:15 | 9045D    |
| Ignitability     | NO     |      | 1  | 0      | 0          | oC    |                | 06/05/25 11:47 | 1030     |
| Reactive Cyanide | 0.0084 | U    | 1  | 0.0084 | 0.050      | mg/Kg | 06/05/25 11:45 | 06/05/25 14:07 | 9012B    |
| Reactive Sulfide | 3.16   | J    | 1  | 0.20   | 10.0       | mg/Kg | 06/05/25 13:45 | 06/05/25 16:15 | 9034     |

Comments: pH result reported at temperature 26.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |                |
|-------------------|-------------------------------------|-----------------|----------------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 12:00 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25       |
| Client Sample ID: | WC-A2-07-C                          | SDG No.:        | Q2236          |
| Lab Sample ID:    | Q2236-20                            | Matrix:         | WATER          |
|                   |                                     | % Solid:        | 0              |

| Parameter           | Conc. | Qua. | DF | MDL   | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                          |
|---------------------|-------|------|----|-------|------------|-------|----------------|----------------|-----------------------------------|
| ASTM Ammonia        | 0.45  |      | 1  | 0.030 | 0.10       | mg/L  | 06/06/25 12:45 | 06/06/25 16:10 | SM 4500-NH3<br>B plus NH3<br>G-11 |
| ASTM COD            | 57.1  |      | 1  | 1.50  | 10.0       | mg/L  |                | 06/09/25 13:52 | SM 5220 D-11                      |
| ASTM Oil and Grease | 0.30  | J    | 1  | 0.29  | 5.00       | mg/L  |                | 06/09/25 12:30 | SW1664A                           |
| ASTM TS             | 1910  |      | 1  | 1.00  | 5.00       | mg/L  |                | 06/06/25 12:00 | SM 2540 B-15                      |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q2236           | <b>OrderDate:</b> | 6/5/2025 11:00:00 AM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Austin Farmerie | <b>Location:</b>  | N31                                 |

| LabID    | ClientID    | Matrix | Test                | Method     | Sample Date       | Prep Date | Anal Date         | Received |
|----------|-------------|--------|---------------------|------------|-------------------|-----------|-------------------|----------|
| Q2236-02 | WC-A4-05A-C | SOIL   |                     |            | 06/04/25<br>12:00 |           |                   | 06/04/25 |
|          |             |        | Oil and Grease      | 9071B      |                   |           | 06/10/25<br>09:15 |          |
|          |             |        | Paint Filter        | 9095B      |                   |           | 06/05/25<br>12:25 |          |
|          |             |        | pH                  | 9045D      |                   |           | 06/05/25<br>14:47 |          |
|          |             |        | TS                  | SM2540 B   |                   |           | 06/05/25<br>11:00 |          |
|          |             |        | TVS                 | 160.4      |                   |           | 06/05/25<br>17:00 |          |
| Q2236-03 | WC-A4-05A-C | SOIL   |                     |            | 06/04/25<br>12:00 |           |                   | 06/04/25 |
|          |             |        | Corrosivity         | 9045D      |                   |           | 06/05/25<br>14:47 |          |
|          |             |        | Ignitability        | 1030       |                   |           | 06/05/25<br>11:17 |          |
|          |             |        | Reactive Cyanide    | 9012B      |                   | 06/05/25  | 06/05/25<br>14:07 |          |
|          |             |        | Reactive Sulfide    | 9034       |                   | 06/05/25  | 06/05/25<br>16:06 |          |
| Q2236-04 | WC-A4-05A-C | WATER  |                     |            | 06/04/25<br>12:00 |           |                   | 06/04/25 |
|          |             |        | ASTM Ammonia        | SM4500-NH3 |                   | 06/06/25  | 06/06/25<br>16:04 |          |
|          |             |        | ASTM COD            | SM5220 D   |                   |           | 06/09/25<br>13:49 |          |
|          |             |        | ASTM Oil and Grease | 1664A      |                   |           | 06/09/25<br>12:30 |          |

## LAB CHRONICLE

|                  |            |          |                     |            |          |                   |                   |          |
|------------------|------------|----------|---------------------|------------|----------|-------------------|-------------------|----------|
| Q2236-06         | WC-A2-04-C | SOIL     | ASTM TS             | SM2540 B   |          | 06/06/25<br>12:00 | 06/04/25<br>12:00 | 06/04/25 |
|                  |            |          | Oil and Grease      | 9071B      |          | 06/10/25<br>09:15 |                   |          |
|                  |            |          | Paint Filter        | 9095B      |          | 06/05/25<br>12:32 |                   |          |
|                  |            |          | pH                  | 9045D      |          | 06/05/25<br>14:55 |                   |          |
|                  |            |          | TS                  | SM2540 B   |          | 06/05/25<br>11:00 |                   |          |
|                  |            |          | TVS                 | 160.4      |          | 06/05/25<br>17:00 |                   |          |
|                  |            |          | Q2236-07            | WC-A2-04-C | SOIL     |                   |                   |          |
| Corrosivity      | 9045D      |          |                     |            |          | 06/05/25<br>14:55 |                   |          |
| Ignitability     | 1030       |          |                     |            |          | 06/05/25<br>11:25 |                   |          |
| Reactive Cyanide | 9012B      | 06/05/25 |                     |            |          | 06/05/25<br>14:07 |                   |          |
| Reactive Sulfide | 9034       | 06/05/25 |                     |            |          | 06/05/25<br>16:08 |                   |          |
| Q2236-08         | WC-A2-04-C | WATER    |                     |            |          | 06/04/25<br>12:00 | 06/04/25          |          |
|                  |            |          | ASTM Ammonia        | SM4500-NH3 | 06/06/25 | 06/06/25<br>16:04 |                   |          |
|                  |            |          | ASTM COD            | SM5220 D   |          | 06/09/25<br>13:50 |                   |          |
|                  |            |          | ASTM Oil and Grease | 1664A      |          | 06/09/25<br>12:30 |                   |          |
| Q2236-10         | WC-A2-05-C | SOIL     | ASTM TS             | SM2540 B   |          | 06/06/25<br>12:00 | 06/04/25<br>12:00 | 06/04/25 |
|                  |            |          | Oil and Grease      | 9071B      |          | 06/10/25<br>09:15 |                   |          |
|                  |            |          |                     |            |          |                   |                   |          |

## LAB CHRONICLE

|          |            |       |                     |            |                   |                   |
|----------|------------|-------|---------------------|------------|-------------------|-------------------|
| Q2236-11 | WC-A2-05-C | SOIL  | Paint Filter        | 9095B      |                   | 06/05/25<br>12:40 |
|          |            |       | pH                  | 9045D      |                   | 06/05/25<br>15:00 |
|          |            |       | TS                  | SM2540 B   |                   | 06/05/25<br>11:00 |
|          |            |       | TVS                 | 160.4      |                   | 06/05/25<br>17:00 |
|          |            |       |                     |            | 06/04/25<br>12:00 | 06/04/25          |
| Q2236-12 | WC-A2-05-C | WATER | Corrosivity         | 9045D      |                   | 06/05/25<br>15:00 |
|          |            |       | Ignitability        | 1030       |                   | 06/05/25<br>11:32 |
|          |            |       | Reactive Cyanide    | 9012B      | 06/05/25          | 06/05/25<br>14:07 |
|          |            |       | Reactive Sulfide    | 9034       | 06/05/25          | 06/05/25<br>16:10 |
|          |            |       |                     |            | 06/04/25<br>12:00 | 06/04/25          |
| Q2236-14 | WC-A2-06-C | SOIL  | ASTM Ammonia        | SM4500-NH3 | 06/06/25          | 06/06/25<br>16:04 |
|          |            |       | ASTM COD            | SM5220 D   |                   | 06/09/25<br>13:50 |
|          |            |       | ASTM Oil and Grease | 1664A      |                   | 06/09/25<br>12:30 |
|          |            |       | ASTM TS             | SM2540 B   |                   | 06/06/25<br>12:00 |
|          |            |       |                     |            | 06/04/25<br>12:00 | 06/04/25          |
|          |            |       | Oil and Grease      | 9071B      |                   | 06/10/25<br>09:15 |
|          |            |       | Paint Filter        | 9095B      |                   | 06/05/25<br>12:48 |
|          |            |       | pH                  | 9045D      |                   | 06/05/25<br>15:10 |
|          |            |       | TS                  | SM2540 B   |                   | 06/05/25<br>11:00 |
|          |            |       |                     |            |                   |                   |

## LAB CHRONICLE

|          |            |       |                     |            |          |                   |                   |          |
|----------|------------|-------|---------------------|------------|----------|-------------------|-------------------|----------|
| Q2236-15 | WC-A2-06-C | SOIL  | TVS                 | 160.4      |          | 06/05/25<br>17:00 | 06/04/25<br>12:00 | 06/04/25 |
|          |            |       | Corrosivity         | 9045D      |          | 06/05/25<br>15:10 |                   |          |
|          |            |       | Ignitability        | 1030       |          | 06/05/25<br>11:40 |                   |          |
|          |            |       | Reactive Cyanide    | 9012B      | 06/05/25 | 06/05/25<br>14:07 |                   |          |
|          |            |       | Reactive Sulfide    | 9034       | 06/05/25 | 06/05/25<br>16:13 |                   |          |
| Q2236-16 | WC-A2-06-C | WATER | ASTM Ammonia        | SM4500-NH3 | 06/06/25 | 06/06/25<br>16:05 | 06/04/25<br>12:00 | 06/04/25 |
|          |            |       | ASTM COD            | SM5220 D   |          | 06/09/25<br>13:51 |                   |          |
|          |            |       | ASTM Oil and Grease | 1664A      |          | 06/09/25<br>12:30 |                   |          |
|          |            |       | ASTM TS             | SM2540 B   |          | 06/06/25<br>12:00 |                   |          |
|          |            |       |                     |            |          |                   |                   |          |
| Q2236-18 | WC-A2-07-C | SOIL  | Oil and Grease      | 9071B      |          | 06/10/25<br>09:15 | 06/04/25<br>12:00 | 06/04/25 |
|          |            |       | Paint Filter        | 9095B      |          | 06/05/25<br>12:55 |                   |          |
|          |            |       | pH                  | 9045D      |          | 06/05/25<br>15:15 |                   |          |
|          |            |       | TS                  | SM2540 B   |          | 06/05/25<br>11:00 |                   |          |
|          |            |       | TVS                 | 160.4      |          | 06/05/25<br>17:00 |                   |          |
| Q2236-19 | WC-A2-07-C | SOIL  |                     |            |          |                   | 06/04/25<br>12:00 | 06/04/25 |
|          |            |       | Corrosivity         | 9045D      |          | 06/05/25<br>15:15 |                   |          |

### LAB CHRONICLE

|          |            |       |                     |            |  |                           |                   |                 |
|----------|------------|-------|---------------------|------------|--|---------------------------|-------------------|-----------------|
| Q2236-20 | WC-A2-07-C | WATER | Ignitability        | 1030       |  |                           | 06/05/25<br>11:47 |                 |
|          |            |       | Reactive Cyanide    | 9012B      |  | 06/05/25                  | 06/05/25<br>14:07 |                 |
|          |            |       | Reactive Sulfide    | 9034       |  | 06/05/25                  | 06/05/25<br>16:15 |                 |
|          |            |       |                     |            |  |                           |                   |                 |
|          |            |       |                     |            |  |                           |                   |                 |
|          |            |       |                     |            |  | <b>06/04/25<br/>12:00</b> |                   | <b>06/04/25</b> |
|          |            |       | ASTM Ammonia        | SM4500-NH3 |  | 06/06/25                  | 06/06/25<br>16:10 |                 |
|          |            |       | ASTM COD            | SM5220 D   |  |                           | 06/09/25<br>13:52 |                 |
|          |            |       | ASTM Oil and Grease | 1664A      |  |                           | 06/09/25<br>12:30 |                 |
|          |            |       | ASTM TS             | SM2540 B   |  |                           | 06/06/25<br>12:00 |                 |