

**Hit Summary Sheet**  
**SW-846**

|                 |        |                    |                                     |
|-----------------|--------|--------------------|-------------------------------------|
| <b>SDG No.:</b> | Q2236  | <b>Order ID:</b>   | Q2236                               |
| <b>Client:</b>  | ENTACT | <b>Project ID:</b> | 540 Degraw St, Brooklyn, NY - E9309 |

| Sample ID                      | Client ID   | Matrix | Parameter | Concentration | C | MDL   | RDL   | Units |
|--------------------------------|-------------|--------|-----------|---------------|---|-------|-------|-------|
| <b>Client ID : WC-A4-05A-C</b> |             |        |           |               |   |       |       |       |
| Q2236-03                       | WC-A4-05A-C | TCLP   | Barium    | 0.083         | J | 0.073 | 0.50  | mg/L  |
| <b>Client ID : WC-A2-04-C</b>  |             |        |           |               |   |       |       |       |
| Q2236-07                       | WC-A2-04-C  | TCLP   | Barium    | 0.97          |   | 0.073 | 0.50  | mg/L  |
| Q2236-07                       | WC-A2-04-C  | TCLP   | Chromium  | 0.017         | J | 0.011 | 0.050 | mg/L  |
| Q2236-07                       | WC-A2-04-C  | TCLP   | Lead      | 0.012         | J | 0.012 | 0.060 | mg/L  |
| <b>Client ID : WC-A2-05-C</b>  |             |        |           |               |   |       |       |       |
| Q2236-11                       | WC-A2-05-C  | TCLP   | Barium    | 0.12          | J | 0.073 | 0.50  | mg/L  |
| <b>Client ID : WC-A2-06-C</b>  |             |        |           |               |   |       |       |       |
| Q2236-15                       | WC-A2-06-C  | TCLP   | Barium    | 0.24          | J | 0.073 | 0.50  | mg/L  |
| Q2236-15                       | WC-A2-06-C  | TCLP   | Chromium  | 0.027         | J | 0.011 | 0.050 | mg/L  |
| Q2236-15                       | WC-A2-06-C  | TCLP   | Copper    | 0.028         | J | 0.023 | 0.10  | mg/L  |
| <b>Client ID : WC-A2-07-C</b>  |             |        |           |               |   |       |       |       |
| Q2236-19                       | WC-A2-07-C  | TCLP   | Barium    | 0.83          |   | 0.073 | 0.50  | mg/L  |
| Q2236-19                       | WC-A2-07-C  | TCLP   | Chromium  | 0.014         | J | 0.011 | 0.050 | mg/L  |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25 |
| Client Sample ID: | WC-A4-05A-C                         | SDG No.:        | Q2236    |
| Lab Sample ID:    | Q2236-03                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc.   | Qua. | DF | MDL     | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|---------|------|----|---------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 0.026   | U    | 1  | 0.026   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 0.083   | JN   | 1  | 0.073   | 0.50       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 0.0025  | U    | 1  | 0.0025  | 0.030      | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 0.011   | U    | 1  | 0.011   | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-50-8 | Copper    | 0.023   | U    | 1  | 0.023   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 0.012   | U    | 1  | 0.012   | 0.060      | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 0.00076 | U    | 1  | 0.00076 | 0.0020     | mg/L  | 06/09/25 15:15 | 06/10/25 11:29 | 7470A    |           |
| 7440-02-0 | Nickel    | 0.015   | U    | 1  | 0.015   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7782-49-2 | Selenium  | 0.048   | U    | 1  | 0.048   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 0.0081  | U    | 1  | 0.0081  | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |
| 7440-66-6 | Zinc      | 0.083   | U    | 1  | 0.083   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:05 | 6010D    | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25 |
| Client Sample ID: | WC-A2-04-C                          | SDG No.:        | Q2236    |
| Lab Sample ID:    | Q2236-07                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc.   | Qua. | DF | MDL     | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|---------|------|----|---------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 0.026   | U    | 1  | 0.026   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 0.97    | N    | 1  | 0.073   | 0.50       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 0.0025  | U    | 1  | 0.0025  | 0.030      | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 0.017   | J    | 1  | 0.011   | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-50-8 | Copper    | 0.023   | U    | 1  | 0.023   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 0.012   | J    | 1  | 0.012   | 0.060      | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 0.00076 | U    | 1  | 0.00076 | 0.0020     | mg/L  | 06/09/25 15:15 | 06/10/25 11:39 | 7470A    |           |
| 7440-02-0 | Nickel    | 0.015   | U    | 1  | 0.015   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7782-49-2 | Selenium  | 0.048   | U    | 1  | 0.048   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 0.0081  | U    | 1  | 0.0081  | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |
| 7440-66-6 | Zinc      | 0.083   | U    | 1  | 0.083   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:10 | 6010D    | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25 |
| Client Sample ID: | WC-A2-05-C                          | SDG No.:        | Q2236    |
| Lab Sample ID:    | Q2236-11                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc.   | Qua. | DF | MDL     | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|---------|------|----|---------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 0.026   | U    | 1  | 0.026   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 0.12    | JN   | 1  | 0.073   | 0.50       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 0.0025  | U    | 1  | 0.0025  | 0.030      | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 0.011   | U    | 1  | 0.011   | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-50-8 | Copper    | 0.023   | U    | 1  | 0.023   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 0.012   | U    | 1  | 0.012   | 0.060      | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 0.00076 | U    | 1  | 0.00076 | 0.0020     | mg/L  | 06/09/25 15:15 | 06/10/25 11:41 | 7470A    |           |
| 7440-02-0 | Nickel    | 0.015   | U    | 1  | 0.015   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7782-49-2 | Selenium  | 0.048   | U    | 1  | 0.048   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 0.0081  | U    | 1  | 0.0081  | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |
| 7440-66-6 | Zinc      | 0.083   | U    | 1  | 0.083   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:15 | 6010D    | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25 |
| Client Sample ID: | WC-A2-06-C                          | SDG No.:        | Q2236    |
| Lab Sample ID:    | Q2236-15                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc.   | Qua. | DF | MDL     | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|---------|------|----|---------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 0.026   | U    | 1  | 0.026   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 0.24    | JN   | 1  | 0.073   | 0.50       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 0.0025  | U    | 1  | 0.0025  | 0.030      | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 0.027   | J    | 1  | 0.011   | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-50-8 | Copper    | 0.028   | J    | 1  | 0.023   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 0.012   | U    | 1  | 0.012   | 0.060      | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 0.00076 | U    | 1  | 0.00076 | 0.0020     | mg/L  | 06/09/25 15:15 | 06/10/25 11:43 | 7470A    |           |
| 7440-02-0 | Nickel    | 0.015   | U    | 1  | 0.015   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7782-49-2 | Selenium  | 0.048   | U    | 1  | 0.048   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 0.0081  | U    | 1  | 0.0081  | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |
| 7440-66-6 | Zinc      | 0.083   | U    | 1  | 0.083   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:20 | 6010D    | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                                     |                 |          |
|-------------------|-------------------------------------|-----------------|----------|
| Client:           | ENTACT                              | Date Collected: | 06/04/25 |
| Project:          | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:  | 06/04/25 |
| Client Sample ID: | WC-A2-07-C                          | SDG No.:        | Q2236    |
| Lab Sample ID:    | Q2236-19                            | Matrix:         | TCLP     |
| Level (low/med):  | low                                 | % Solid:        | 0        |

| Cas       | Parameter | Conc.   | Qua. | DF | MDL     | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met. | Prep Met. |
|-----------|-----------|---------|------|----|---------|------------|-------|----------------|----------------|----------|-----------|
| 7440-38-2 | Arsenic   | 0.026   | U    | 1  | 0.026   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-39-3 | Barium    | 0.83    | N    | 1  | 0.073   | 0.50       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-43-9 | Cadmium   | 0.0025  | U    | 1  | 0.0025  | 0.030      | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-47-3 | Chromium  | 0.014   | J    | 1  | 0.011   | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-50-8 | Copper    | 0.023   | U    | 1  | 0.023   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7439-92-1 | Lead      | 0.012   | U    | 1  | 0.012   | 0.060      | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7439-97-6 | Mercury   | 0.00076 | U    | 1  | 0.00076 | 0.0020     | mg/L  | 06/09/25 15:15 | 06/10/25 11:46 | 7470A    |           |
| 7440-02-0 | Nickel    | 0.015   | U    | 1  | 0.015   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7782-49-2 | Selenium  | 0.048   | U    | 1  | 0.048   | 0.10       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-22-4 | Silver    | 0.0081  | U    | 1  | 0.0081  | 0.050      | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |
| 7440-66-6 | Zinc      | 0.083   | U    | 1  | 0.083   | 0.20       | mg/L  | 06/06/25 12:30 | 06/09/25 15:24 | 6010D    | SW3050    |

|               |           |                 |       |            |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless | Clarity After:  | Clear | Artifacts: |
| Comments:     | TCLP-FULL |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q2236           | <b>OrderDate:</b> | 6/5/2025 11:00:00 AM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Austin Farmerie | <b>Location:</b>  | N31                                 |

| LabID           | ClientID           | Matrix      | Test              | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|-------------|-------------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q2236-03</b> | <b>WC-A4-05A-C</b> | <b>TCLP</b> |                   |        | <b>06/04/25</b> |           |           | <b>06/04/25</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 06/09/25  | 06/10/25  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 06/06/25  | 06/09/25  |                 |
| <b>Q2236-07</b> | <b>WC-A2-04-C</b>  | <b>TCLP</b> |                   |        | <b>06/04/25</b> |           |           | <b>06/04/25</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 06/09/25  | 06/10/25  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 06/06/25  | 06/09/25  |                 |
| <b>Q2236-11</b> | <b>WC-A2-05-C</b>  | <b>TCLP</b> |                   |        | <b>06/04/25</b> |           |           | <b>06/04/25</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 06/09/25  | 06/10/25  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 06/06/25  | 06/09/25  |                 |
| <b>Q2236-15</b> | <b>WC-A2-06-C</b>  | <b>TCLP</b> |                   |        | <b>06/04/25</b> |           |           | <b>06/04/25</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 06/09/25  | 06/10/25  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 06/06/25  | 06/09/25  |                 |
| <b>Q2236-19</b> | <b>WC-A2-07-C</b>  | <b>TCLP</b> |                   |        | <b>06/04/25</b> |           |           | <b>06/04/25</b> |
|                 |                    |             | TCLP Mercury      | 7470A  |                 | 06/09/25  | 06/10/25  |                 |
|                 |                    |             | TCLPMetals Group2 | 6010D  |                 | 06/06/25  | 06/09/25  |                 |