



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2236

Order ID: Q2236

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ENTACT		Date Collected:	06/04/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	06/04/25	
Client Sample ID:	WC-A4-05A-C		SDG No.:	Q2236	
Lab Sample ID:	Q2236-02		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	77.8	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111519.D	1	06/06/25 08:30	06/06/25 13:16	PB168319

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0051	U	0.0051	0.022	mg/Kg
11104-28-2	Aroclor-1221	0.0052	U	0.0052	0.022	mg/Kg
11141-16-5	Aroclor-1232	0.0048	U	0.0048	0.022	mg/Kg
53469-21-9	Aroclor-1242	0.0051	U	0.0051	0.022	mg/Kg
12672-29-6	Aroclor-1248	0.0076	U	0.0076	0.022	mg/Kg
11097-69-1	Aroclor-1254	0.0041	U	0.0041	0.022	mg/Kg
37324-23-5	Aroclor-1262	0.0064	U	0.0064	0.022	mg/Kg
11100-14-4	Aroclor-1268	0.0046	U	0.0046	0.022	mg/Kg
11096-82-5	Aroclor-1260	0.0041	U	0.0041	0.022	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.3		30 (32) - 150 (144)	97%	SPK: 20
2051-24-3	Decachlorobiphenyl	12.3		30 (32) - 150 (175)	62%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	06/04/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	06/04/25	
Client Sample ID:	WC-A2-04-C		SDG No.:	Q2236	
Lab Sample ID:	Q2236-06		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	71.7	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111520.D	1	06/06/25 08:30	06/06/25 13:35	PB168319

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0055	U	0.0055	0.024	mg/Kg
11104-28-2	Aroclor-1221	0.0056	U	0.0056	0.024	mg/Kg
11141-16-5	Aroclor-1232	0.0052	U	0.0052	0.024	mg/Kg
53469-21-9	Aroclor-1242	0.0056	U	0.0056	0.024	mg/Kg
12672-29-6	Aroclor-1248	0.0082	U	0.0082	0.024	mg/Kg
11097-69-1	Aroclor-1254	0.0045	U	0.0045	0.024	mg/Kg
37324-23-5	Aroclor-1262	0.0070	U	0.0070	0.024	mg/Kg
11100-14-4	Aroclor-1268	0.0050	U	0.0050	0.024	mg/Kg
11096-82-5	Aroclor-1260	0.0045	U	0.0045	0.024	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	15.5		30 (32) - 150 (144)	77%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.9		30 (32) - 150 (175)	70%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	06/04/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	06/04/25	
Client Sample ID:	WC-A2-05-C		SDG No.:	Q2236	
Lab Sample ID:	Q2236-10		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	79.2	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111521.D	1	06/06/25 08:30	06/06/25 13:53	PB168319

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0050	U	0.0050	0.021	mg/Kg
11104-28-2	Aroclor-1221	0.0051	U	0.0051	0.021	mg/Kg
11141-16-5	Aroclor-1232	0.0047	U	0.0047	0.021	mg/Kg
53469-21-9	Aroclor-1242	0.0051	U	0.0051	0.021	mg/Kg
12672-29-6	Aroclor-1248	0.0075	U	0.0075	0.021	mg/Kg
11097-69-1	Aroclor-1254	0.0040	U	0.0040	0.021	mg/Kg
37324-23-5	Aroclor-1262	0.0063	U	0.0063	0.021	mg/Kg
11100-14-4	Aroclor-1268	0.0045	U	0.0045	0.021	mg/Kg
11096-82-5	Aroclor-1260	0.0041	U	0.0041	0.021	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	15.0		30 (32) - 150 (144)	75%	SPK: 20
2051-24-3	Decachlorobiphenyl	9.72		30 (32) - 150 (175)	49%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	06/04/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	06/04/25	
Client Sample ID:	WC-A2-06-C		SDG No.:	Q2236	
Lab Sample ID:	Q2236-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	83.1	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111522.D	1	06/06/25 08:30	06/06/25 14:12	PB168319

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0047	U	0.0047	0.020	mg/Kg
11104-28-2	Aroclor-1221	0.0048	U	0.0048	0.020	mg/Kg
11141-16-5	Aroclor-1232	0.0045	U	0.0045	0.020	mg/Kg
53469-21-9	Aroclor-1242	0.0048	U	0.0048	0.020	mg/Kg
12672-29-6	Aroclor-1248	0.0071	U	0.0071	0.020	mg/Kg
11097-69-1	Aroclor-1254	0.0039	U	0.0039	0.020	mg/Kg
37324-23-5	Aroclor-1262	0.0060	U	0.0060	0.020	mg/Kg
11100-14-4	Aroclor-1268	0.0043	U	0.0043	0.020	mg/Kg
11096-82-5	Aroclor-1260	0.0039	U	0.0039	0.020	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.2		30 (32) - 150 (144)	106%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.4		30 (32) - 150 (175)	82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	06/04/25	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	06/04/25	
Client Sample ID:	WC-A2-07-C		SDG No.:	Q2236	
Lab Sample ID:	Q2236-18		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	72.4	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111523.D	1	06/06/25 08:30	06/06/25 14:30	PB168319

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	0.0055	U	0.0055	0.024	mg/Kg
11104-28-2	Aroclor-1221	0.0056	U	0.0056	0.024	mg/Kg
11141-16-5	Aroclor-1232	0.0051	U	0.0051	0.024	mg/Kg
53469-21-9	Aroclor-1242	0.0055	U	0.0055	0.024	mg/Kg
12672-29-6	Aroclor-1248	0.0082	U	0.0082	0.024	mg/Kg
11097-69-1	Aroclor-1254	0.0044	U	0.0044	0.024	mg/Kg
37324-23-5	Aroclor-1262	0.0069	U	0.0069	0.024	mg/Kg
11100-14-4	Aroclor-1268	0.0050	U	0.0050	0.024	mg/Kg
11096-82-5	Aroclor-1260	0.0045	U	0.0045	0.024	mg/Kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.2		30 (32) - 150 (144)	91%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.5		30 (32) - 150 (175)	83%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2236	OrderDate:	6/5/2025 11:00:00 AM
Client:	ENTACT	Project:	540 Degraw St, Brooklyn, NY - E9309
Contact:	Austin Farmerie	Location:	N31

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2236-02	WC-A4-05A-C	SOIL	PCB	8082A	06/04/25	06/06/25	06/06/25	06/04/25
Q2236-06	WC-A2-04-C	SOIL	PCB	8082A	06/04/25	06/06/25	06/06/25	06/04/25
Q2236-10	WC-A2-05-C	SOIL	PCB	8082A	06/04/25	06/06/25	06/06/25	06/04/25
Q2236-14	WC-A2-06-C	SOIL	PCB	8082A	06/04/25	06/06/25	06/06/25	06/04/25
Q2236-18	WC-A2-07-C	SOIL	PCB	8082A	06/04/25	06/06/25	06/06/25	06/04/25