


Manual Integration Report

Sequence:	BM060525	Instrument	BNA_m

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDICC005	BM050195.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/6/2025 12:19:17 PM	Jagrut	6/6/2025 1:16:08 PM	Peak Integrated by Software
SSTDICC005	BM050195.D	Benzaldehyde	Rahul	6/6/2025 12:19:17 PM	Jagrut	6/6/2025 1:16:08 PM	Peak Integrated by Software
SSTDICC010	BM050196.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/5/2025 4:48:25 PM	Jagrut	6/6/2025 1:16:10 PM	Peak Integrated by Software
SSTDICC020	BM050197.D	Benzaldehyde	Rahul	6/6/2025 12:19:19 PM	Jagrut	6/6/2025 1:16:13 PM	Peak Integrated by Software
SSTDICCC040	BM050198.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/5/2025 4:48:28 PM	Jagrut	6/6/2025 1:16:15 PM	Peak Integrated by Software
SSTDICV040	BM050202.D	Benzaldehyde	Rahul	6/5/2025 4:48:30 PM	Jagrut	6/6/2025 1:16:18 PM	Peak Integrated by Software



Aliance TECHNICAL GROUP	to i shemela street, riodikar	nside, New Jersey 07032, Friorie : 300 703 0300, Fax : 300 703 0322			
Manual Integration Report					
Sequence:	bm060925	Instrument	BNA_m		

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BM050236.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:05 PM	Jagrut	6/10/2025 5:10:15 PM	Peak Integrated by Software
SSTDCCC040	BM050245.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:14 PM	Jagrut	6/10/2025 5:10:26 PM	Peak Integrated by Software
Q2226-04MS	BM050250.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:16 PM	Jagrut	6/10/2025 5:10:28 PM	Peak Integrated by Software
Q2236-19	BM050256.D	Naphthalene	Rahul	6/10/2025 5:09:34 PM	Jagrut	6/10/2025 5:10:31 PM	Peak Integrated by Software
SSTDCCC040	BM050262.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:18 PM	Jagrut	6/10/2025 5:10:33 PM	Peak Integrated by Software
PB168352BS	BM050264.D	2,3,4,6-Tetrachlorophen ol	Rahul	6/10/2025 5:09:25 PM	Jagrut	6/10/2025 5:10:37 PM	Peak Integrated by Software
PB168352BS	BM050264.D	Caprolactam	Rahul	6/10/2025 5:09:25 PM	Jagrut	6/10/2025 5:10:37 PM	Peak Integrated by Software