

SOP ID :	M1311-TCLP-16	
SDG No :	N/A	Start Prep Date : 06/05/2025 Time : 15:00
Weigh By :	JP	End Prep Date : 06/06/2025 Time : 09:20
Balance ID :	WC SC-7	Combination Ratio : 20
pH Meter ID :	WC PH METER-1	ZHE Cleaning Batch : 28 N/A
Extraction By :	JP	Initial Room Temperature: 24 °C
Filter By :	JP	Final Room Temperature: 22 °C
Pipette ID :	WC	TCLP Technician Signature : <i>[Signature]</i>
Tumbler ID :	ZHE-1 / ZHE-2	Supervisor By : 12
TCLP Filter ID :	50223706	

Standardized Name	MLS USED	STD REF. # FROM LOG
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE U	Lot Number
TCLP-FLUID-1	N/A	WP112795
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
40ml VOA Vials	430992	N/A

Extraction Conformance/Non-Conformance Comments:

ALL ZHE SAMPLES ARE EXTRACTED AND GIVEN AS VIAL A & B. Leak checked after 10 minutes of tumbling.
TUMBLER ZHE-1 /ZHE-2 checked,30 rpm

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/06/25 11:30	<i>JP</i> <i>TCLP Room</i>	<i>S.Y</i> <i>1 VOC 296</i>
	Preparation Group	Analysis Group

Sample ID	ClientID	ZHE Vessel ID	Sample Wt (g)	Volume Extraction Fluid #1 (mL)	Multi phasic	Phase Miscible	Phases Combined	Final Leachate PH	Metals Leachate Adj. PH	Prep Pos
PB168312TB	LEB312	15	N/A	500	N/A	N/A	N/A	4.93	N/A	ZHE-2
Q2226-04	TP06-MHI-WC	01	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2227-04	TP07-MHH-WC	02	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2228-04	TP08-MHI-WC	03	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2235-01	WC-A2-08-G	04	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2236-01	WC-A4-05A-G	05	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2236-05	WC-A2-04-G	06	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2236-09	WC-A2-05-G	07	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2236-13	WC-A2-06-G	08	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2236-17	WC-A2-07-G	09	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2240-04	TP-3	10	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2240-08	TP-2	10	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-1
Q2240-12	TP-1	11	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2241-04	TP-N	12	25.01	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2241-08	TP-S	13	25.02	500	N/A	N/A	N/A	N/A	N/A	ZHE-2
Q2242-04	TP09-MHJ	14	25.03	500	N/A	N/A	N/A	N/A	N/A	ZHE-2

SampleID	ClientID	Sample Weight (g)	Filter Weight (g)	Filtrate (mL)	Filter + Solid (After 100°C)	% solids	% Dry Solids
PB168312TB	LEB312	N/A	N/A	N/A	N/A	N/A	N/A
Q2226-04	TP06-MHI-WC	N/A	N/A	N/A	N/A	100	N/A
Q2227-04	TP07-MHH-WC	N/A	N/A	N/A	N/A	100	N/A
Q2228-04	TP08-MHI-WC	N/A	N/A	N/A	N/A	100	N/A
Q2235-01	WC-A2-08-G	N/A	N/A	N/A	N/A	100	N/A
Q2236-01	WC-A4-05A-G	N/A	N/A	N/A	N/A	100	N/A
Q2236-05	WC-A2-04-G	N/A	N/A	N/A	N/A	100	N/A
Q2236-09	WC-A2-05-G	N/A	N/A	N/A	N/A	100	N/A
Q2236-13	WC-A2-06-G	N/A	N/A	N/A	N/A	100	N/A
Q2236-17	WC-A2-07-G	N/A	N/A	N/A	N/A	100	N/A
Q2240-04	TP-3	N/A	N/A	N/A	N/A	100	N/A
Q2240-08	TP-2	N/A	N/A	N/A	N/A	100	N/A
Q2240-12	TP-1	N/A	N/A	N/A	N/A	100	N/A
Q2241-04	TP-N	N/A	N/A	N/A	N/A	100	N/A
Q2241-08	TP-S	N/A	N/A	N/A	N/A	100	N/A
Q2242-04	TP09-MHJ	N/A	N/A	N/A	N/A	100	N/A