

DATA PACKAGE

GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : 540 DEGRAW ST, BROOKLYN, NY - E9309

ENTACT

606 E. Baltimore Pike

Floor 3

Media, PA - 19063

Phone No: 4844440702

ORDER ID : Q2237

ATTENTION : Austin Farmerie



Laboratory Certification ID # 20012



| | |
|------------------------------------|----|
| 1) Signature Page | 3 |
| 2) Case Narrative | 5 |
| 2.1) VOCMS Group4- Case Narrative | 5 |
| 2.2) SVOCMS Group4- Case Narrative | 7 |
| 2.3) PCB- Case Narrative | 9 |
| 2.4) Metals-AES- Case Narrative | 11 |
| 2.5) Genchem- Case Narrative | 12 |
| 3) Qualifier Page | 13 |
| 4) QA Checklist | 15 |
| 5) VOCMS Group4 Data | 16 |
| 6) SVOCMS Group4 Data | 20 |
| 7) PCB Data | 24 |
| 8) Metals-AES Data | 28 |
| 9) Genchem Data | 32 |
| 10) Shipping Document | 35 |
| 10.1) CHAIN OF CUSTODY | 36 |
| 10.2) Lab Certificate | 37 |
| 10.3) Internal COC | 38 |

| |
|----|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |
| 8 |
| 9 |
| 10 |

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group LLC Client : ENTACT
 Project Location : Brooklyn, NY Project Number : E9309
 Laboratory Sample ID(s) : Q2237 Sampling Date(s) : 06/04/2025
 List DKQP Methods Used (e.g., 8260,8270, et Cetra) **1010B,6010D,7470A,8082A,8260-Low,8270E,SM2540 D,SM5210 B**

| | | |
|----|---|---|
| 1 | For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 1A | Were the method specified handling, preservation, and holding time requirements met? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 1B | EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods) | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| 2 | Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 3 | Were samples received at an appropriate temperature (4±2° C)? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| 4 | Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 5 | a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| 6 | For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| 7 | Are project-specific matrix spikes and/or laboratory duplicates included in this data set? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q2237

Project ID : 540 Degraw St, Brooklyn, NY - E9309

Client : ENTACT

Lab Sample Number

Q2237-02

Client Sample Number

TW-WTS-10

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 6/16/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2237

Test Name: VOCMS Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 06/04/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and VOCMS Group4. This data package contains results for VOCMS Group4.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOCMS Group4 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2237

Test Name: SVOCMS Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 06/04/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:

BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and VOCMS Group4. This data package contains results for SVOCMS Group4.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGAThe analysis of SVOCMS Group4 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {Q2230-03MS} with File ID: BP024879.D recoveries met the requirements for all compounds except for 1,2,4-Trichlorobenzene[66%], This compound did not meet the NJDKQP criteria but met the in-house criteria and 1,4-Dichlorobenzene[50%],This compounds did not meet theNJDQKQP criteria and in-house criteria,due to matrix interference.

The MSD {Q2230-04MSD} with File ID: BP024880.D recoveries met the acceptable requirements except for 1,2,4-Trichlorobenzene[65%] and 1,4-Dichlorobenzene[49%],these compounds did not meet the NJDKQP criteria and in-house criteria due to matrix interference.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Tuning criteria met requirements.

E. Additional Comments:

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2237

Test Name: PCB

A. Number of Samples and Date of Receipt:

1 Water sample was received on 06/04/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and VOCMS Group4. This data package contains results for PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2237

Test Name: Mercury, Metals Group4

A. Number of Samples and Date of Receipt:

1 Water sample was received on 06/04/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and VOCMS Group4. This data package contains results for Mercury, Metals Group4.

C. Analytical Techniques:

The analysis of Metals Group4 was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (TW-WTS-10MS) analysis met criteria for all elements except for Mercury due to sample matrix interference.

The Matrix Spike Duplicate (TW-WTS-10MSD) analysis met criteria for all elements except for Mercury due to sample matrix interference.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

In analytical sequence LB136052, The % recovery was outside of acceptance limit for Zinc of CCV06 but, no any sample associated under this CCV.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ENTACT

Project Name: 540 Degraw St, Brooklyn, NY - E9309

Project # N/A

Order ID # Q2237

Test Name: BOD5,Flash Point,TSS

A. Number of Samples and Date of Receipt:

1 Water sample was received on 06/04/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested:

BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and

VOCMS Group4. This data package contains results for BOD5,Flash Point,TSS.

C. Analytical Techniques:

The analysis of Flash Point was based on method 1010B, The analysis of TSS was based on method SM2540 D and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

| | |
|-----------|---|
| J | Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL). |
| U | Indicates the analyte was analyzed for, but not detected. |
| ND | Indicates the analyte was analyzed for, but not detected |
| E | Indicates the reported value is estimated because of the presence of interference |
| M | Indicates Duplicate injection precision not met. |
| N | Indicates the spiked sample recovery is not within control limits. |
| S | Indicates the reported value was determined by the Method of Standard Addition (MSA). |
| * | Indicates that the duplicate analysis is not within control limits. |
| + | Indicates the correlation coefficient for the MSA is less than 0.995. |
| D | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range. |
| M | Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed |
| OR | Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis. |
| Q | Indicates the LCS did not meet the control limits requirements |
| H | Sample Analysis Out Of Hold Time |

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

| | |
|-----------|--|
| Value | If the result is a value greater than or equal to the detection limit, report the value |
| U | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required. |
| ND | Indicates the analyte was analyzed for, but not detected |
| J | Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B | Indicates the analyte was found in the blank as well as the sample report as “12 B”. |
| E | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis. |
| D | This flag identifies all compounds identified in an analysis at a secondary dilution factor. |
| P | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”. |
| N | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used. |
| A | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product. |
| Q | Indicates the LCS did not meet the control limits requirements |

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2237

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 06/16/2025

Hit Summary Sheet
SW-846

SDG No.: Q2237

Client: ENTACT

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-------------------|------------------|--------|-----------------------------|---------------|---|------|------|-------|
| Client ID: | TW-WTS-10 | | | | | | | |
| Q2237-02 | TW-WTS-10 | Water | Chloroform | 0.44 | J | 0.25 | 1.00 | ug/L |
| Q2237-02 | TW-WTS-10 | Water | Ethyl Benzene | 0.43 | J | 0.13 | 1.00 | ug/L |
| | | | Total Voc : | | | 0.87 | | |
| | | | Total Concentration: | | | 0.87 | | |

A

B

C

D



SAMPLE DATA

Report of Analysis

| | | | | | |
|--------------------|-------------------------------------|-----------|-----------------|--------------|----|
| Client: | ENTACT | | Date Collected: | 06/04/25 | |
| Project: | 540 Degraw St, Brooklyn, NY - E9309 | | Date Received: | 06/04/25 | |
| Client Sample ID: | TW-WTS-10 | | SDG No.: | Q2237 | |
| Lab Sample ID: | Q2237-02 | | Matrix: | Water | |
| Analytical Method: | 8260D | | % Solid: | 0 | |
| Sample Wt/Vol: | 5 | Units: mL | Final Vol: | 5000 | uL |
| Soil Aliquot Vol: | | uL | Test: | VOCMS Group4 | |
| GC Column: | RXI-624 | ID : 0.25 | Level : | LOW | |
| Prep Method : | | | | | |

| | | | | |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| VN086875.D | 1 | | 06/06/25 18:42 | VN060625 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|---------------------------|-------------------------|--------|-----------|---------------------|------------|---------|
| TARGETS | | | | | | |
| 1634-04-4 | Methyl tert-butyl Ether | 0.16 | U | 0.16 | 1.00 | ug/L |
| 56-23-5 | Carbon Tetrachloride | 0.25 | U | 0.25 | 1.00 | ug/L |
| 67-66-3 | Chloroform | 0.44 | J | 0.25 | 1.00 | ug/L |
| 71-55-6 | 1,1,1-Trichloroethane | 0.20 | U | 0.20 | 1.00 | ug/L |
| 71-43-2 | Benzene | 0.15 | U | 0.15 | 1.00 | ug/L |
| 108-88-3 | Toluene | 0.14 | U | 0.14 | 1.00 | ug/L |
| 127-18-4 | Tetrachloroethene | 0.23 | U | 0.23 | 1.00 | ug/L |
| 100-41-4 | Ethyl Benzene | 0.43 | J | 0.13 | 1.00 | ug/L |
| 1330-20-7 | Total Xylenes | 0.26 | U | 0.36 | 3.00 | ug/L |
| SURROGATES | | | | | | |
| 17060-07-0 | 1,2-Dichloroethane-d4 | 47.2 | | 70 (74) - 130 (125) | 94% | SPK: 50 |
| 1868-53-7 | Dibromofluoromethane | 49.0 | | 70 (75) - 130 (124) | 98% | SPK: 50 |
| 2037-26-5 | Toluene-d8 | 51.5 | | 70 (86) - 130 (113) | 103% | SPK: 50 |
| 460-00-4 | 4-Bromofluorobenzene | 48.1 | | 70 (77) - 130 (121) | 96% | SPK: 50 |
| INTERNAL STANDARDS | | | | | | |
| 363-72-4 | Pentafluorobenzene | 336000 | 8.235 | | | |
| 540-36-3 | 1,4-Difluorobenzene | 595000 | 9.106 | | | |
| 3114-55-4 | Chlorobenzene-d5 | 514000 | 11.865 | | | |
| 3855-82-1 | 1,4-Dichlorobenzene-d4 | 237000 | 13.794 | | | |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

| | | | |
|-----------------|-----------------|-------------------|-------------------------------------|
| OrderID: | Q2237 | OrderDate: | 6/5/2025 11:00:00 AM |
| Client: | ENTACT | Project: | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Austin Farmerie | Location: | N31,VOA Ref. #3 Water |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------|--------|--------------|----------|-------------|-----------|-----------|----------|
| Q2237-02 | TW-WTS-10 | Water | VOCMS Group4 | 8260-Low | 06/04/25 | | 06/06/25 | 06/04/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2237
Client: ENTACT

| Sample ID | Client ID | | Parameter | Concentration | C | MDL | RDL | Units |
|------------------------------|-----------|-------|-------------|---------------|---|------|-----|-------|
| Client ID : TW-WTS-10 | | | | | | | | |
| Q2237-02 | TW-WTS-10 | WATER | Phenol | 2.200 | J | 0.93 | 5.1 | ug/L |
| Q2237-02 | TW-WTS-10 | WATER | Naphthalene | 5.000 | J | 0.51 | 5.1 | ug/L |
| Total Svoc : | | | | 7.20 | | | | |
| Total Concentration: | | | | 7.20 | | | | |



SAMPLE DATA

Report of Analysis

| | | | |
|--------------------|-------------------------------------|-----------------|---------------|
| Client: | ENTACT | Date Collected: | 06/04/25 |
| Project: | 540 Degraw St, Brooklyn, NY - E9309 | Date Received: | 06/04/25 |
| Client Sample ID: | TW-WTS-10 | SDG No.: | Q2237 |
| Lab Sample ID: | Q2237-02 | Matrix: | Water |
| Analytical Method: | 8270E | % Solid: | 0 |
| Sample Wt/Vol: | 980 Units: mL | Final Vol: | 1000 uL |
| Soil Aliquot Vol: | uL | Test: | SVOCMS Group4 |
| Extraction Type : | Decanted : N | Level : | LOW |
| Injection Volume : | GPC Factor : 1.0 | GPC Cleanup : | N PH : |
| Prep Method : | SW3510C | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| BP024883.D | 1 | 06/06/25 08:35 | 06/09/25 18:57 | PB168323 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|---------------------------|------------------------|---------|-----------|---------------------|------------|----------|
| TARGETS | | | | | | |
| 108-95-2 | Phenol | 2.20 | J | 0.93 | 5.10 | ug/L |
| 106-46-7 | 1,4-Dichlorobenzene | 0.54 | U | 0.54 | 5.10 | ug/L |
| 120-82-1 | 1,2,4-Trichlorobenzene | 0.55 | U | 0.55 | 5.10 | ug/L |
| 91-20-3 | Naphthalene | 5.00 | J | 0.51 | 5.10 | ug/L |
| SURROGATES | | | | | | |
| 367-12-4 | 2-Fluorophenol | 76.8 | | 15 (23) - 110 (138) | 51% | SPK: 150 |
| 13127-88-3 | Phenol-d6 | 50.6 | | 15 (10) - 110 (134) | 34% | SPK: 150 |
| 4165-60-0 | Nitrobenzene-d5 | 83.7 | | 30 (67) - 130 (132) | 84% | SPK: 100 |
| 321-60-8 | 2-Fluorobiphenyl | 83.2 | | 30 (52) - 130 (132) | 83% | SPK: 100 |
| 118-79-6 | 2,4,6-Tribromophenol | 157 | | 15 (44) - 110 (137) | 105% | SPK: 150 |
| 1718-51-0 | Terphenyl-d14 | 80.0 | | 30 (42) - 130 (152) | 80% | SPK: 100 |
| INTERNAL STANDARDS | | | | | | |
| 3855-82-1 | 1,4-Dichlorobenzene-d4 | 157000 | 7.608 | | | |
| 1146-65-2 | Naphthalene-d8 | 689000 | 10.372 | | | |
| 15067-26-2 | Acenaphthene-d10 | 446000 | 14.248 | | | |
| 1517-22-2 | Phenanthrene-d10 | 892000 | 17.048 | | | |
| 1719-03-5 | Chrysene-d12 | 1130000 | 21.472 | | | |
| 1520-96-3 | Perylene-d12 | 1480000 | 24.713 | | | |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

| | | | |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | Q2237 | OrderDate: | 6/5/2025 11:00:00 AM |
| Client: | ENTACT | Project: | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Austin Farmerie | Location: | N31,VOA Ref. #3 Water |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------|--------|---------------|--------|-------------|-----------|-----------|----------|
| Q2237-02 | TW-WTS-10 | Water | SVOCMS Group4 | 8270E | 06/04/25 | 06/06/25 | 06/09/25 | 06/04/25 |



Hit Summary Sheet
SW-846

A

SDG No.: Q2237

Order ID: Q2237

Client: ENTACT

Project ID: 540 Degraw St, Brooklyn, NY - E9309

B

C

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-------------|-----------|--------|-----------|---------------|---|-----|-----|-------|
| Client ID : | | | | | | | | |

D

Total Concentration: 0.000



SAMPLE DATA

Report of Analysis

| | | | | | |
|--------------------|-------------------------------------|-----------|--------------------|----------|-----------|
| Client: | ENTACT | | Date Collected: | 06/04/25 | |
| Project: | 540 Degraw St, Brooklyn, NY - E9309 | | Date Received: | 06/04/25 | |
| Client Sample ID: | TW-WTS-10 | | SDG No.: | Q2237 | |
| Lab Sample ID: | Q2237-02 | | Matrix: | WATER | |
| Analytical Method: | 8082A | | % Solid: | 0 | Decanted: |
| Sample Wt/Vol: | 980 | Units: mL | Final Vol: | 10000 | uL |
| Soil Aliquot Vol: | | uL | Test: | PCB | |
| Extraction Type: | | | Injection Volume : | | |
| GPC Factor : | 1.0 | PH : | | | |
| Prep Method : | 3510C | | | | |

| | | | | |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP072722.D | 1 | 06/06/25 09:14 | 06/07/25 00:41 | PB168325 |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| TARGETS | | | | | | |
| 12674-11-2 | Aroclor-1016 | 0.099 | U | 0.099 | 0.51 | ug/L |
| 11104-28-2 | Aroclor-1221 | 0.13 | U | 0.13 | 0.51 | ug/L |
| 11141-16-5 | Aroclor-1232 | 0.098 | U | 0.098 | 0.51 | ug/L |
| 53469-21-9 | Aroclor-1242 | 0.12 | U | 0.12 | 0.51 | ug/L |
| 12672-29-6 | Aroclor-1248 | 0.072 | U | 0.072 | 0.51 | ug/L |
| 11097-69-1 | Aroclor-1254 | 0.096 | U | 0.096 | 0.51 | ug/L |
| 37324-23-5 | Aroclor-1262 | 0.14 | U | 0.14 | 0.51 | ug/L |
| 11100-14-4 | Aroclor-1268 | 0.11 | U | 0.11 | 0.51 | ug/L |
| 11096-82-5 | Aroclor-1260 | 0.083 | U | 0.083 | 0.51 | ug/L |
| SURROGATES | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 23.1 | | 30 (30) - 150 (173) | 115% | SPK: 20 |
| 2051-24-3 | Decachlorobiphenyl | 9.34 | | 30 (10) - 150 (173) | 47% | SPK: 20 |

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

| | | | |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | Q2237 | OrderDate: | 6/5/2025 11:00:00 AM |
| Client: | ENTACT | Project: | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Austin Farmerie | Location: | N31,VOA Ref. #3 Water |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------|--------|------|--------|-------------|-----------|-----------|----------|
| Q2237-02 | TW-WTS-10 | WATER | PCB | 8082A | 06/04/25 | 06/06/25 | 06/07/25 | 06/04/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2237 **Order ID:** Q2237
Client: ENTACT **Project ID:** 540 Degraw St, Brooklyn, NY - E9309

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|------------------------------|-----------|--------|-----------|---------------|---|------|------|-------|
| Client ID : TW-WTS-10 | | | | | | | | |
| Q2237-02 | TW-WTS-10 | Water | Copper | 26.8 | | 2.30 | 10.0 | ug/L |
| Q2237-02 | TW-WTS-10 | Water | Lead | 3.86 | J | 1.15 | 6.00 | ug/L |
| Q2237-02 | TW-WTS-10 | Water | Nickel | 21.2 | | 1.53 | 20.0 | ug/L |
| Q2237-02 | TW-WTS-10 | Water | Zinc | 11.3 | J | 8.33 | 20.0 | ug/L |



SAMPLE DATA

Report of Analysis

| | | | |
|-------------------|-------------------------------------|-----------------|----------|
| Client: | ENTACT | Date Collected: | 06/04/25 |
| Project: | 540 Degraw St, Brooklyn, NY - E9309 | Date Received: | 06/04/25 |
| Client Sample ID: | TW-WTS-10 | SDG No.: | Q2237 |
| Lab Sample ID: | Q2237-02 | Matrix: | Water |
| Level (low/med): | low | % Solid: | 0 |

| Cas | Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. | Prep Met. |
|-----------|-----------|-------|------|----|-------|------------|-------|----------------|----------------|----------|-----------|
| 7440-43-9 | Cadmium | 0.25 | U | 1 | 0.25 | 3.00 | ug/L | 06/05/25 13:35 | 06/06/25 14:47 | 6010D | SW3010 |
| 7440-50-8 | Copper | 26.8 | | 1 | 2.30 | 10.0 | ug/L | 06/05/25 13:35 | 06/06/25 14:47 | 6010D | SW3010 |
| 7439-92-1 | Lead | 3.86 | J | 1 | 1.15 | 6.00 | ug/L | 06/05/25 13:35 | 06/06/25 14:47 | 6010D | SW3010 |
| 7439-97-6 | Mercury | 0.076 | UN | 1 | 0.076 | 0.20 | ug/L | 06/09/25 15:15 | 06/10/25 13:20 | 7470A | |
| 7440-02-0 | Nickel | 21.2 | | 1 | 1.53 | 20.0 | ug/L | 06/05/25 13:35 | 06/06/25 14:47 | 6010D | SW3010 |
| 7440-66-6 | Zinc | 11.3 | J | 1 | 8.33 | 20.0 | ug/L | 06/05/25 13:35 | 06/06/25 14:47 | 6010D | SW3010 |

| | | | | |
|---------------|-----------|-----------------|-------|------------|
| Color Before: | Colorless | Clarity Before: | Clear | Texture: |
| Color After: | Colorless | Clarity After: | Clear | Artifacts: |
| Comments: | Mercury | | | |

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

| | | | |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | Q2237 | OrderDate: | 6/5/2025 11:00:00 AM |
| Client: | ENTACT | Project: | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Austin Farmerie | Location: | N31,VOA Ref. #3 Water |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------|--------|---------------|--------|-------------|-----------|-----------|----------|
| Q2237-02 | TW-WTS-10 | Water | | | 06/04/25 | | | 06/04/25 |
| | | | Mercury | 7470A | | 06/09/25 | 06/10/25 | |
| | | | Metals Group4 | 6010D | | 06/05/25 | 06/06/25 | |



SAMPLE DATA

Report of Analysis

| | | | |
|-------------------|-------------------------------------|-----------------|----------------|
| Client: | ENTACT | Date Collected: | 06/04/25 11:00 |
| Project: | 540 Degraw St, Brooklyn, NY - E9309 | Date Received: | 06/04/25 |
| Client Sample ID: | TW-WTS-10 | SDG No.: | Q2237 |
| Lab Sample ID: | Q2237-02 | Matrix: | WATER |
| | | % Solid: | 0 |

| Parameter | Conc. | Qua. | DF | MDL | LOQ / CRQL | Units | Prep Date | Date Ana. | Ana Met. |
|-------------|-------|------|----|------|------------|-------|-----------|----------------|--------------|
| BOD5 | 293 | | 1 | 0.20 | 2.00 | mg/L | | 06/05/25 15:30 | SM 5210 B-16 |
| Flash Point | >212 | | 1 | 0 | 0 | o F | | 06/05/25 16:00 | 1010B |
| TSS | 20.5 | | 1 | 1.00 | 4.00 | mg/L | | 06/09/25 13:00 | SM 2540 D-15 |

Comments: Other method reference for flash point : Pensky-Martens Closed Cup Flash Point ASTM D 93 - IP 34

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

| | | | |
|----------|-----------------|------------|-------------------------------------|
| OrderID: | Q2237 | OrderDate: | 6/5/2025 11:00:00 AM |
| Client: | ENTACT | Project: | 540 Degraw St, Brooklyn, NY - E9309 |
| Contact: | Austin Farmerie | Location: | N31,VOA Ref. #3 Water |

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------|--------|-------------|----------|-------------------|-----------|-------------------|----------|
| Q2237-02 | TW-WTS-10 | WATER | | | 06/04/25 11:00 | | | 06/04/25 |
| | | | BOD5 | SM5210 B | | | 06/05/25 15:30 | |
| | | | Flash Point | 1010B | | | 06/05/25 16:00 | |
| | | | TSS | SM2540 D | | | 06/09/25 13:00 | |



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q2237

COC Number:

Page 1 of 1

CLIENT INFORMATION

COMPANY: ENTACT, LLC

ADDRESS: 150 Bay Street, Suite 806

CITY: Jersey City STATE: NJ ZIP: 07302

ATTENTION: Austin Farmerie

PHONE: 412-716-1366

FAX:

PROJECT INFORMATION

PROJECT NAME: 540 Degraw St Brooklyn, NY

PROJECT #: E9309 LOCATION: Brooklyn, NY

PROJECT MANAGER: Austin Farmerie

E-MAIL: afarmerie@entact.com

PHONE: 412-716-1366

FAX:

BILLING INFORMATION

BILL TO: ENTACT, LLC

PO# E9309

ADDRESS: 999 Oakmont Plaza Drive, Suite 300

CITY: Westmont

STATE: IL ZIP: 60559

ATTENTION: Wendy Murray

PHONE: 800-936-8228

DATA TURNAROUND INFORMATION

FAX: 5 DAYS*

HARD COPY: DAYS*

EDD 5 DAYS*

* TO BE APPROVED BY ALLIANCE

STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

- ☐ RESEULTS ONLY ☐ USEPA CLP
☐ RESULTS + QC ☐ New York State ASP "B"
☐ New Jersey REDUCED ☐ New York State ASP "A"
☐ New Jersey CLP ☐ Other _____
☐ EDD Format _____

ANALYSIS

| SVOC-TCL BNA-20 | Flash Point | PCB | BOD5 | TSS | VOC-TCLVOA- 10 | Metals ICP-TAL | | | |
|--------------------|-------------|-----|------|-----|-------------------|----------------|---|---|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

PRESERVATIVES

COMMENTS

| CHEMTECH SAMPLE ID | PROJECT SAMPLE IDENTIFICATION | SAMPLE MATRIX | SAMPLE TYPE | | SAMPLE COLLECTION | | # of Bottles | E | E | E | E | E | A | B | | | |
|--------------------------|----------------------------------|------------------|----------------|------|----------------------|-------|-----------------|---|---|---|---|---|---|---|---|---|--|
| | | | COMP | GRAB | DATE | TIME | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| 1. | TW-WTS-10 | Surface Water | | X | 6/4 | 11:00 | 7 | X | X | X | X | X | X | X | | | <-- Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other |
| 2. | | | | | | | | | | | | | | | | | |
| 3. | | | | | | | | | | | | | | | | | |
| 4. | | | | | | | | | | | | | | | | | |
| 5. | | | | | | | | | | | | | | | | | |
| 6. | | | | | | | | | | | | | | | | | |
| 7. | | | | | | | | | | | | | | | | | |
| 8. | | | | | | | | | | | | | | | | | |
| 9. | | | | | | | | | | | | | | | | | |
| 10. | | | | | | | | | | | | | | | | | |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE PROSESSION INCLUDING COURIER DELIVERY

| | | | |
|---|--------------------------------|--|---|
| RELINQUISHED BY SAMPLER 1. Austin Farmerie | DATE/TIME 06/04/25 11:00 | RECEIVED BY 1. [Signature] 1655 6425 | Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp 4-26 <input type="checkbox"/> Ice in Cooler? _____ |
| RELINQUISHED BY | DATE/TIME | RECEIVED BY | Comments: |
| 2. | | 2. | |
| RELINQUISHED BY | DATE/TIME | RECEIVED FOR LAB BY | |
| 3. [Signature] 6425 | 1836 6425 | 3. | |

Page _____ of _____

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

Laboratory Certification

| Certified By | License No. |
|----------------------|------------------|
| | |
| CAS EPA CLP Contract | 68HERH20D0011 |
| | |
| Connecticut | PH-0830 |
| | |
| DOD ELAP (ANAB) | L2219 |
| | |
| Maine | 2024021 |
| | |
| Maryland | 296 |
| | |
| New Hampshire | 255424 Rev 1 |
| | |
| New Jersey | 20012 |
| | |
| New York | 11376 |
| | |
| Pennsylvania | 68-00548 |
| | |
| Soil Permit | 525-24-234-08441 |
| | |
| Texas | T104704488 |

LOGIN REPORT/SAMPLE TRANSFER

| | | | |
|--|--------|--|------------------------------|
| Order ID : Q2237 | ENTA05 | Order Date : 6/5/2025 11:00:00 AM | Project Mgr : |
| Client Name : ENTACT | | Project Name : 540 Degraw St, Brooklyn, N | Report Type : Level 1 |
| Client Contact : Jarod Stanfield | | Receive DateTime : 6/4/2025 6:30:00 PM | EDD Type : Excel NJ |
| Invoice Name : ENTACT | | Purchase Order : | Hard Copy Date : |
| Invoice Contact : Jarod Stanfield | | | Date Signoff : |

| LAB ID | CLIENT ID | MATRIX | SAMPLE DATE | SAMPLE TIME | TEST | TEST GROUP | METHOD | FAX DATE | DUE DATES |
|----------|-----------|--------|-------------|-------------|--------------|------------|----------|-------------|-----------|
| Q2237-02 | TW-WTS-10 | Water | 06/04/2025 | 11:00 | | | | | |
| | | | | | VOCMS Group4 | | 8260-Low | 3 Bus. Days | |

Relinquished By :

Date / Time : 6/5/25 12:50

Received By :

Date / Time : 06/05/25 12:50 By # 4

Storage Area : VOA Refridgerator Room