

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** ENTACT **Contract:** ENTA05

**Lab code:** CHEM **Case no.:** Q2237 **Sas no.:** Q2237 **Sdg no.:** Q2237

**Instrument id number:**                      **Method:**                      **Run number:** LB136052

**Start date:** 06/06/2025 **End date:** 06/07/2025

| Lab sample id. | Client Sample Id | d/f | Time | Parameter list |
|----------------|------------------|-----|------|----------------|
| S0             | S0               | 1   | 1250 | Cd,Cu,Ni,Pb,Zn |
| S1             | S1               | 1   | 1254 | Cd,Cu,Ni,Pb,Zn |
| S2             | S2               | 1   | 1259 | Cd,Cu,Ni,Pb,Zn |
| S3             | S3               | 1   | 1303 | Cd,Cu,Ni,Pb,Zn |
| S4             | S4               | 1   | 1307 | Cd,Cu,Ni,Pb,Zn |
| S5             | S5               | 1   | 1312 | Cd,Cu,Ni,Pb,Zn |
| ICV01          | ICV01            | 1   | 1316 | Cd,Cu,Ni,Pb,Zn |
| LLICV01        | LLICV01          | 1   | 1329 | Cd,Cu,Ni,Pb,Zn |
| ICB01          | ICB01            | 1   | 1333 | Cd,Cu,Ni,Pb,Zn |
| CRI01          | CRI01            | 1   | 1337 | Cd,Cu,Ni,Pb,Zn |
| ICSA01         | ICSA01           | 1   | 1342 | Cd,Cu,Ni,Pb,Zn |
| ICSAB01        | ICSAB01          | 1   | 1346 | Cd,Cu,Ni,Pb,Zn |
| CCV01          | CCV01            | 1   | 1405 | Cd,Cu,Ni,Pb,Zn |
| CCB01          | CCB01            | 1   | 1409 | Cd,Cu,Ni,Pb,Zn |
| PB168284BL     | PB168284BL       | 1   | 1422 | Cd,Cu,Ni,Pb,Zn |
| PB168284BS     | PB168284BS       | 1   | 1426 | Cd,Cu,Ni,Pb,Zn |
| Q2237-02       | TW-WTS-10        | 1   | 1447 | Cd,Cu,Ni,Pb,Zn |
| CCV02          | CCV02            | 1   | 1456 | Cd,Cu,Ni,Pb,Zn |
| CCB02          | CCB02            | 1   | 1500 | Cd,Cu,Ni,Pb,Zn |
| CCV03          | CCV03            | 1   | 1550 | Cd,Cu,Ni,Pb,Zn |
| CCB03          | CCB03            | 1   | 1557 | Cd,Cu,Ni,Pb,Zn |
| CCV04          | CCV04            | 1   | 1646 | Cd,Cu,Ni,Pb,Zn |
| CCB04          | CCB04            | 1   | 1651 | Cd,Cu,Ni,Pb,Zn |
| CCV05          | CCV05            | 1   | 1740 | Cd,Cu,Ni,Pb,Zn |
| CCB05          | CCB05            | 1   | 1746 | Cd,Cu,Ni,Pb,Zn |
| CCV06          | CCV06            | 1   | 0303 | Cd,Cu,Ni,Pb,Zn |
| CCB06          | CCB06            | 1   | 0307 | Cd,Cu,Ni,Pb,Zn |
| CCV07          | CCV07            | 1   | 0340 | Cd,Cu,Ni,Pb,Zn |
| CCB07          | CCB07            | 1   | 0344 | Cd,Cu,Ni,Pb,Zn |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** ENTACT **Contract:** ENTA05

**Lab code:** CHEM **Case no.:** Q2237 **Sas no.:** Q2237 **Sdg no.:** Q2237

**Instrument id number:**                      **Method:**                      **Run number:** LB136079

**Start date:** 06/10/2025 **End date:** 06/10/2025

| Lab sample id. | Client Sample Id | d/f | Time | Parameter list |
|----------------|------------------|-----|------|----------------|
| S0             | S0               | 1   | 1008 | HG             |
| S0.2           | S0.2             | 1   | 1010 | HG             |
| S2.5           | S2.5             | 1   | 1013 | HG             |
| S5             | S5               | 1   | 1015 | HG             |
| S7.5           | S7.5             | 1   | 1020 | HG             |
| S10            | S10              | 1   | 1030 | HG             |
| ICV31          | ICV31            | 1   | 1039 | HG             |
| ICB31          | ICB31            | 1   | 1041 | HG             |
| CCV17          | CCV17            | 1   | 1043 | HG             |
| CCB17          | CCB17            | 1   | 1048 | HG             |
| CRA            | CRA              | 1   | 1056 | HG             |
| CCV18          | CCV18            | 1   | 1132 | HG             |
| CCB18          | CCB18            | 1   | 1137 | HG             |
| CCV19          | CCV19            | 1   | 1212 | HG             |
| CCB19          | CCB19            | 1   | 1214 | HG             |
| CCV20          | CCV20            | 1   | 1257 | HG             |
| CCB20          | CCB20            | 1   | 1259 | HG             |
| PB168379BL     | PB168379BL       | 1   | 1313 | HG             |
| PB168379BS     | PB168379BS       | 1   | 1318 | HG             |
| Q2237-02       | TW-WTS-10        | 1   | 1320 | HG             |
| Q2237-02DUP    | TW-WTS-10DUP     | 1   | 1323 | HG             |
| Q2237-02MS     | TW-WTS-10MS      | 1   | 1325 | HG             |
| CCV21          | CCV21            | 1   | 1330 | HG             |
| CCB21          | CCB21            | 1   | 1332 | HG             |
| Q2237-02MSD    | TW-WTS-10MSD     | 1   | 1335 | HG             |
| Q2237-02L      | TW-WTS-10L       | 5   | 1400 | HG             |
| Q2237-02A      | TW-WTS-10A       | 1   | 1405 | HG             |
| CCV22          | CCV22            | 1   | 1428 | HG             |
| CCB22          | CCB22            | 1   | 1430 | HG             |

**metals**  
**- 14 -**  
**ANALYSIS RUN LOG**

**Client:** ENTACT **Contract:** ENTA05

**Lab code:** CHEM **Case no.:** Q2237 **Sas no.:** Q2237 **Sdg no.:** Q2237

**Instrument id number:**                      **Method:**                      **Run number:** LB136097

**Start date:** 06/10/2025 **End date:** 06/11/2025

| Lab sample id. | Client Sample Id | d/f | Time | Parameter list |
|----------------|------------------|-----|------|----------------|
| S0             | S0               | 1   | 1401 | Cd,Cu,Ni,Pb,Zn |
| S1             | S1               | 1   | 1405 | Cd,Cu,Ni,Pb,Zn |
| S2             | S2               | 1   | 1409 | Cd,Cu,Ni,Pb,Zn |
| S3             | S3               | 1   | 1414 | Cd,Cu,Ni,Pb,Zn |
| S4             | S4               | 1   | 1418 | Cd,Cu,Ni,Pb,Zn |
| S5             | S5               | 1   | 1422 | Cd,Cu,Ni,Pb,Zn |
| ICV01          | ICV01            | 1   | 1437 | Cd,Cu,Ni,Pb,Zn |
| LLICV01        | LLICV01          | 1   | 1441 | Cd,Cu,Ni,Pb,Zn |
| ICB01          | ICB01            | 1   | 1445 | Cd,Cu,Ni,Pb,Zn |
| CRI01          | CRI01            | 1   | 1450 | Cd,Cu,Ni,Pb,Zn |
| ICSA01         | ICSA01           | 1   | 1454 | Cd,Cu,Ni,Pb,Zn |
| ICSAB01        | ICSAB01          | 1   | 1518 | Cd,Cu,Ni,Pb,Zn |
| CCV01          | CCV01            | 1   | 1530 | Cd,Cu,Ni,Pb,Zn |
| CCB01          | CCB01            | 1   | 1535 | Cd,Cu,Ni,Pb,Zn |
| CCV02          | CCV02            | 1   | 1628 | Cd,Cu,Ni,Pb,Zn |
| CCB02          | CCB02            | 1   | 1632 | Cd,Cu,Ni,Pb,Zn |
| Q2197-05DUP    | DSN003DUP        | 1   | 1653 | Cd,Cu,Ni,Pb,Zn |
| Q2197-05L      | DSN003L          | 5   | 1658 | Cd,Cu,Ni,Pb,Zn |
| Q2197-05MS     | DSN003MS         | 1   | 1702 | Cd,Cu,Ni,Pb,Zn |
| Q2197-05MSD    | DSN003MSD        | 1   | 1706 | Cd,Cu,Ni,Pb,Zn |
| CCV03          | CCV03            | 1   | 1736 | Cd,Cu,Ni,Pb,Zn |
| CCB03          | CCB03            | 1   | 1740 | Cd,Cu,Ni,Pb,Zn |
| CCV04          | CCV04            | 1   | 1828 | Cd,Cu,Ni,Pb,Zn |
| CCB04          | CCB04            | 1   | 1832 | Cd,Cu,Ni,Pb,Zn |
| CCV05          | CCV05            | 1   | 1918 | Cd,Cu,Ni,Pb,Zn |
| CCB05          | CCB05            | 1   | 1922 | Cd,Cu,Ni,Pb,Zn |
| CCV06          | CCV06            | 1   | 2009 | Cd,Cu,Ni,Pb,Zn |
| CCB06          | CCB06            | 1   | 2014 | Cd,Cu,Ni,Pb,Zn |
| CCV07          | CCV07            | 1   | 2104 | Cd,Cu,Ni,Pb,Zn |
| CCB07          | CCB07            | 1   | 2108 | Cd,Cu,Ni,Pb,Zn |
| CCV08          | CCV08            | 1   | 2204 | Cd,Cu,Ni,Pb,Zn |
| CCB08          | CCB08            | 1   | 2208 | Cd,Cu,Ni,Pb,Zn |
| CCV09          | CCV09            | 1   | 2256 | Cd,Cu,Ni,Pb,Zn |
| CCB09          | CCB09            | 1   | 2301 | Cd,Cu,Ni,Pb,Zn |
| CCV10          | CCV10            | 1   | 2357 | Cd,Cu,Ni,Pb,Zn |
| CCB10          | CCB10            | 1   | 0002 | Cd,Cu,Ni,Pb,Zn |
| CCV11          | CCV11            | 1   | 0135 | Cd,Cu,Ni,Pb,Zn |
| CCB11          | CCB11            | 1   | 0139 | Cd,Cu,Ni,Pb,Zn |
| CCV12          | CCV12            | 1   | 0221 | Cd,Cu,Ni,Pb,Zn |
| CCB12          | CCB12            | 1   | 0225 | Cd,Cu,Ni,Pb,Zn |