

## Report of Analysis

Client:	PSEG	Date Collected:	06/05/25 09:50
Project:	Newport Substation	Date Received:	06/05/25
Client Sample ID:	399-16TH-ST-COMP	SDG No.:	Q2239
Lab Sample ID:	Q2239-01	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	10.1	H	1	0	0	pH		06/05/25 15:35	9045D
Ignitability	NO		1	0	0	oC		06/05/25 12:25	1030
Reactive Cyanide	0.0087	J	1	0.0083	0.049	mg/Kg	06/09/25 08:10	06/09/25 10:36	9012B
Reactive Sulfide	3.19	J	1	0.20	10.0	mg/Kg	06/05/25 13:45	06/05/25 16:18	9034

Comments: pH result reported at temperature 26.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits