

Report of Analysis

Client:	PSEG	Date Collected:	06/05/25 00:46
Project:	PSEG East Edison Test Pits	Date Received:	06/05/25
Client Sample ID:	TP09-MHJ	SDG No.:	Q2242
Lab Sample ID:	Q2242-04	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	5.17	H	1	0	0	pH		06/05/25 16:20	9045D
Ignitability	NO		1	0	0	oC		06/05/25 13:56	1030
Reactive Cyanide	0.049	U	1	0.0083	0.049	mg/Kg	06/09/25 08:10	06/09/25 10:36	9012B
Reactive Sulfide	3.17	J	1	0.20	10.0	mg/Kg	06/09/25 15:30	06/10/25 08:38	9034

Comments: pH result reported at temperature 27.1 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits