

Report of Analysis

Client:	PSEG	Date Collected:	06/05/25
Project:	Burlington Gas and Appliance Service MA00006789	Date Received:	06/05/25
Client Sample ID:	BU-03-060525	SDG No.:	Q2246
Lab Sample ID:	Q2246-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	99
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024898.D	1	06/09/25 09:40	06/10/25 17:49	PB168351

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.20	U	0.095	0.20	mg/Kg
108-95-2	Phenol	0.10	U	0.013	0.10	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.10	U	0.015	0.10	mg/Kg
95-57-8	2-Chlorophenol	0.10	U	0.015	0.10	mg/Kg
95-48-7	2-Methylphenol	0.10	U	0.018	0.10	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.10	U	0.023	0.10	mg/Kg
98-86-2	Acetophenone	0.10	U	0.018	0.10	mg/Kg
65794-96-9	3+4-Methylphenols	0.20	U	0.025	0.20	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.048	U	0.029	0.048	mg/Kg
67-72-1	Hexachloroethane	0.10	U	0.011	0.10	mg/Kg
98-95-3	Nitrobenzene	0.10	U	0.011	0.10	mg/Kg
78-59-1	Isophorone	0.10	U	0.020	0.10	mg/Kg
88-75-5	2-Nitrophenol	0.10	U	0.035	0.10	mg/Kg
105-67-9	2,4-Dimethylphenol	0.10	U	0.039	0.10	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.10	U	0.019	0.10	mg/Kg
120-83-2	2,4-Dichlorophenol	0.10	U	0.017	0.10	mg/Kg
91-20-3	Naphthalene	0.10	U	0.014	0.10	mg/Kg
106-47-8	4-Chloroaniline	0.10	U	0.021	0.10	mg/Kg
87-68-3	Hexachlorobutadiene	0.10	U	0.015	0.10	mg/Kg
105-60-2	Caprolactam	0.20	U	0.032	0.20	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.10	U	0.017	0.10	mg/Kg
91-57-6	2-Methylnaphthalene	0.10	U	0.016	0.10	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.20	U	0.070	0.20	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.10	U	0.012	0.10	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.10	U	0.018	0.10	mg/Kg
92-52-4	1,1-Biphenyl	0.10	U	0.013	0.10	mg/Kg
91-58-7	2-Chloronaphthalene	0.10	U	0.014	0.10	mg/Kg
88-74-4	2-Nitroaniline	0.10	U	0.029	0.10	mg/Kg
131-11-3	Dimethylphthalate	0.10	U	0.016	0.10	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/05/25
Project:	Burlington Gas and Appliance Service MA00006789	Date Received:	06/05/25
Client Sample ID:	BU-03-060525	SDG No.:	Q2246
Lab Sample ID:	Q2246-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	99
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024898.D	1	06/09/25 09:40	06/10/25 17:49	PB168351

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.056	J	0.018	0.10	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.10	U	0.020	0.10	mg/Kg
99-09-2	3-Nitroaniline	0.10	U	0.028	0.10	mg/Kg
83-32-9	Acenaphthene	0.10	U	0.013	0.10	mg/Kg
51-28-5	2,4-Dinitrophenol	0.20	U	0.14	0.20	mg/Kg
100-02-7	4-Nitrophenol	0.20	U	0.065	0.20	mg/Kg
132-64-9	Dibenzofuran	0.10	U	0.014	0.10	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.10	U	0.030	0.10	mg/Kg
84-66-2	Diethylphthalate	0.10	U	0.017	0.10	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.10	U	0.016	0.10	mg/Kg
86-73-7	Fluorene	0.10	U	0.015	0.10	mg/Kg
100-01-6	4-Nitroaniline	0.10	U	0.039	0.10	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.20	U	0.062	0.20	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.10	U	0.020	0.10	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.10	U	0.017	0.10	mg/Kg
118-74-1	Hexachlorobenzene	0.10	U	0.015	0.10	mg/Kg
1912-24-9	Atrazine	0.10	U	0.021	0.10	mg/Kg
87-86-5	Pentachlorophenol	0.20	U	0.031	0.20	mg/Kg
85-01-8	Phenanthrene	0.31		0.013	0.10	mg/Kg
120-12-7	Anthracene	0.082	J	0.020	0.10	mg/Kg
86-74-8	Carbazole	0.10	U	0.019	0.10	mg/Kg
84-74-2	Di-n-butylphthalate	0.10	U	0.029	0.10	mg/Kg
206-44-0	Fluoranthene	0.27		0.018	0.10	mg/Kg
129-00-0	Pyrene	0.39		0.022	0.10	mg/Kg
85-68-7	Butylbenzylphthalate	0.10	U	0.043	0.10	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.20	U	0.022	0.20	mg/Kg
56-55-3	Benzo(a)anthracene	0.17		0.014	0.10	mg/Kg
218-01-9	Chrysene	0.18		0.012	0.10	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.10	U	0.036	0.10	mg/Kg
117-84-0	Di-n-octyl phthalate	0.20	U	0.053	0.20	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.19		0.012	0.10	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/05/25
Project:	Burlington Gas and Appliance Service MA00006789	Date Received:	06/05/25
Client Sample ID:	BU-03-060525	SDG No.:	Q2246
Lab Sample ID:	Q2246-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	99
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024898.D	1	06/09/25 09:40	06/10/25 17:49	PB168351

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.065	J	0.014	0.10	mg/Kg
50-32-8	Benzo(a)pyrene	0.17		0.018	0.10	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.084	J	0.018	0.10	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.10	U	0.017	0.10	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.12		0.016	0.10	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.10	U	0.016	0.10	mg/Kg
123-91-1	1,4-Dioxane	0.10	U	0.027	0.10	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.10	U	0.017	0.10	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	112		18 - 112	74%	SPK: 150
13127-88-3	Phenol-d6	122		15 - 107	81%	SPK: 150
4165-60-0	Nitrobenzene-d5	74.6		18 - 107	75%	SPK: 100
321-60-8	2-Fluorobiphenyl	78.2		20 - 109	78%	SPK: 100
118-79-6	2,4,6-Tribromophenol	42.3		10 - 116	28%	SPK: 150
1718-51-0	Terphenyl-d14	82.6		10 - 105	83%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	236000	7.608
1146-65-2	Naphthalene-d8	956000	10.378
15067-26-2	Acenaphthene-d10	617000	14.26
1517-22-2	Phenanthrene-d10	1160000	17.066
1719-03-5	Chrysene-d12	1100000	21.495
1520-96-3	Perylene-d12	1320000	24.765

TENTATIVE IDENTIFIED COMPOUNDS

000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	190	A	4.77	ug/Kg
000544-76-3	Hexadecane	52.3	J	15.1	ug/Kg
000119-61-9	Benzophenone	210	J	15.7	ug/Kg
000629-50-5	Tridecane	87.8	J	16.0	ug/Kg
000629-92-5	Nonadecane	87.8	J	16.8	ug/Kg
054833-48-6	Heptadecane, 2,6,10,15-tetramethyl	91.8	J	16.9	ug/Kg
000112-95-8	Eicosane	100	J	17.6	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/05/25
Project:	Burlington Gas and Appliance Service MA00006789	Date Received:	06/05/25
Client Sample ID:	BU-03-060525	SDG No.:	Q2246
Lab Sample ID:	Q2246-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	99
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024898.D	1	06/09/25 09:40	06/10/25 17:49	PB168351

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
067388-11-8	4-Methylnaphtho[1,2-b]thiophene	45.0	J		17.7	ug/Kg
000613-12-7	Anthracene, 2-methyl-	69.2	J		18.0	ug/Kg
000057-10-3	n-Hexadecanoic acid	250	J		18.0	ug/Kg
000090-60-8	Benzaldehyde, 3,5-dichloro-2-hydro	100	J		18.2	ug/Kg
000832-69-9	Phenanthrene, 1-methyl-	49.4	J		18.2	ug/Kg
000646-31-1	Tetracosane	110	J		18.3	ug/Kg
000781-43-1	9,10-Dimethylanthracene	60.7	J		18.9	ug/Kg
000629-78-7	Heptadecane	94.9	J		19.0	ug/Kg
116196-83-9	4,4-Bis(tetrahydrothiopyran)	40.6	J		19.4	ug/Kg
1000406-04-8	Pentadecafluorooctanoic acid, octa	79.7	J		21.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products