

SOP ID: M3640A-GPC cleanup-6, M3665A-Sulfuric Acid Cleanup-7

Clean Up SOP #: GPC Cleanup, Acid Cleanup

Matrix : Solid

Weight By: N/A

Balance check: N/A

Balance ID: N/A

pH Strip Lot#: N/A

Extraction By: N/A

Filter By: N/A

pH Meter ID: N/A

Hood ID: 6,7

Extraction Start Date : 06/09/2025

Extraction Start Time : 10:55

Extraction End Date : 06/10/2025

Extraction End Time : 09:30

Concentration By: EH

Supervisor By : RUPESH

Extraction Method: ☐ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
GPC Pcb Spike	10.0ML	400 PPB	PP24452
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
MeCl2/Acetone/1:1	N/A	EP2612
Baked Na2SO4	N/A	EP2620
Hexane	N/A	E3938
H2SO4 1:1	N/A	EP2610
Methylene Chloride	N/A	E3939
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

No Extraction only GPC Check prepared.

KD Bath ID: Water bath -01

Envap ID: NEVAP-02

KD Bath Temperature: 60 °C

Envap Temperature: 40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/10/25	RP (Ext. 104)	RP (Ext. 104)
9:35	Preparation Group	Analysis Group

Analytical Method: M3640A-GPC cleanup-6, M3665A-Sulfuric Acid Cleanup-7

Concentration Date: 06/10/2025

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
Q2258-13	PCB-GPC2-BLANK	PCB	10.0	N/A	RUPESH	rajesh	5			
Q2258-14	PCB-GCP2-BLANK-SPIKE	PCB	10.0	N/A	RUPESH	rajesh	5			

* Extracts relinquished on the same date as received.

8
6/10/25