

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 06/09/2025 Time : 10:00 Temp : 124 °C

Matrix : SOIL

End Digest Date: 06/09/2025 Time : 11:30 Temp : 126 °C

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature:

Weigh By : JP

pH Meter ID : N/A

Supervisor Signature:

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSS	1.0ML	WP112995
MS/MSD SPIKE SOL.	0.40ML	WP113319
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
50% v/v H2SO4	5.0ML	WP112826
51% w/v MgCL2	2.0ML	WP112827
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	N/A	AS PER PB168347
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	N/A	N/A
HIGHSTD	HIGHSTD	N/A	AS PER PB168347
LOWSTD	LOWSTD	N/A	AS PER PB168347

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/09/2025 11:40	JP / GLE	RM/CWC7
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168361BL	PBS361	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB168361BS	LCS361	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-01	OU4-PCS-TC-36-060525	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-03	OU4-PCS-TC-37-060525	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-05	OU4-TS-29-060525	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-06	OU4-TS-30-060525	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-06DUP	OU4-TS-30-060525DUP	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-06MS	OU4-TS-30-060525MS	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2259-06MSD	OU4-TS-30-060525MSD	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A