

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061025\
 Data File : BF142704.D
 Acq On : 10 Jun 2025 11:13
 Operator : RC/JU
 Sample : Q2259-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-36-060525

Quant Time: Jun 10 11:45:44 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 09 18:21:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	69278	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	257460	20.000	ng	-0.01
39) Acenaphthene-d10	9.933	164	139574	20.000	ng	0.00
64) Phenanthrene-d10	11.422	188	225221	20.000	ng	0.00
76) Chrysene-d12	14.063	240	140912	20.000	ng	-0.01
86) Perylene-d12	15.557	264	168989	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	397838	97.507	ng	0.00
7) Phenol-d6	6.516	99	472895	98.833	ng	-0.02
23) Nitrobenzene-d5	7.451	82	295591	63.096	ng	-0.02
42) 2,4,6-Tribromophenol	10.722	330	147290	93.927	ng	-0.01
45) 2-Fluorobiphenyl	9.251	172	660273	64.695	ng	-0.01
79) Terphenyl-d14	13.010	244	589689	66.184	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF061025\
Data File : BF142704.D
Acq On : 10 Jun 2025 11:13
Operator : RC/JU
Sample : Q2259-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-36-060525

Quant Time: Jun 10 11:45:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 09 18:21:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 799
Delta R.T. -0.006 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-36-060525


Tgt Ion:152 Resp: 69278
Ion Ratio Lower Upper
152 100
150 156.2 126.8 190.2
115 57.5 46.8 70.2



#5
2-Fluorophenol
Concen: 97.507 ng
RT: 5.516 min Scan# 565
Delta R.T. -0.000 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13

Tgt Ion:112 Resp: 397838
Ion Ratio Lower Upper
112 100
64 58.0 46.9 70.3
63 30.1 24.3 36.5









#7
Phenol-d6
Concen: 98.833 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-36-060525


Tgt Ion: 99 Resp: 472895
Ion Ratio Lower Upper
99 100
42 19.4 15.3 22.9
71 34.8 26.3 39.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1017
Delta R.T. -0.012 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13

Tgt Ion: 136 Resp: 257460
Ion Ratio Lower Upper
136 100
137 10.5 8.8 13.2
54 7.9 6.4 9.6
68 5.0 4.1 6.1





#23

Nitrobenzene-d5

Concen: 63.096 ng

RT: 7.451 min Scan# 89

Delta R.T. -0.018 min

Lab File: BF142704.D

Acq: 10 Jun 2025 11:13

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-36-060525





Tgt Ion: 82 Resp: 295591

Ion Ratio Lower Upper

82 100

128 47.0 39.3 58.9

54 55.6 44.2 66.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1316

Delta R.T. -0.006 min

Lab File: BF142704.D

Acq: 10 Jun 2025 11:13




Tgt Ion:164 Resp: 139574


Ion Ratio Lower Upper

164 100

162 99.1 79.1 118.7

160 43.5 35.4 53.0





#42

2,4,6-Tribromophenol

Concen: 93.927 ng

RT: 10.722 min Scan# 1451

Delta R.T. -0.012 min

Lab File: BF142704.D


Acq: 10 Jun 2025 11:13

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-36-060525






Tgt Ion:330 Resp: 147290

Ion Ratio Lower Upper

330 100

332 97.0 77.1 115.7

141 30.5 23.5 35.3



#45

2-Fluorobiphenyl

Concen: 64.695 ng

RT: 9.251 min Scan# 1200

Delta R.T. -0.012 min

Lab File: BF142704.D

Acq: 10 Jun 2025 11:13




Tgt Ion:172 Resp: 660273


Ion Ratio Lower Upper

172 100

171 35.1 28.3 42.5

170 23.2 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-36-060525


Tgt Ion:188 Resp: 225221
Ion Ratio Lower Upper
188 100
94 8.4 7.0 10.4
80 8.9 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.012 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13

Tgt Ion:240 Resp: 140912
Ion Ratio Lower Upper
240 100
120 10.8 8.4 12.6
236 25.2 20.2 30.2









#79
Terphenyl-d14
Concen: 66.184 ng
RT: 13.010 min Scan# 1839
Delta R.T. -0.006 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-36-060525

Tgt Ion:244 Resp: 589689
Ion Ratio Lower Upper
244 100
212 6.6 5.3 7.9
122 10.0 8.2 12.2



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.557 min Scan# 2272
Delta R.T. -0.012 min
Lab File: BF142704.D
Acq: 10 Jun 2025 11:13

Tgt Ion:264 Resp: 168989
Ion Ratio Lower Upper
264 100
260 22.4 18.5 27.7
265 21.1 17.0 25.4

