

# DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers  "P" for ICP instrument  "PM" for ICP when Microwave Digestion is used  "CV" for Manual Cold Vapor AA  "AV" for automated Cold Vapor AA  "CA" for MIDI-Distillation Spectrophotometric  "AS" for Semi – Automated Spectrophotometric  "C" for Manual Spectrophotometric  "T" for Titrimetric  "NR" for analyte not required to be analyzed  Indicates the analyte's concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
Н	Sample Analysis Out Of Hold Time



### LAB CHRONICLE

OrderID: Q2264

Client: Ardmore Chemical
Contact: Michael Sharphouse

**OrderDate:** 6/6/2025 2:07:00 PM

Project: PVSC Monthly 2025
Location: D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2264-01	EFF-WW	WATER			06/06/25			06/06/25
					12:30			
			Cyanide	SM4500-CN		06/09/25	06/09/25	
				C,E			14:01	
Q2264-04	EF-WW	WATER			06/06/25			06/06/25
					12:30			
			BOD5	SM5210 B			06/06/25	
							16:10	
			TSS	SM2540 D			06/09/25	
							13:00	



# SAMPLE DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

### **Report of Analysis**

Client: Ardmore Chemical Date Collected: 06/06/25 12:30 Project: Date Received: PVSC Monthly 2025 06/06/25 Client Sample ID: EFF-WW SDG No.: Q2264 Lab Sample ID: Q2264-01 Matrix: WATER % Solid: 0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	U	1	0.0012	0.0050	mg/L	06/09/25 11:50	06/09/25 14:01	SM 4500-CN C-16 plus E-16

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

### **Report of Analysis**

Client: Ardmore Chemical Date Collected: 06/06/25 12:30 Project: PVSC Monthly 2025 Date Received: 06/06/25 Client Sample ID: EF-WW SDG No.: Q2264 Lab Sample ID: Q2264-04 Matrix: WATER % Solid: 0

Parameter	Conc. Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	739	1	0.20	2.00	mg/L		06/06/25 16:10	SM 5210 B-16
TSS	24.4	1	1.00	4.00	mg/L		06/09/25 13:00	SM 2540 D-15

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



# QC RESULT SUMMARY



Fax: 908 789 8922

# **Initial and Continuing Calibration Verification**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 RunNo.: LB136066

Analyte		Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID:	ICV1						
Cyanide		mg/L	0.095	0.099	96	85-115	06/09/2025
Sample ID:	CCV1						
Cyanide		mg/L	0.23	0.25	92	90-110	06/09/2025
Sample ID:	CCV2						
Cyanide		mg/L	0.25	0.25	100	90-110	06/09/2025





# **Initial and Continuing Calibration Blank Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 RunNo.: LB136066

Analyte		Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: Cyanide	ICB1	mg/L	< 0.0025	0.0025	U	0.0012	0.005	06/09/2025
Sample ID: Cyanide	CCB1	mg/L	< 0.0025	0.0025	U	0.0012	0.005	06/09/2025
Sample ID: Cyanide	CCB2	mg/L	< 0.0025	0.0025	U	0.0012	0.005	06/09/2025





# **Preparation Blank Summary**

Client: Ardmore Chemical SDG No.: Q2264

**Project:** PVSC Monthly 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID:	LB136054BL mg/L	1	2.0000	J	1	4	06/09/2025
Sample ID: BOD5	LB136076BL mg/L	< 0.2000	0.2000	Ū	0.20	2.0	06/06/2025
Sample ID: Cyanide	PB168348BL mg/L	< 0.0025	0.0025	U	0.0012	0.005	06/09/2025



Fax: 908 789 8922

# **Matrix Spike Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Sample ID: Q2264-01

Client ID: EFF-WWMS Percent Solids for Spike Sample: 0

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
Cyanide	mg/L	75-125	0.038		0.0012	U	0.04	1	95		06/09/2025



Fax: 908 789 8922

# **Matrix Spike Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Sample ID: Q2264-01

Client ID: EFF-WWMSD Percent Solids for Spike Sample: 0

		Acceptance	Spiked	Conc.	Sample	Conc.	Spike	Dilution	%		Analysis
Analyte	Units	Limit %R	Result	Qualifier	Result	Qualifier	Added	Factor	Rec	Qual	Date
Cvanide	mg/L	75-125	0.039		0.0012	U	0.04	1	98		06/09/2025



Fax: 908 789 8922

# **Duplicate Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Sample ID: Q2229-02

Client ID: COMPDUP Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date	
TSS	mg/L	+/-5	121		121		1	0		06/09/2025	_



Fax: 908 789 8922

# **Duplicate Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

**Project:** PVSC Monthly 2025 Sample ID: Q2264-01

Client ID: EFF-WWDUP Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Cvanide	mg/L	+/-20	0.0012	U	0.0012	U	1	0		06/09/2025



Fax: 908 789 8922

# **Duplicate Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Sample ID: Q2264-01

Client ID: EFF-WWMSD Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Cvanide	mg/L	+/-20	0.038		0.039		1	3		06/09/2025



Fax: 908 789 8922

# **Duplicate Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Sample ID: Q2264-04

Client ID: EF-WWDUP Percent Solids for Spike Sample: 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date	
BOD5	mg/L	+/-20	739		734		1	0.7		06/06/2025	





# **Laboratory Control Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Run No.: LB136054

Analyte		Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136054BS								
TSS		mg/L	550	533		97	1	90-110	06/09/2025





**Laboratory Control Sample Summary** 

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Run No.: LB136076

Analyte		Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136076BS								_
BOD5		mg/L	198	196		99	1	84.6-115.4	06/06/2025





# **Laboratory Control Sample Summary**

Client: Ardmore Chemical SDG No.: Q2264

Project: PVSC Monthly 2025 Run No.: LB136066

Analyte		Units	True Value		onc. % ualifier Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB168348BS							
Cyanide		mg/L	0.1	0.093	93	1	85-115	06/09/2025



# RAW DATA



TEMP4 IN:

### TOTAL SUSPENDED SOLIDS - SM2540D

SUPERVISOR: Iwona

**ANALYST:** jignesh

**Date:** 06/06/2025

Run Number: LB136054

BalanceID: WC SC-6

OvenID: WC OVEN-1

**FilterID:** 17416528

ThermometerID: WET OVEN#1

 TEMP1 IN:
 104 °C
 06/06/2025 14:00
 TEMP1 OUT:
 104 °C
 06/06/2025 15:00
 BalanceID

 TEMP2 IN:
 103 °C
 06/06/2025 15:30
 TEMP2 OUT:
 103 °C
 06/06/2025 16:30
 OvenID

 TEMP3 IN:
 104 °C
 06/09/2025 13:00
 TEMP3 OUT:
 103 °C
 06/09/2025 14:30
 FilterID

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB136054BL	LB136054BL	1.3562	1.3562	100	1.3563	1.3563	1.3563	0.0001	1
2	LB136054BS	LB136054BS	1.5893	1.5893	100	1.6426	1.6426	1.6426	0.0533	533
3	Q2229-02	COMP	1.4768	1.4768	200	1.5010	1.5010	1.5010	0.0242	121
4	Q2229-02DUP	COMPDUP	1.4924	1.4924	200	1.5166	1.5166	1.5166	0.0242	121
5	Q2237-02	TW-WTS-10	1.4886	1.4886	1000	1.5091	1.5091	1.5091	0.0205	20.5
6	Q2243-01	WATER-TREATMENT-DISCHARGE	1.4729	1.4729	1000	1.4824	1.4824	1.4824	0.0095	9.5
7	Q2253-02	RW8-S0303-20250605	1.5000	1.5000	800	1.5006	1.5006	1.5006	0.0006	0.7
8	Q2264-04	EFF-WW	1.4907	1.4907	700	1.5078	1.5078	1.5078	0.0171	24.4

104 °c 06/09/2025 16:30

A = Sample Volume (ml)

B = Final Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

104 °C 06/09/2025 15:00 TEMP4 OUT:

D = Weight (g)

Weight (g) = C - B

Result mg/L =  $\frac{D}{A}$  \* 1000 \* 1000

WORKLIST(Hardcopy Internal Chain)

WorkList ID: 190041

tss q2243

WorkList Name:

Department: Wet-Chemistry

450984

ന			1									
25 10:48:2;	Method			SM2540 F	701010	Chackage	1 Obcznie	SMOSAOF	OIVIZ-340 L	CANOTAO	SMZ540 L	Chasean
Date: 06-09-2025 10:48:23	Collect Date Method			06/04/2025 SM2540 D		O6/04/202E SM2E40 D	20211-0100	06/05/2025 SM2540 D	202000	06/05/2025	00/00/00/00	06/06/2025 SM2540 B
Date	Raw Sample Storage Location			N41		N31		N41		D21		D41
( manual )	Customer			ARAM01		ENTA05		VERI01		TETR06		ARDM01
	Preservative		0 1 7 1 7	Cool 4 deg C	0 - 1 - 0	Cool 4 deg C		Cool 4 deg C		Cool 4 deg C		Cool 4 deg C
	Test		155		TSS		TSS	2	TSS		SSL	2
	Matrix		Water		Water		Water		Water		Water	
	Customer Sample			0, 0HW,WF	0L-81AA-AA		WATER-TREATMENT-DISCHA Water		KW8-SO303-20250605		EFF-WW	
	Sample	02229-02 R	1	02237.02	20102	7	42243-UI F	0005000	70-6677	d	Q2264-04 D	

Date/Time OCION(15)

Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time 06/09(15 11:30

Raw Sample Relinquished by: Raw Sample Received by:

Reviewed By:Iwona On:6/10/2025 11:45:54 AM Test results

Aquakem 7.2AQ1

Page:

Inst Id :Konelab 20

LB :LB136066

CHEMTECH CONSULTING GROUP INC 284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : \_ PM \_ Instrument ID : Konelab

6/9/2025 14:09

Test: Total CN

SD

CV%

Sample Id	Result	Dil. 1 +	Response	Errors	
ICV1 ICB1 CCV1 CCB1 RL CHECK PB168348BL PB168348BS MIDPB168348 Q2264-01 Q2264-01DUP Q2264-01MS Q2264-01MSD CCV2 CCB2	95.010 0.759 234.781 0.515 5.138 0.522 93.281 230.760 0.549 0.661 37.643 38.517 246.039 0.648	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.079 0.001 0.194 0.001 0.004 0.001 0.077 0.191 0.001 0.001 0.031 0.032 0.204 0.001	102! (50-150) 92! (90-110)	0610912025 RM
N Mean	14 70.345				

96.1922

136.74

Aquakem v. 7.2AQ1 Results from time period: Mon Jun 09 13:53:54 2025 Mon Jun 09 14:06:47 2025

Sample Id	Sam/Ct	r/c/ Test shor	t r Test type	Result Resi	ult unit Result date and time Stat
0.0PPBCN	Α	Total CN	Р	0.5227 μg/l	
5.0PPBCN	Α	Total CN	Р	4.676 μg/l	6/9/2025 9:48:17
10PPBCN	Α	Total CN	P	10.4764 μg/l	6/9/2025 9:48:18
50PPBCN	Α	Total CN	Р	49.6698 µg/l	6/9/2025 9:48:19
100PPBCN	Α	Total CN	Р	101.1189 µg/l	6/9/2025 9:48:20
250PPBCN	Α	Total CN	Р	247.4667 μg/l	6/9/2025 9:48:21
500PPBCN	Α	Total CN	Р	5 <b>01</b> .0696 µg/l	6/9/2025 9:48:22
ICV1	S	Total CN	Р	95.0102 µg/l	6/9/2025 13:53:55
ICB1	S	Total CN	P	0.7593 μg/l	6/9/2025 13:53:56
CCV1	S	Total CN	Р	234.781 µg/l	6/9/2025 13:53:59
CCB1	S	Total CN	Р	0.5154 μg/l	6/9/2025 13:54:01
RL CHECK	S	Total CN	Р	5.138 μg/l	6/9/2025 13:54:02
PB168348BL	S	Total CN	Р	0.5221 µg/l	6/9/2025 13:54:04
PB168348BS	S	Total CN	Р	93.2812 µg/l	6/9/2025 14:01:29
MIDPB168348	S	Total CN	Р	230.7605 µg/l	6/9/2025 14:01:31
Q2264-01	S	Total CN	Р	0.549 µg/l	6/9/2025 14:01:32
Q2264-01DUP	S	Total CN	Р	0.6612 µg/l	6/9/2025 14:01:35
Q2264-01MS	S	Total CN	Р	37.6427 µg/l	6/9/2025 14:06:42
Q2264-01MSD	S	Total CN	P	38.5172 μg/l	6/9/2025 14:06:43
CCV2	S	Total CN	P	246.0393 µg/l	6/9/2025 14:06:45
CCB2	S	Total CN	Р	0.6482 µg/l	6/9/2025 14:06:47

-----Calibration results

Aquakem 7.2AQ1

Page:

CHEMTECH CONSULTING GROUP INC 284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : \_RM\_ Instrument ID : Konelab

6/9/2025 9:54

Test Total CN

Accepted

6/9/2025 9:54


Factor

1209

Bias

Coeff. of det. 0.999954

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors	
1	0.0PPBCN	0.001	0.5227	0.0000	To. 4	_
2	5.0PPBCN	0.004	4.6760	5.0000	4.87	
3	10PPBCN	0.009	10.4764	10.0000	. •	
4	50PPBCN	0.041	49.6698	50.0000	~ o · 7	
5	100PPBCN	0.084	101.1189	100.0000	1.1	
6	250PPBCN	0.205	247.4667	250.0000	-1.0	
7	500PPBCN	0.415	501.0696	500.0000	0.2	

Alliance

QC BATCH ID: LB136076

BOD Water: WP113422

Starch: W3149

POLYSEED: WP113424

**GGA:** WP113423

Sulfuric acid, 1N: WP112832

Chlorine Strips: W3155

pH Strips: W3140

BOD5 LOG

ANALYST: rubir nst ld:DO METER

Reviewed By:Iwona On:6/11/2025 4:02:50

SUPERVISOR: Iwona

**Analysis Date:** 06/06/2025

MANGANOUS SULFATE SOLUTION: W3103

Alkaline Iodide Azide: W3109

Sodium Thiosulfate, 0.025N: W3105

NaOH, 1N: WP111323

IncubatorID: INCUBATOR #3

**GuageID:** 0511064

Zero DO: WP113147

Lab SampleID	Client ID	Bottle No.	VOL.	Initial Reading(ML)	Final Reading (ML)	Difference	Average
WINKLER 1	WINKLER 1	1	300	0.0	9.5	9.5	9.5
WINKLER 2	WINKLER 2	2	300	9.7	19.2	9.5	9.5

Barometric Pressure1: 760 mmHg DO Meter BOD fluid reading for winkler comparison: 9.58

After Incubation

Meter Calibration2: 8.45 Zero DO Reading2: 0.15 mg/L (<=0.2 Criteria)

Barometric Pressure2: 765 mmHg



QC BATCH ID: LB136076

INCUBATOR TEMP IN(C): 19.9

TIME IN: 16:10

**DATE IN:** 06/06/2025

TIME OUT: 11:30

**DATE OUT:** 06/11/2025

INCUBATOR TEMP OUT (C): 19.8

Lab SampleID	Bottle No.	Check CL	Initial PH	Final PH	Temp °C	Sam Vol. (mL)	D.O.1 Initial	D.O.2 Final	Depletion	BOD Result (mg/L)	Avg Result (mg/L)	Comment
LB136076BL	1	No	6.63	N/A	20.80	300	9.57	9.55	0.02	0.02	0.02	
POLYSEED	1					10	9.46	6.60	2.86	0.57	0.64	
POLYSEED	2					15	9.40	4.01	5.39	0.72		
POLYSEED	3					20	9.38	3.20	6.18	0.62		
GGA	1					6	9.50	4.99	4.51	193.5	195.5	
GGA	2					6	9.46	4.92	4.54	195		
GGA	3					6	9.44	4.84	4.6	198		
Q2264-04	1	No	5.45	7.12	20.40	5	9.42	7.81	-	0	739.33	pH Adjuste
Q2264-04	2					10	9.38	5.82	3.56	876		
Q2264-04	3					20	9.37	4.13	5.24	690		
Q2264-04	4					30	9.26	2.10	7.16	652		
Q2264-04DUP	1	No	5.45	7.12	20.40	5	9.42	7.98	-	0	734.17	pH Adjuste
Q2264-04DUP	2					10	9.39	5.90	3.49	855		
Q2264-04DUP	3					20	9.37	4.02	5.35	706.5		
Q2264-04DUP	4					30	9.24	2.19	7.05	641		

NOTE: 2ml POLYSEED added to GGA and all the Samples, but not in Blank.

NOTE (For, CBOD5): 0.16 g Nitrification Inhibitor added to GGA and all the Samples, but not in Blank.

**Prep Technician Signature:** 



MC-1, MC-2

N/A

Block ID:

Weigh By:

SOP ID :	MSM4500-CN C,E-Cyar	nide-12						
SDG No :	N/A			Start Digest Date:	06/09/2025	Time: 11:50	Temp:	123 %
Matrix :	WATER			End Digest Date:		Time: 13:20		126 °C
Pippete ID :	wc							
Balance ID :	N/A							
lood ID :	HOOD#1	Digestion tube ID :	M5595		Block Therm	nometer ID : W	C CYANIDE	

weigh By: N/A	pH Meter ID : N/A	Supervisor Signature: /2
Standared Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP112995
MS/MSD SPIKE SOL.	0.40ML	WP113319
PBW	50.ML	W3112
RL CHECK	50.ML	WP113438
N/A	N/A	N/A

N/A

Filter paper ID: N/A

N/A

pH Meter ID: N/A

Chemical Used	ML/SAMPLE USED	Lot Number	
0.25N NaOH	50ML	WP111294	
50% v/v H2SO4	5ML	WP11284	
51% w/v MgCL2	2ML	WP112827	
pH Paper 0-14	N/A	W3140	
Nitrate/Nitrite Strip	N/A	W3101	
Lead Acetate strip	N/A	W3134	
KI-starch paper	N/A	W3155	
N/A	N/A	N/A	
N/A	N/A	N/A	
N/A	N/A	N/A	

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
510.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	W3012
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
ССВ	ССВ	N/A	N/A
Midrange	Midrange	2.5ML	WP113319
HIGHSTD	HIGHSTD	N/A	N/A
_OWSTD	LOWSTD	N/A	N/A

### **Extraction Conformance/Non-Conformance Comments:**

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
0/09/2025 133	of/ac	RM Cuci
	Preparation Group	Analysis Group



Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	рH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep
PB168348BL	PBW348	50	50	>12	Negative	Negative	Negative	N/A	N/A
PB168348BS	LCS348	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2264-01DUP	EFF-WWDUP	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2264-01MS	EFF-WWMS	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2264-01MSD	EFF-WWMSD	50	50	>12	Negative	Negative	Negative	N/A	N/A
2264-01	EFF-WW	50	50	>12	Negative	Negative	Negative	N/A	N/A

# WORKLIST(Hardcopy Internal Chain)

Date: 06-09-2025 07:35:46 Collect Date Method Raw Sample Storage Location Customer Department: Distillation 1:1 NaOH to pH >12 Preservative WorkList ID: 190021 Cyanide Test Matrix Water **Customer Sample** CN Q2264 WATER EFF-WW WorkList Name: Q2264-01 C Sample

06/06/2025 SM4500-CN C

**P41** 

ARDM01

Date/Time 06/09/202 Raw Sample Received by:

Raw Sample Relinquished by:

JOBO &

Page 1 of 1

Raw Sample Received by:

Raw Sample Relinquished by:

06/09/2025

Date/Time



Fax: 908 789 8922

**Instrument ID:** WC SC-3

Review By	jign	nesh	Review On	6/9/2025 11:54:33 AM
Supervise By	lwc	ona	Supervise On	6/9/2025 1:08:21 PM
SubDirectory	LB	136054	Test	TSS
STD. NAME		STD REF.#		
ICAL Standard		N/A		
ICV Standard		N/A		
CCV Standard		N/A		
ICSA Standard		N/A		
CRI Standard		N/A		
LCS Standard		N/A		
Chk Standard		N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136054BL	LB136054BL	MB	06/09/25 13:00		jignesh	ОК
2	LB136054BS	LB136054BS	LCS	06/09/25 13:00		jignesh	ОК
3	Q2229-02	COMP	SAM	06/09/25 13:00		jignesh	OK
4	Q2229-02DUP	COMPDUP	DUP	06/09/25 13:00		jignesh	OK
5	Q2237-02	TW-WTS-10	SAM	06/09/25 13:00		jignesh	ОК
6	Q2243-01	WATER-TREATMENT	SAM	06/09/25 13:00		jignesh	OK
7	Q2253-02	RW8-SP303-2025060	SAM	06/09/25 13:00		jignesh	OK
8	Q2264-04	EF-WW	SAM	06/09/25 13:00		jignesh	ОК



# Instrument ID: KON

**KONELAB** 

Review By	rub	oina	Review On	6/10/2025 10:18:59 AM	
Supervise By	lwo	ona	Supervise On	6/10/2025 11:45:54 AM	
SubDirectory	LB	136066	Test	Cyanide	
STD. NAME		STD REF.#			
ICAL Standard		WP113433,WP113434,WP113435,WP113436,WP113437,WP113438,WP113439			
ICV Standard		W3012			
CCV Standard		WP113434			
ICSA Standard		N/A			
CRI Standard		N/A			
LCS Standard		WP112995			
Chk Standard		WP112643,WP112900,	WP113441		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPBCN	0.0PPBCN	CAL1	06/09/25 09:48		rubina	ОК
2	5.0PPBCN	5.0PPBCN	CAL2	06/09/25 09:48		rubina	ОК
3	10PPBCN	10PPBCN	CAL3	06/09/25 09:48		rubina	ок
4	50PPBCN	50PPBCN	CAL4	06/09/25 09:48		rubina	ок
5	100PPBCN	100PPBCN	CAL5	06/09/25 09:48		rubina	ОК
6	250PPBCN	250PPBCN	CAL6	06/09/25 09:48		rubina	ок
7	500PPBCN	500PPBCN	CAL7	06/09/25 09:48		rubina	ОК
8	ICV1	ICV1	ICV	06/09/25 13:53		rubina	ОК
9	ICB1	ICB1	ICB	06/09/25 13:53		rubina	ок
10	CCV1	CCV1	CCV	06/09/25 13:53		rubina	ОК
11	CCB1	CCB1	ССВ	06/09/25 13:54		rubina	ОК
12	RL	RL	LOQ	06/09/25 13:54		rubina	ОК
13	PB168348BL	PB168348BL	МВ	06/09/25 13:54		rubina	ОК
14	PB168348BS	PB168348BS	LCS	06/09/25 14:01		rubina	ОК
15	MIDPB168348	MIDPB168348	SAM	06/09/25 14:01		rubina	ОК
16	Q2264-01	EFF-WW	SAM	06/09/25 14:01		rubina	ок
17	Q2264-01DUP	EFF-WWDUP	DUP	06/09/25 14:01		rubina	ОК
18	Q2264-01MS	EFF-WWMS	MS	06/09/25 14:06		rubina	ОК





Fax: 908 789 8922

**Instrument ID:** KONELAB

Review By	rubina	Review On	6/10/2025 10:18:59 AM	
Supervise By	lwona	Supervise On	6/10/2025 11:45:54 AM	
SubDirectory	LB136066	Test	Cyanide	
STD. NAME	STD REF.#	#		
ICAL Standard	WP113433,WF	P113434,WP113435,WP113436,WP1134	37,WP113438,WP113439	
ICV Standard	W3012			
CCV Standard	WP113434			
ICSA Standard	N/A			
CRI Standard	N/A	N/A		
LCS Standard	WP112995	WP112995		
Chk Standard	WP112643,WP	2112900,WP113441		

19	Q2264-01MSD	EFF-WWMSD	MSD	06/09/25 14:06	rubina	OK
20	CCV2	CCV2	CCV	06/09/25 14:06	rubina	OK
21	CCB2	CCB2	ССВ	06/09/25 14:06	rubina	ОК



Fax: 908 789 8922

**Instrument ID:** DO METER

Review By	rub	ina	Review On	6/11/2025 3:57:20 PM		
Supervise By	lwo	ona	Supervise On	6/11/2025 4:02:50 PM		
SubDirectory	LB	136076	Test	BOD5		
STD. NAME		STD REF.#				
ICAL Standard		N/A				
ICV Standard		N/A				
CCV Standard		N/A				
ICSA Standard		N/A				
CRI Standard		N/A				
LCS Standard		N/A				
Chk Standard		WP113422,W3149,WP112832,W3103,W3109,W3105,WP113424,WP113423,WP111323				

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136076BL	LB136076BL	МВ	06/06/25 16:10		rubina	ок
2	LB136076BS	LB136076BS	LCS	06/06/25 16:10		rubina	ок
3	Q2264-04	EF-WW	SAM	06/06/25 16:10		rubina	ок
4	Q2264-04DUP	EF-WWDUP	DUP	06/06/25 16:10		rubina	ок



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789

8900, Fax: 908 789 8922

### **Prep Standard - Chemical Standard Summary**

Order ID: Q2264

Test: BOD5,Cyanide,TSS

Prepbatch ID: PB168348,

**Sequence ID/Qc Batch ID:** LB136054,LB136066,LB136076,

### Standard ID:

WP111294,WP111323,WP112643,WP112826,WP112827,WP112832,WP112900,WP112995,WP113319,WP113422,WP113423,WP113424,WP113432,WP113433,WP113434,WP113435,WP113436,WP113437,WP113438,WP113439,WP113434,WP113436,WP113437,WP113438,WP113439,WP113439,WP113436,WP113437,WP113438,WP113439,WP113449,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP11349,WP1134

### Chemical ID:

M6041, M6151, W2653, W2654, W2668, W3012, W3019, W3101, W3103, W3105, W3109, W3112, W3113, W3139, W3140, W3144, W3149, W3152, W3173, W3203, W3212, W3214,



Alliance

Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
11	Sodium hydroxide absorbing solution 0.25 N	<u>WP111294</u>	01/07/2025	07/07/2025	Niha Farheen Shaik	WETCHEM_S CALE_5 (WC		01/07/2025
					_	SC-5)		

**FROM** 21.00000L of W3112 + 210.00000gram of W3113 = Final Quantity: 21.000 L

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
1571	Sodium hydroxide, 1N	WP111323	01/09/2025	07/09/2025	Rubina Mughal	WETCHEM_S	None	·
						CALE_8 (WC		01/09/2025

**FROM** 4.00000gram of W3113 + 96.00000ml of W3112 = Final Quantity: 100.000 ml



Alliance

Fax: 908 789 8922

# Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
539	CN BUFFER	WP112643	04/09/2025	10/09/2025	Niha Farheen Shaik	WETCHEM_S CALE 5 (WC		
	400 00000			1000.6		SC-5)		04/09/2025

**FROM** 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
1714	Sulfuric Acid, 50% (v/v)	WP112826	04/25/2025	10/25/2025	Rubina Mughal	None	None	·
								04/25/2025

FROM 1000.0000ml of M6041 + 1000.0000ml of W3112 = Final Quantity: 2000.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
3214	Magnesium Chloride For Cyanide 2.5M(51%W/V)	WP112827	04/25/2025	10/25/2025	Rubina Mughal	CALE_8 (WC	None	04/25/2025
FROM	500.00000ml of W3112 + 510.00000	gram of W3	152 = Final C	uantity: 1000.0	000 ml	SC-7)		

FROM 500.00000ml of W3112 + 510.00000	gram of W3152 = Final Quantity: 1000.000 ml
---------------------------------------	---

Recipe				<b>Expiration</b>	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
1841	Sulfuric Acid, 1N	WP112832	04/25/2025	10/25/2025	Rubina Mughal	None	WETCHEM_F	•
							IPETTE_3	04/25/2025

2.80000ml of M6041 + 97.20000ml of W3112 = Final Quantity: 100.000 ml **FROM** 



Alliance

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
607	PYRIDINE-BARBITURIC ACID	<u>WP112900</u>	05/01/2025	08/18/2025	Rubina Mughal	CALE_8 (WC		05/01/2025
FROM	145.00000ml of W3112 + 15.00000g	ram of W320	03 + 15.00000	oml of M6151 +	- 75.00000ml of	<del>SC-7)</del> W3019 = Final	Quantity: 250.	.000

145.00000mi of W3112 +	15.00000gram of w3203 +	15.000000111 01 101 151	+ 75.0000001111 01 4430 19	= Final Quantity: 250.000
ml				

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By  Jignesh Parikh
3371	Cyanide LCS Spike Solution, 5PPM	<u>WP112995</u>	05/07/2025	07/07/2025	lwona Zarych	None	WETCHEM_F IPETTE_3 (WC)	05/07/2025

FROM 1.00000ml of W3173 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Iwona Zarych	
3850	Cyanide MS-MSD spiking solution, 5PPM	<u>WP113319</u>	06/02/2025	07/07/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	06/02/2025	
FROM	FROM 1.00000ml of W3214 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml (WC)								

<u>MC</u>	1.00000ml of W3214 +	199.00000ml of WP111294	= Final Quantity: 200.000 ml	

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
127	BOD Dilution fluid	WP113422	06/06/2025	06/07/2025	Rubina Mughal	None	None	
								06/06/2025

18.00000L of W3112 + 3.00000PILLOW of W3144 = Final Quantity: 18.000 L **FROM** 



Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By  Jignesh Parikh
129	Glutamic acid-glucose mix for BOD	WP113423	06/06/2025	06/07/2025	Rubina Mughal	CALE_7 (WC	None	06/06/2025
FROM	0.15000gram of W2653 + 0.15000gram	am of W265	4 + 1000.000	00ml of W3112	= Final Quanti	<del>SC-6)</del> ty: 1000.000  ml		

FROM 0.15000gram of W2653 + 0.15000gram of W2654 + 1000.00000ml of W3112 = Final	Quantity: 1000.000 ml
--	-----------------------

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Jignesh Parikh
128	polyseed seed control	WP113424	06/06/2025	06/07/2025	Rubina Mughal	None	None	
								06/06/2025

1.00000PILLOW of W3212 + 300.00000ml of WP113422 = Final Quantity: 300.000 ml **FROM** 



Alliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe	NAME	No	D D	Expiration	<u>Prepared</u>	01-10	Dim ettelD	Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
3456	Cyanide Intermediate Working	WP113432	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F	1
	Std, 5PPM						IPETTE_3	06/10/2025
FROM	0.25000ml of W3214 + 49.75000ml of	of WP111294	I = Final Qua	ntitv: 50.000 r	nl		(WC)	

ROM	0.25000ml of	W3214 + 49.	75000mi ot	WP111294	= Finai Quant	ity: 50.000	mı

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
4	Calibation standard 500 ppb	WP113433	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F	•
							IPETTE_3	06/10/2025

**FROM** 45.00000ml of WP111294 + 5.00000ml of WP113432 = Final Quantity: 50.000 ml



Aliance

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
3761	Calibration-CCV CN Standard 250 ppb	<u>WP113434</u>	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	06/10/2025
EDOM	2 50000ml of WP113432 ± 47 50000	ml of \M/D111	1204 - Final	Quantity: 50.00	00 ml		(WC)	

<u>FROM</u>	2.50000ml of WP113432	+ 47.50000ml of WP111294	= Final Quantity: 50.000 ml

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
6	Calibration Standard 100 ppb	WP113435	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F	•
							IPETTE_3	06/10/2025

**FROM** 1.00000ml of WP113432 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml



Aliance TECHNICAL GROUP

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	NO.	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	lwona Zarych
7	Calibration Standard 50 ppb	<u>WP113436</u>	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	06/10/2025
FROM	0.50000ml of WP113432 + 49.50000	ml of WP11	1294 = Final	Quantity: 50.00	00 ml		(WC)	

Recipe				Expiration	<u>Prepared</u>			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
8	Calibration Standard 10 ppb	WP113437	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F	
							IPETTE_3	06/10/2025

**FROM** 1.00000ml of WP113433 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml



Aliance

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	NAME	<u>NO.</u>	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipettelD</u>	Supervised By Iwona Zarych
9	Calibration Standard 5 ppb	WP113438	06/09/2025	06/10/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3	,
EDOM	0 50000ml of WP113433 ± 40 50000	ml of \M/D11	1204 - Final (	Ouantity: 50.00	.0 ml		(WC)	

FROM	0.50000mi of WP 115455 + 49.50000mi of WP 111294 = Final Quantity. 50.000 mi	

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	NAME	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	lwona Zarych
167	0 ppb CN calibration std	WP113439	06/09/2025	06/10/2025	Rubina Mughal	None	None	·
								06/10/2025

**FROM** 50.00000ml of WP111294 = Final Quantity: 50.000 ml





Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID 1582	NAME Chloramine T solution, 0.014M	<b>NO.</b> WP113441	Prep Date 06/09/2025		Prepared By Rubina Mughal	ScaleID WETCHEM_S CALE_5 (WC	PipettelD Glass Pipette-A	Supervised By Iwona Zarych 06/10/2025
FROM	0.08000gram of W3139 + 20.00000n	nl of W3112	= Final Quan	tity: 20.000 m		SC-5)		



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AC156212500 / GLUTAMIC ACID BIOCHEM REG, 250G	A0405990	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2653
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	D16-500 / DEXTROSE ANHYDROUS ACS REAGENT, 500G(New)	186122A	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2654
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYS, ACS, 2.5 KG	0000225799	12/03/2025	04/05/2021 / Alexander	02/10/2020 / apatel	W2668
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
EPA	/ ICV-CN	ICV6-400	12/31/2025	01/08/2025 / Iwona	02/20/2020 / Iwona	W3012



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
SIGMA ALDRICH	270970-1L / Pyridine 1L	SHBQ2113	04/03/2028	04/03/2023 / Iwona	04/03/2023 / Iwona	W3019
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	470112-662 / TEST STRIPES, NITRATE/NITRITE, PK50	402403	04/30/2026	05/02/2024 / Iwona	04/10/2024 / Iwona	W3101
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	4620-32 / MANGANOUS SULFATE SOLUTION-364	2403J02	03/31/2026	04/22/2024 / Iwona	04/22/2024 / lwona	W3103
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	4403S13	09/30/2025	04/22/2024 / Iwona	04/22/2024 / Iwona	W3105
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	AL04100-4 / Alkaline lodide Azide, 1 L	1405D67	04/30/2026	05/23/2024 / lwona	05/23/2024 / lwona	W3109
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified		07/03/2024 / Iwona	07/03/2024 / Iwona	W3112



Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / Iwona	07/08/2024 / Iwona	W3113
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	JTE494-6 / CHLORAMINE-T BAKER 250GM	10239484	09/09/2029	09/09/2024 / Iwona	09/09/2024 / Iwona	W3139
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140444 / TEST PAPERS,PH 0-14,.5 SENSI,100PK	10D0142	09/17/2029	09/17/2024 / Iwona	09/17/2024 / Iwona	W3140
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
HACH	1486266 / BOD Nutrient Buffer Pillows, 6 mL concentrate to make 6 L, 50/pk	A4169	06/30/2029	11/20/2024 / rubina	10/01/2024 / Iwona	W3144
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / Iwona	10/16/2024 / Iwona	W3149
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #




Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	LC135457 / Cyanide Standard, 1000 PPM, Second Source	45010168	07/17/2025	01/24/2025 / Iwona	01/24/2025 / Iwona	W3173

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	EM-BX0035-3 / Barbituric Acid, 100 gms	WXBF3271V	05/16/2029	04/21/2025 / Iwona	04/21/2025 / Iwona	W3203

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	136742-80 / POLYSEED	132409	09/30/2026	05/21/2025 / Iwona	05/21/2025 / Iwona	W3212

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	RC2543-4 / CYANIDE STD 1000PPM 4OZ	1505H73	11/30/2025	05/21/2025 / Iwona	05/21/2025 / lwona	W3214



This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Acros Organics expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to human or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	15621	Quality Test / Release Date	13 March 2019
Lot Number	A0405990	Suggested Retest Date	March 2022
Description	L(+)-Glutamic ad	cid,99%	
Country of Origin	CHINA		
Declaration of Origin	plant		

Origin Comment	The product is made by fermentation of sugar molasses	
----------------	---	--

Result Name	Specifications	Test Value
Appearance (Color)	White	White
Appearance (Form)	Powder	Powder
Infrared spectrum	Conforms	Conforms
Titration with NaOH	98.5 to 100.5 % (On dried substance)	99.32 % (On dried substance)
Loss on drying	=<0.5 % (105°C, 3 hrs)	0.002 % (105°C, 3 hrs)
Heavy metals (as Pb)	=<10 ppm	=<10 ppm
Sulfated ash	=<0.1 %	0.08 %
Other amino acids	not detectable	not detectable
Specific optical rotation	+30.5° to +32.5° (20°C, 589 nm) (on dried substance)	+32° (20°C, 589 nm) (on dried substance)
Specific optical rotation	(c=10, 2N HCI)	(c=10, 2N HCI)
Chloride (CI)	=<200 ppm	=<200 ppm
Iron (Fe)	=<30 ppm	=<10 ppm
Sulfate (SO4)	=<300 ppm	=<200 ppm
Ammonium (NH4)	=<200 ppm	=<200 ppm
Arsenic oxide (As2O3)	=<1 ppm	=<1 ppm





L. Van den Broek, QA Manager

Acros Organics ENA23, zone 1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax +32 14/59.34.34 Internet: <a href="http://www.acros.com">http://www.acros.com</a> 1 Reagent Lane, Fair Lawn, NJ 07410,USA Fax 201-796-1329

Issued: 24 January 2020

# W3019 lec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com Email USA: techserv@sial.com Outside USA: eurtechserv@sial.com

Product Name:

# **Certificate of Analysis**

Pyridine - anhydrous, 99.8%

**Product Number:** 

270970

**Batch Number:** 

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:

C5H5N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022

L	
	N

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
Purity (GC)	> 99.75 %	99.99 %
Water (by Karl Fischer)	_ < 0.003 %	0.002 %
Residue on Evaporation	_ < 0.0005 %	< 0.0001 %

Larry Coers, Director Quality Control

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



Certificate of Analysis Page 1 of 1



# Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	D16	Quality Test / Release Date	03/19/2019
Lot Number	186122A		
Description	DEXTROSE, ANHYDROUS, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Mar/2022
Chemical Origin	Organic - Plant		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White, granular powder
TITRATABLE ACID	MEQ/G	<= 0.002	<0.002
STARCH		= PASS TEST	pass test
SPECIFIC ROTATION @ 25 C	DEGREES (+ OR -)	Inclusive Between +52.5 - +53.0	53.0
SULFATE & SULFITE	%	<= 0.005	<0.005
IRON (Fe)	ppm	<= 5	<5
CHLORIDE	%	<= 0.01	<0.01
IGNITION RESIDUE	%	<= 0.02	<0.02
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test
HEAVY METALS (as Pb)	ppm	<= 5	<5
LOSS ON DRYING @ 105 C	%	<= 0.2	<0.2
INSOLUBLE MATTER	%	<= 0.005	0.002

Derisa Bailey- Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn



#### QUALITY ASSURANCE TECHNICAL SUPPORT LABORATORY "An ISO 9001:2015 Certified Program"

R: 02/20

APTIM

#### Instructions for QATS Reference Material: Inorganic ICV Solutions

For ICP-MS use: dilute the ICV1 concentrate 50-fold with 1% (v/v) nitric acid; pipet 2 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

W3DII W3012

ICV5-0415

For the cold vapor analysis of mercury by AA: dilute the ICV5 concentrate 100-fold with 2% (v/v) nitric acid; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v) K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> and 5% (v/v) nitric acid. W3015

W3013 W 3014

ICV6-0400

For the analysis of cyanide: dilute the ICV6 concentrate 100-fold with Type II water; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from K<sub>3</sub>Fe(CN)<sub>6</sub>, Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

NOTE: USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

# CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS

ICV1-1014		
Element	Concentration (µg/L) (after 10-fold dilution)	Concentration (µg/L) (after 50-fold dilution)
Ai	2520	504
Sb	1010	202
As	997	199
Ва	518	104
Be	514	103
Cd	514	103
Ca	10000	2000
Cr	517	103
Со	521	104
Cu	505	101
Fe	10100	2020
Pb	1030	206
Mg	5990	1198
Mn	524	105
Ni	525	. 105
K	9940	1988
Se	1030	206
Ag	252	50
Na	10100	2020
TI	1040	208
V	504	101
Zn	1010	202

ICV5-0415		ICV6-0400	
Element	Concentration (µg/L) (after-100-fold dilution)	Analyte	Concentration (µg/L) (after 100-fold dilution)
Hg	4.0	CN <sup>-</sup>	99

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33

Batch No.: 23D2462010 Manufactured Date: 2023-03-22

Retest Date: 2028-03-20

Revision No.: 0

# Certificate of Analysis

Test	Specification	Result
ACS - Assay (H2SO4)	95.0 - 98.0 %	96,1 %
Appearance	Passes Test	Passes Test
ACS - Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS - Substances Reducing Permanganate (as SO2)	≤ 2 ppm	< 2 ppm
Ammonium (NH <sub>4</sub> )	≤ 1 ppm	1 ppm
Chloride (CI)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO <sub>3</sub> )	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (AI)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities - Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities - Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities - Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities - Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities - Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities - Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities - Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities - Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium





Material No.: 9673-33 Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities - Sodium (Na)	≤ 500.0 ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA

Packaging Site: Phillipsburg Mfg Ctr & DC



Hydrochloric Acid, 36.5-38.0%

BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

# Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS - Color (APHA)	50.5 - 38.0 % ≤ 10	37.9 %
ACS - Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F		< 1 ppm
ACS – Bromide (Br)	1.185 - 1.192	1.191
ACS - Extractable Organic Substances	≤ 0.005 %	< 0.005 %
ACS - Free Chlorine (as Cl2)	≤ 5 ppm	< 1 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.5 ppm	< 0.5 ppm
Sulfate (SO <sub>4</sub> )	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO₃)	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH <sub>4</sub> )	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities – Aluminum (AI)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities - Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Calcium (Ca)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Calcium (Ca)  Trace Impurities - Chromium (Cr)	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	0.7 ppb
	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities - Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Frace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Frace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (TI)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Frace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015


Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC



Sodium Phosphate, Monobasic, Monohydrate, Crystal BAKER ANALYZED® A.C.S. Reagent ✓ avantor™
J.T.Baker
®

(sodium dihydrogen phosphate, monohydrate)

Material No.: 3818-05 Batch No.: 0000225799

Manufactured Date: 2018/12/05 Retest Date: 2025/12/03

Revision No: 1

# Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

Test	Specification	Result
Assay (NaH2PO4 · H2O)	98.0 - 102.0 %	99.5
pH of 5% Solution at 25°C	4.1 - 4.5	4.3
Insoluble Matter	<= 0.01 %	< 0.01
Chloride (CI)	<= 5 ppm	< 5
ACS - Sulfate (SO <sub>4</sub> )	<= 0.003 %	< 0.003
Calcium (Ca)	<= 0.005 %	< 0.005
Potassium (K)	<= 0.01 %	< 0.01
Heavy Metals (as Pb)	<= 0.001 %	< 0.001
Trace Impurities – Iron (Fe)	<= 0.001 %	< 0.001

For Laboratory, Research or Manufacturing Use Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN

Packaging Site: Paris Mfg Ctr & DC



1841 Broad Street Pocomoke City, MD 21851 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Manganous Sulfate Solution, 364 g/L

Lot Number: 2403J02 Product Number: 4620

Manufacture Date: MAR 15, 2024

Expiration Date: MAR 2026

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Manganous Sulfate Monohydrate	10034-96-5	Reagent
Sulfuric Acid	7664-93-9	ACS

Test	Specification	Result	
Appearance	Pink liquid	Passed	
Assay (by Refractive Index)	360-368 g/L	367 g/L	

Specification	Reference
Manganous Sulfate Solution	ASTM (D 888 A)
Manganous Sulfate Solution	ASTM (D 888 A)
Manganous Sulfate Solution	APHA (4500-O E)
Manganous Sulfate Solution	APHA (4500-O F)
Manganous Sulfate Solution	APHA (4500-O D)
Manganous Sulfate Solution	APHA (4500-O E)
Manganous Sulfate Solution	APHA (4500-O F)
Manganous Sulfate Solution	APHA (4500-O D)
Manganous Sulfate Solution	APHA (4500-O C)
Manganous Sulfate Solution	APHA (4500-O C)
Manganous Sulfate Solution	EPA (360.2)
Manganous Sulfate Solution	EPA (360.2)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
4620-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 2403J02 Product Number: 4620 Page 1 of 2



Jose Pena (03/15/2024)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 2403J02 Product Number: 4620 Page 2 of 2

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Sodium Thiosulfate, 0.0250 Normal (N/40)

Lot Number: 4403S13 Product Number: 7900

Manufacture Date: MAR 29, 2024

Expiration Date: SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136


Specification	Reference	
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)	
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-Cl B)	
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)	
Standard Sodium Thiosulfate Titrant, 0.025 M	АРНА (5530 С)	
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)	
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 4403S13 Product Number: 7900 Page 1 of 2



Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials  $^{\rm --}$  Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4403S13 Product Number: 7900 Page 2 of 2

448 West Fork Dr Arlington, TX 76012 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Alkaline-Iodide-Azide, Pomeroy Formulation for Dissolved Oxygen (DO) Analysis

Lot Number: 1405D67 Product Number: 535

Manufacture Date: APR 05, 2024

Expiration Date: APR 2026

This solution is intended for use with samples with high Dissolved Oxygen content (above 15 mg/L) and for samples with high concentrations of organic material.

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Sodium Iodide	7681-82-5	ACS	
Sodium Hydroxide	1310-73-2	ACS	
Sodium Azide	26628-22-8	Reagent	

Test	Specification	Result
Appearance	Colorless liquid	Passed
Free Iodine	To Pass Test	Passed

Specification	Reference

Alkaline Iodide-Sodium Azide Solution II

ASTM (D 888 A)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number Size / Package Type		Shelf Life (Unopened Container)
535-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Heidi J Green (04/05/2024) Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 1405D67 Product Number: 535 Page 1 of 1



12/14/2022

12/31/2025

# **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40

CAS #: 1310-73-2

Appearance: Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Manufacture Date:

**Expiration Date:** 

Internal ID #: 710

#### Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC.

28600 Fountain Parkway, Solon OH 44139 USA

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



12/14/2022

12/31/2025

Room Temperature

Manufacture Date:

**Expiration Date:** 

Storage:

# **Sodium Hydroxide (Pellets)**

Material: 0583

Grade: ACS GRADE Batch Number: 23B1556310

Chemical Formula: NaOH Molecular Weight: 40

CAS #: 1310-73-2

Appearance:

**Pellets** 

Spec Set: 0583ACS

Internal ID #: 710

Signature Additional Information

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



#### W3139 Received on 9/9/24 by IZ

Product No.: A12044

Product: Chloramine-T trihydrate, 98%

Lot No.: 10239484

Appearance: White powder Melting Point: 166°C(dec)
Assay (Iodometric titration): 100.5% Identification (FTIR): Conforms

Order our products online thermofisher.com/chemicals

This document has been electronically generated and does not require a signature.

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.



#### An ISO 9001 Certified Company

# Certificate of Analysis

# This is a Component of 1486266 / LOT A4169

**PRODUCT:** BOD Nutrient Buffer Pillows

PRODUCT NUMBER: 1486227 LOT NUMBER: A4169

**MANUFACTURE DATE:** 06/24/2024 **DATE OF ANALYSIS:** 07/03/2024

TEST	SPECIFICATIONS	RESULTS
Calcium Concentration of a diluted pillow	0.93 to 1.29 ppm	0.960 ppm
Magnesium Concentration of a diluted pillow	0.35 to 0.48 ppm	0.390 ppm
pH in a 6 L of DI water	7.1 to 7.6	7.37
Ammonia Concentration of a diluted pillow	0.57 to 0.79 ppm	0.593 ppm
Iron Concentration of a diluted pillow	0.27 to 0.36 ppm	0.311 ppm
Sterility	To Pass	Passed
Phosphorus Concentration of a diluted pillow	7.6 to 10.3 ppm	8.32 ppm
Five Day Change in Dissolved Oxygen Concentration	-0.2 to 0.2 ppm	0.03 ppm

The expiration date is Jun 2029

Certified by: Scottals

1490 Lammers Pike Batesville, IN 47006 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62 Product Number: 8000 Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Starch, soluble	9005-84-9	ACS	
Salicylic Acid	69-72-7	ACS	

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue	Passed
	(Iodine present)	


Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-Cl B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-C1 C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: 4408P62 Product Number: 8000 Page 1 of 2



This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 4408P62 Product Number: 8000 Page 2 of 2

# Chem-Impex International, Inc.

Tel: (630) 766-2112 Fax: (630) 766-2218

E-mail: sales@chemimpex.com

Web site: www.chemimpex.com

**Shipping and Correspondence:**935 Dillon Drive
825 Dillon Drive

Wood Dale, IL 60191 Wood Dale, IL 60191

# Certificate of Analysis

Catalogue Number 01237

**Lot Number** 002126-2019-201

Product Magnesium chloride hexahydrate

Magnesium chloride•6H<sub>2</sub>O

CAS Number 7791-18-6 Molecular Formula MgCl₂•6H₂O

Molecular Weight 203.3

**Appearance** White crystals

**Solubility** 167 g in 100 mL water

Melting Point $\sim 115$  °CHeavy Metals4.393 ppm

**Anion** Nitrate  $(NO_3)$ : < 0.001%

 $\begin{aligned} &Phosphate \ (PO_4): < 5 \ ppm \\ &Sulfate \ (SO_4): < 0.002\% \end{aligned}$ 

Cation Ammonium (NH<sub>4</sub>): < 0.002%

Barium (Ba) : 0.005% Calcium (Ca) : 0.01% Iron (Fe) : 4.5 ppm

Manganese (Mn): 0.624 ppm Potassium (K): 0.004% Sodium (Na): 0.000003% Strontium (Sr): 0.005%

Insoluble material0.0021%Assay by titration100.83%GradeACS reagentStorageStore at RT

Catalog Number: 01237 Lot Number: 002126-2019-201

Remarks

See material safety data sheet for additional information

For laboratory use only

The foregoing is a copy of the Certificate of Analysis as provided by our supplier

Bala Kumar

**Quality Control Manager** 



#### Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000 1010 Jackson's Pointe Court, Zelienople, PA 16063

#### **Certificate of Analysis**

#### Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: LC13545 Manufacture Date: January 16, 2025

Lot Number: **45010168** Expiration Date: July 17, 2025

Test	Specification	Result	
Appearance (clarity)	clear solution	clear solution	
Appearance (color)	colorless	colorless	
Concentration (CN)	0.990 - 1.010mg/mL	1.000mg/mL	
Concentration (CN)	990 - 1,010ppm	1,000ppm	
Traceable to NIST SRM	Report	999b	

Intended Use - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

**Storage Information** - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

**Instructions for Handling and Use -** Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

**Preparation -** All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST

\*The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit LabChem.com for more information\*

Suffix	1	2	3/35/36/365		5	6	7	8	9	20	44	200	246	486
Size	500mL or g	1L or 1kg	2.5L/2.5L Coated/6x2.5L/6x2.5L Coated	4L	20L	10L	125mL	25g	100g	20x20mL	4x4L	200L	24x6mL	48x6mL





3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

# Certificate of Analysis

Barbituric acid - ReagentPlus®, 99%

Product Name:

Product Number: 185698
Batch Number: WXBF3271V

Brand: SIAL
CAS Number: 67-52-7
Formula: C4H4N2O3
Formula Weight: 128,09 g/mol
Quality Release Date: 16 MAY 2024

		LΗ
0/	`N^	>>`0
	Ĥ	

Test	Specification	Result	
Appearance (Colour)	White to Off-White	White	
Appearance (Form)	Pow der	Pow der	
Infrared spectrum	Conforms to Structure	Conforms	
Purity (Titration by NaOH)	98.5 - 101.5 %	100.4 %	
GC (area %)	> 98 %	100 %	
VPCT	_		

S. 455

Kang Chen Quality Manager Wuxi , China CN

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1 Page 1 of 1

N3212 Deceived on 5/21/25 by 12



PO BOX 130549 Spring, TX 77393 Phone: (281) 298-9410 Fax: (281) 298-9411

# FINISHED PRODUCT, LOT NUMBER, MFG. /EXP DATE:

PolySeed® • Part No. P-110 • Lot 132409 • Mfg. Date: 09/2024 • Exp. Date: 09/2026

#### FORMULATION:

The formulation for this product contains a range of naturally occurring microorganisms, which are known to be non-pathogenic to man or animals.

# **VIABLE COUNT, FINAL TEST RESULT:**

The product has been fully tested in accordance with Finished Product Specifications and contains a minimum viable count of  $4.00 \times 10^9$  cfu/g.

#### GLUCOSE/GLUTAMIC-ACID RESULTS:

Tested results within acceptable range 198 +/- 30.5 mg/L (167.5 - 228.5 mg/L). GGA Lot# 43100020 – Average Test Result: 202.1

See www.polyseed.com for details.

#### SEED CONTROL FACTOR:

Tested results within acceptable range 0.6 – 1.0 see www.polyseed.com for details

#### SALMONELLA TEST RESULT:

The product has been shown to be Salmonella negative using procedures recommended in the Microbiology Laboratory Guidebook, published by the USDA Food Safety and Inspection Service.

The purpose of this document is to ensure that the Finished Product conforms to the above specification.

Signature:

Date: 09/13/2024

**Quality Control Department** 

POLYSEED.Ref.1.19

Revised Jan 24





448 West Fork Dr Arlington, TX 76012 http://www.riccachemical.com 1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

Cyanide Standard, 1000 ppm CN

Lot Number: 1505H73 Product Number: 2543

Manufacture Date: MAY 08, 2025 Expiration Date: NOV 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225% (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Potassium Cyanide	151-50-8	ACS
Sodium Hydroxide	1310-73-2	Reagent (from ACS)

Test	Specification	Result
Appearance	Colorless liquid	Passed
Cyanide (CN)	995-1005 ppm	1000 ppm


Specification	Reference
Stock Standard Cyanide Solution	APHA (4500-CN- F)
Stock Cyanide Solution	APHA (4500-CN- E)
Stock Cyanide Solution	APHA (4500-CN- K)
Stock Cyanide Solution	APHA (4500-CN- H)
Cyanide Reference Solution (1000 mg/L)	EPA (SW-846) (7.3.3.2)
Cyanide Calibration Stock Solution (1,000 mg/L CN-)	EPA (SW-846) (9213)
Stock Cyanide Solution	EPA (335.3)
Stock Cyanide Solution	EPA (335.2)
Cyanide Solution Stock	ASTM (D 4282)
Simple Cyanide Solution, Stock (1.0 g/L CN)	ASTM (D 4374)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
2543-16	500 mL amber poly	6 months
2543-32	1 L amber poly	6 months
2543-4	120 mL amber poly	6 months

Recommended Storage: 2°C - 8°C (36°F - 46°F)

Version: 1.3 Lot Number: 1505H73 Product Number: 2543 Page 1 of 2



This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.3 Lot Number: 1505H73 Product Number: 2543 Page 2 of 2



# SHIPPING DOCUMENTS



# 284 Sheffield Street, Mountainside, NJ 07092 (908) 789-8900 • Fax (908) 789-8922 www.chemtech.net

ALLIANCE PROJECT NO.
QUOTE NO.

COC Number 20/17111

CLIENT INFORMATION					CLIENT PROJECT INFORMATION							CLIENT BILLING INFORMATION								
COMPANY: A rolm ove Inc					PROJECT NAME: BILL TO:							ГО:		PO#:						
ADDRESS: 29 Riverside Ave Blg#14					CT NO			LOCA	TION				ADDF							
CITY New	עומומנו	STATE IV	5 ZIP: 07/04				ER.	20071					CITY	LOO.				STAT	TE.	:ZIP:
		Sharph		e-mail:	21 1417	TITAL	x=11.							NTION:				PHO		.211
PHONE: 973			ovie										ALLE	NIION.			AN	ALYSIS		
			ION	PHONE		ΣΑΤΔ	DELIVE	FA:		ΔΤΙΩΝ		author 14								
DATA TURNAROUND INFORMATION  FAX (RUSH)				Leve	1 (Re 2 (Re 3 (Re w Dat	sults ( sults - sults - a)	Only)	Level 4 (QC NJ Reduced NYS ASP A Other	+ Full F	Raw Data S EPA CI		0.P.		SERVA		S Tals	//8	/9		OMMENTS
ALLIANCE		PROJECT		SAMPLE	SAN	IPLE PE	SAMPLE &					FRE	JERVA	IIVES				← Speci	ify Preservatives	
SAMPLE ID	s		MPLE IDENTIFICATION			GRAB	DATE	TIME	# OF BOTTLES	1	2	3	4	5	6	7	8	9	A-HCI B-HN03 C-H2SO4	D-NaOH E-ICE F-OTHER
1.	EFF	ww		WW		X	606/	35 12 3	>	X	X									
2.		WW		WW	X		616/25		>			X	X	X						
3.												•								
4.																				
5.																				
6.																				
7.																				
8.																				
9.																				
10.																				
RELINQUISHED BY RELINQUISHED BY RELINQUISHED BY	y SAMPLER:	DATE/TIME: DATE/TIME: DATE/TIME:	RECEIVED BY:  1.  RECEIVED BY:  2.  RECEIVED BY:	UMENTEI	BEL	.ow	Conditio	ME SAMPI ons of bottles on onts:	er coolers	at receip	t: uc	OMPLIANT	□ NON	I COMPLIA	NT OC				Shipmer	°C
3.							Page	of											D YES	S D NO



#### Laboratory Certification

Certified By	License No.			
CAS EPA CLP Contract	68HERH20D0011			
Connecticut				
DOD ELAP (ANAB)	L2219			
Maine	2024021			
Maryland	296			
New Hampshire	255424 Rev 1			
New Jersey	20012			
New York	11376			
Pennsylvania	68-00548			
Soil Permit	525-24-234-08441			
Texas	T104704488			

QA Control Code: A2070148



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

#### LOGIN REPORT/SAMPLE TRANSFER

Order ID: Q2264

ARDM01

Order Date: 6/6/2025 2:07:00 PM

Project Mgr:

Client Name: Ardmore Chemical

Project Name: PVSC Monthly 2025

Report Type: Level 1

Client Contact: Michael Sharphouse

Receive DateTime: 6/6/2025 1:55:00 PM

**EDD Type:** NONE

Invoice Name: Ardmore Chemical

Purchase Order:

Hard Copy Date:

Invoice Contact: Michael Sharphouse

Date Signoff:

LAB ID	CLIENT ID	MATRIX SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2264-01	EFF-WW	Water 06/06/2025	12:30					
				VOC-PP		624.1	10 Bus. Days	

Relinguished By:

Date / Time : (a)

Received By:

Date/Time: Oblob/25 14:55 Rg + 5

Storage Area: VOA Refridgerator Room