

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 06/12/2025 Time : 11:30 Temp : N/A

Matrix : WATER

End Digest Date: 06/12/2025 Time : 13:00 Temp : N/A

Pipette ID : WC

Balance ID : N/A

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: RM

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

06/12/2025
RM

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168366BL	PBW366	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2267-01DUP	WC-20250605DUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2267-01	WC-20250605	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2286-03	LAW-25-0084	50	50	N/A	N/A	N/A	N/A	N/A	N/A