

Cover Page

Order ID : Q2268

Project ID : Con Ed Non MGP – Atlantic Ave 453957.600024.05

Client : PARSONS Engineering of New York, Inc.

Lab Sample Number

Q2268-01
Q2268-02
Q2268-03
Q2268-04
Q2268-05
Q2268-06
Q2268-07
Q2268-08
Q2268-09
Q2268-10

Client Sample Number

MW-4-20250605
MW-5-20250605
MW-2-20250605
Q2268-03MS
Q2268-03MSD
MW-2-20250605-A
MW-6-20250605
MW-3-20250605
TB-20250605
FB-20250605

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 6/20/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

PARSONS Engineering of New York, Inc.

Project Name: Con Ed Non MGP – Atlantic Ave 453957.600024.05

Project # N/A

Order ID # Q2268

Test Name: VOCMS Group1

A. Number of Samples and Date of Receipt:

10 Water samples were received on 06/06/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Sulfate, SVOCMS Group1, TDS and VOCMS Group1. This data package contains results for VOCMS Group1.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOCMS Group1 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS {Q2268-04MS} with File ID: VN086992.D recoveries met the requirements for all compounds except for Ethyl Benzene[240%], m/p-Xylenes[180%] due to matrix interference.

The MSD {Q2268-05MSD} with File ID: VN086993.D recoveries met the acceptable requirements except for 1,2-Dibromoethane[124%], 1,2-Dichlorobenzene[120%], 1,3-Dichlorobenzene[123%], 1,4-Dichlorobenzene[122%], Benzene[240%], Chlorobenzene[121%], Chloroform[129%], Cyclohexane[123%], Ethyl Benzene[580%], Isopropylbenzene[176%], m/p-Xylenes[410%], Methyl tert-butyl Ether[138%], Methylcyclohexane[138%] and Toluene[126%] due to matrix interference.

The RPD for {Q2268-05MSD} with File ID: VN086993.D met criteria except for 1,1,2-Trichlorotrifluoroethane[21%], Benzene[67%], Bromomethane[31%], Cyclohexane[40%], Dichlorodifluoromethane[21%], Ethyl Benzene[83%], Isopropylbenzene[41%], m/p-Xylenes[78%], Methylcyclohexane[49%] and Toluene[21%] due to difference in MS and MSD concentrations.

The Blank Spike for {VN0612WBS01} with File ID: VN086970.D met requirements for all samples except for 1,1,1-Trichloroethane[109%], 1,1,2-Trichloroethane[114%], 1,2-Dibromoethane[111%], 1,2-Dichlorobenzene[110%], 1,2-Dichloropropane[112%], 1,4-Dichlorobenzene[110%], Bromoform[115%], Dibromochloromethane[112%] and t-1,3-Dichloropropene[111%] failing high but no positive hit in associated samples therefore no corrective action taken.

The Blank Spike for {VN0613WBS01} with File ID: VN087000.D met requirements for all samples except for 1,1-Dichloroethene[111%], Bromoform[114%], Carbon disulfide[117%] and o-Xylene[110%] failing high but no positive hit in associated samples therefore no corrective action taken

The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements .

The Continuous Calibration File ID VN086967.D met the requirements except for Bromoform . failing high but no positive hit in associated samples therefore no corrective action taken.

The Continuous Calibration File ID VN087017.D met the requirements except for Carbon Disulfide. failing high but no positive hit in associated samples therefore no corrective action taken.

The Tuning criteria met requirements.

Samples MW-2-20250605, MW-2-20250605-A, MW-6-20250605 and MW-3-20250605 were diluted due to high concentrations.

E. Additional Comments:

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

PARSONS Engineering of New York, Inc.

Project Name: Con Ed Non MGP – Atlantic Ave 453957.600024.05

Project # N/A

Order ID # Q2268

Test Name: SVOCMS Group1

A. Number of Samples and Date of Receipt:

10 Water samples were received on 06/06/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Sulfate, SVOCMS Group1, TDS and VOCMS Group1. This data package contains results for SVOCMS Group1.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of SVOCMS Group1 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements except for MW-6-20250605, MW-3-20250605. Due to high concentration of compounds, these samples required dilution. Therefore, samples were reanalyzed with dilution and reported.

The Retention Times were acceptable for all samples.

The MS {Q2268-04MS} with File ID: BF142735.D recoveries met the requirements for all compounds except for 2,3,4,6-Tetrachlorophenol[89%] and Hexachloroethane[211%] due to matrix interference.

The MSD {Q2268-05MSD} with File ID: BF142736.D recoveries met the acceptable requirements except for 2,3,4,6-Tetrachlorophenol[85%] and Hexachloroethane[192%] due to matrix interference.

The RPD for {Q2268-05MSD} with File ID: BF142736.D met criteria except for Naphthalene[42%] due to difference in MS and MSD concentrations.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Initial Calibration met the requirements.

The Continuous Calibration File ID BF142748.D met the requirements except for 2,4-Dinitrophenol. But associated samples have not positive hit for this compound therefore no corrective action was taken.

The Tuning criteria met requirements.

Samples MW-2-20250605, MW-2-20250605-A, MW-6-20250605 and MW-3-20250605 were diluted due to high concentrations.

E. Additional Comments:

Alliance has analyzed samples for SVOCMS Group1 by Method 8270 E for Project "Con Ed Non MGP – Atlantic Ave". Alliance certification was in applied status for compound "2,4-Dimethylphenol" with NJDEP for Method 8270E for SVOC group 1 at the time when samples for Project "Con Ed Non MGP – Atlantic Ave" were analyzed.

The Form 6 is not included in the data package because the Initial Calibration was performed using 8 points.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

PARSONS Engineering of New York, Inc.

Project Name: Con Ed Non MGP – Atlantic Ave 453957.600024.05

Project # N/A

Order ID # Q2268

Test Name: Sulfate,TDS

A. Number of Samples and Date of Receipt:

10 Water samples were received on 06/06/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Sulfate, SVOCMS Group1, TDS and VOCMS Group1. This data package contains results for Sulfate,TDS.

C. Analytical Techniques:

The analysis of Sulfate was based on method 300.0 and The analysis of TDS was based on method SM2540 C.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample MW-4-20250605 was diluted due to high concentrations for Sulfate & Sample

MW-5-20250605 was diluted due to high concentrations for Sulfate.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2268

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 06/20/2025