

Report of Analysis

Client:	PARSONS Engineering of New York, Inc.		Date Collected:	06/05/25	
Project:	Con Ed Non MGP – Atlantic Ave 453957.600024.05		Date Received:	06/06/25	
Client Sample ID:	MW-2-20250605DL		SDG No.:	Q2268	
Lab Sample ID:	Q2268-03DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087010.D	10		06/13/25 18:24	VN061325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.20	UD	2.20	10.0	ug/L
74-87-3	Chloromethane	3.20	UD	3.20	10.0	ug/L
75-01-4	Vinyl Chloride	2.60	UD	2.60	10.0	ug/L
74-83-9	Bromomethane	14.4	UD	14.4	50.0	ug/L
75-00-3	Chloroethane	4.70	UD	4.70	10.0	ug/L
75-69-4	Trichlorofluoromethane	3.30	UD	3.30	10.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	10.0	ug/L
75-35-4	1,1-Dichloroethene	2.30	UDQ	2.30	10.0	ug/L
67-64-1	Acetone	15.1	UD	15.1	50.0	ug/L
75-15-0	Carbon Disulfide	2.10	UDQ	2.10	10.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	10.0	ug/L
79-20-9	Methyl Acetate	2.70	UD	2.70	10.0	ug/L
75-09-2	Methylene Chloride	2.80	UD	2.80	10.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.30	UD	2.30	10.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	10.0	ug/L
110-82-7	Cyclohexane	42.2	JD	14.5	50.0	ug/L
78-93-3	2-Butanone	12.4	JD	9.80	50.0	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	10.0	ug/L
156-59-2	cis-1,2-Dichloroethene	1.90	UD	1.90	10.0	ug/L
74-97-5	Bromochloromethane	2.20	UD	2.20	10.0	ug/L
67-66-3	Chloroform	2.50	UD	2.50	10.0	ug/L
71-55-6	1,1,1-Trichloroethane	2.00	UD	2.00	10.0	ug/L
108-87-2	Methylcyclohexane	32.1	D	1.60	10.0	ug/L
71-43-2	Benzene	80.7	D	1.50	10.0	ug/L
107-06-2	1,2-Dichloroethane	2.20	UD	2.20	10.0	ug/L
79-01-6	Trichloroethene	0.93	UD	0.93	10.0	ug/L
78-87-5	1,2-Dichloropropane	2.00	UD	2.00	10.0	ug/L
75-27-4	Bromodichloromethane	2.20	UD	2.20	10.0	ug/L
108-10-1	4-Methyl-2-Pentanone	6.80	UD	6.80	50.0	ug/L
108-88-3	Toluene	6.70	JD	1.40	10.0	ug/L

Report of Analysis

Client:	PARSONS Engineering of New York, Inc.		Date Collected:	06/05/25	
Project:	Con Ed Non MGP – Atlantic Ave 453957.600024.05		Date Received:	06/06/25	
Client Sample ID:	MW-2-20250605DL		SDG No.:	Q2268	
Lab Sample ID:	Q2268-03DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087010.D	10		06/13/25 18:24	VN061325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.70	UD	1.70	10.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.60	UD	1.60	10.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	10.0	ug/L
591-78-6	2-Hexanone	8.90	UD	8.90	50.0	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	10.0	ug/L
106-93-4	1,2-Dibromoethane	1.50	UD	1.50	10.0	ug/L
127-18-4	Tetrachloroethene	2.30	UD	2.30	10.0	ug/L
108-90-7	Chlorobenzene	1.20	UD	1.20	10.0	ug/L
100-41-4	Ethyl Benzene	290	D	1.30	10.0	ug/L
179601-23-1	m/p-Xylenes	360	D	2.40	20.0	ug/L
95-47-6	o-Xylene	1.20	UDQ	1.20	10.0	ug/L
100-42-5	Styrene	1.50	UD	1.50	10.0	ug/L
75-25-2	Bromoform	1.90	UDQ	1.90	10.0	ug/L
98-82-8	Isopropylbenzene	29.2	D	1.20	10.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.60	UD	2.60	10.0	ug/L
541-73-1	1,3-Dichlorobenzene	1.60	UD	1.60	10.0	ug/L
106-46-7	1,4-Dichlorobenzene	1.90	UD	1.90	10.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.60	UD	1.60	10.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	5.30	UD	5.30	10.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	2.00	UD	2.00	10.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	2.00	UD	2.00	10.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.7		74 - 125	103%	SPK: 50
1868-53-7	Dibromofluoromethane	50.4		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	52.5		86 - 113	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.9		77 - 121	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	270000	8.23			
540-36-3	1,4-Difluorobenzene	536000	9.106			
3114-55-4	Chlorobenzene-d5	479000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	230000	13.788			

Report of Analysis

Client:	PARSONS Engineering of New York, Inc.			Date Collected:	06/05/25
Project:	Con Ed Non MGP – Atlantic Ave 453957.600024.05			Date Received:	06/06/25
Client Sample ID:	MW-2-20250605DL			SDG No.:	Q2268
Lab Sample ID:	Q2268-03DL			Matrix:	Water
Analytical Method:	8260D			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOCMS Group1
GC Column:	RXI-624	ID :	0.25	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087010.D	10		06/13/25 18:24	VN061325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products