

Report of Analysis

Client:	PSEG	Date Collected:	06/07/25
Project:	PSEG East Edison Test Pits	Date Received:	06/09/25
Client Sample ID:	TP12-MHK-WC	SDG No.:	Q2271
Lab Sample ID:	Q2271-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	88.7
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		Level :	LOW
		GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024930.D	1	06/10/25 08:50	06/12/25 15:11	PB168373

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.22	U	0.11	0.22	mg/Kg
108-95-2	Phenol	0.11	U	0.015	0.11	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.11	U	0.016	0.11	mg/Kg
95-57-8	2-Chlorophenol	0.11	U	0.017	0.11	mg/Kg
95-48-7	2-Methylphenol	0.11	U	0.020	0.11	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.11	U	0.025	0.11	mg/Kg
98-86-2	Acetophenone	0.11	U	0.020	0.11	mg/Kg
65794-96-9	3+4-Methylphenols	0.22	U	0.028	0.22	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.054	U	0.032	0.054	mg/Kg
67-72-1	Hexachloroethane	0.11	U	0.012	0.11	mg/Kg
98-95-3	Nitrobenzene	0.11	U	0.012	0.11	mg/Kg
78-59-1	Isophorone	0.11	U	0.022	0.11	mg/Kg
88-75-5	2-Nitrophenol	0.11	U	0.039	0.11	mg/Kg
105-67-9	2,4-Dimethylphenol	0.11	U	0.044	0.11	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.11	U	0.021	0.11	mg/Kg
120-83-2	2,4-Dichlorophenol	0.11	U	0.019	0.11	mg/Kg
91-20-3	Naphthalene	0.11	U	0.015	0.11	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.024	0.11	mg/Kg
87-68-3	Hexachlorobutadiene	0.11	U	0.017	0.11	mg/Kg
105-60-2	Caprolactam	0.22	U	0.035	0.22	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.11	U	0.019	0.11	mg/Kg
91-57-6	2-Methylnaphthalene	0.11	U	0.017	0.11	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.22	U	0.078	0.22	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.11	U	0.013	0.11	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.11	U	0.020	0.11	mg/Kg
92-52-4	1,1-Biphenyl	0.11	U	0.015	0.11	mg/Kg
91-58-7	2-Chloronaphthalene	0.11	U	0.015	0.11	mg/Kg
88-74-4	2-Nitroaniline	0.11	U	0.033	0.11	mg/Kg
131-11-3	Dimethylphthalate	0.11	U	0.018	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/07/25
Project:	PSEG East Edison Test Pits	Date Received:	06/09/25
Client Sample ID:	TP12-MHK-WC	SDG No.:	Q2271
Lab Sample ID:	Q2271-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	88.7
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024930.D	1	06/10/25 08:50	06/12/25 15:11	PB168373

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.11	U	0.020	0.11	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.023	0.11	mg/Kg
99-09-2	3-Nitroaniline	0.11	U	0.031	0.11	mg/Kg
83-32-9	Acenaphthene	0.11	U	0.014	0.11	mg/Kg
51-28-5	2,4-Dinitrophenol	0.22	U	0.15	0.22	mg/Kg
100-02-7	4-Nitrophenol	0.22	U	0.072	0.22	mg/Kg
132-64-9	Dibenzofuran	0.11	U	0.015	0.11	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.11	U	0.034	0.11	mg/Kg
84-66-2	Diethylphthalate	0.11	U	0.019	0.11	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.11	U	0.018	0.11	mg/Kg
86-73-7	Fluorene	0.11	U	0.017	0.11	mg/Kg
100-01-6	4-Nitroaniline	0.11	U	0.043	0.11	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.22	U	0.070	0.22	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.022	0.11	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.11	U	0.019	0.11	mg/Kg
118-74-1	Hexachlorobenzene	0.11	U	0.017	0.11	mg/Kg
1912-24-9	Atrazine	0.11	U	0.023	0.11	mg/Kg
87-86-5	Pentachlorophenol	0.22	U	0.035	0.22	mg/Kg
85-01-8	Phenanthrene	0.066	J	0.014	0.11	mg/Kg
120-12-7	Anthracene	0.11	U	0.023	0.11	mg/Kg
86-74-8	Carbazole	0.11	U	0.021	0.11	mg/Kg
84-74-2	Di-n-butylphthalate	0.11	U	0.032	0.11	mg/Kg
206-44-0	Fluoranthene	0.11	U	0.020	0.11	mg/Kg
129-00-0	Pyrene	0.052	J	0.024	0.11	mg/Kg
85-68-7	Butylbenzylphthalate	0.11	U	0.048	0.11	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.22	U	0.025	0.22	mg/Kg
56-55-3	Benzo(a)anthracene	0.11	U	0.016	0.11	mg/Kg
218-01-9	Chrysene	0.11	U	0.013	0.11	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.11	U	0.040	0.11	mg/Kg
117-84-0	Di-n-octyl phthalate	0.22	U	0.059	0.22	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.11	U	0.013	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/07/25
Project:	PSEG East Edison Test Pits	Date Received:	06/09/25
Client Sample ID:	TP12-MHK-WC	SDG No.:	Q2271
Lab Sample ID:	Q2271-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	88.7
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024930.D	1	06/10/25 08:50	06/12/25 15:11	PB168373

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.11	U	0.015	0.11	mg/Kg
50-32-8	Benzo(a)pyrene	0.11	U	0.020	0.11	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.11	U	0.020	0.11	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.11	U	0.019	0.11	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.11	U	0.017	0.11	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.11	U	0.017	0.11	mg/Kg
123-91-1	1,4-Dioxane	0.11	U	0.031	0.11	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.11	U	0.019	0.11	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	95.1		18 - 112	63%	SPK: 150
13127-88-3	Phenol-d6	90.7		15 - 107	60%	SPK: 150
4165-60-0	Nitrobenzene-d5	55.7		18 - 107	56%	SPK: 100
321-60-8	2-Fluorobiphenyl	50.8		20 - 109	51%	SPK: 100
118-79-6	2,4,6-Tribromophenol	100		10 - 116	67%	SPK: 150
1718-51-0	Terphenyl-d14	48.4		10 - 105	48%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	245000	7.607
1146-65-2	Naphthalene-d8	947000	10.378
15067-26-2	Acenaphthene-d10	587000	14.254
1517-22-2	Phenanthrene-d10	1140000	17.066
1719-03-5	Chrysene-d12	1290000	21.489
1520-96-3	Perylene-d12	1570000	24.759

TENTATIVE IDENTIFIED COMPOUNDS

000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	130	A	4.77	ug/Kg
000119-61-9	Benzophenone	210	J	15.6	ug/Kg
1000486-97-7	2,4,2,4-Tetramethyl-biphenyl	180	J	16.0	ug/Kg
000721-45-9	2-(p-Tolylmethyl)-p-xylene	55.9	J	16.2	ug/Kg
020174-70-3	2-Hydrazinyl-6-methoxy-1,3-benzoth	57.4	J	16.5	ug/Kg
126584-00-7	1,5,6,7-Tetramethyl-3-phenylbicycl	110	J	16.8	ug/Kg
078787-89-0	Carbazole, 2,4,7-trimethyl-	91.7	J	17.3	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	06/07/25
Project:	PSEG East Edison Test Pits	Date Received:	06/09/25
Client Sample ID:	TP12-MHK-WC	SDG No.:	Q2271
Lab Sample ID:	Q2271-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	88.7
Sample Wt/Vol:	50.05	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup :
		N	PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024930.D	1	06/10/25 08:50	06/12/25 15:11	PB168373

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
1000191-26-7	12-Azabicyclo[9.2.2]pentadecan-13-	75.5	J		17.3	ug/Kg
000057-10-3	n-Hexadecanoic acid	150	J		18.0	ug/Kg
000057-11-4	Octadecanoic acid	70.5	J		19.3	ug/Kg
097825-91-7	9-Anthracenamine, 9,10-dihydro-	140	J		20.6	ug/Kg
004309-66-4	Stilbene, 4-amino- (E)-	110	J		20.7	ug/Kg
000295-65-8	Cyclohexadecane	77.9	J		21.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products