

NO

1.00

0

1.00

1

1

U

Ignitability

Paint Filter

oC

ml/100gm

06/12/25 09:50 1030

06/12/25 12:20 9095B

Report of Analysis

Client:	PSEG	Date Collec	ted: 06/11/25 11:00
Project:	PSEG Onyx to STL pole	Date Receiv	ved: 06/11/25
Client Sample ID:	WC-1	SDG No.:	Q2296
Lab Sample ID:	Q2296-01	Matrix:	SOIL
		% Solid:	100
Parameter	Conc. Qua. DF MDL	LOQ / CRQL Units(Dry Weight) Prep I	Date Date Ana. Ana Met.
Hexavalent Chromium	0.39 U 1 0.069	0.39 mg/Kg 06/12/25	5 13:00 06/12/25 16:14 7196A

0

1.00

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits