

SOP ID : M9030B-Sulfide-12

SDG No : N/A

Start Digest Date: 06/16/2025 Time : 08:30 Temp : N/A

Matrix : SOIL

End Digest Date: 06/16/2025 Time : 10:00 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: EM

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W2725
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

6/16/25

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168488BL	PB168488BL	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2301-03DUP	WC-URBAN-FILL-CDUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2301-03	WC-URBAN-FILL-C	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-04	TP-7	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2311-04	TP03-MH2MH3-WC	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2311-08	TP04-MH2MH3-WC	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2312-04	TP-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2319-04	MH-B	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2320-01	WC	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2325-04	TP-8	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A