



SAMPLE DATA

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	06/11/25 11:10
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	06/11/25
Client Sample ID:	B-165-SB01	SDG No.:	Q2303
Lab Sample ID:	Q2303-01	Matrix:	SOIL
		% Solid:	83.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.083	U	1	0.083	0.48	mg/Kg	06/13/25 08:45	06/13/25 12:04	7196A
Trivalent Chromium	14.9		1	0.60	0.60	mg/Kg		06/16/25 15:49	6010D

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Portal Partners Tri-Venture	Date Collected:	06/11/25 11:15
Project:	Amtrak Sawtooth Bridges 2025	Date Received:	06/11/25
Client Sample ID:	B-170-SB03	SDG No.:	Q2303
Lab Sample ID:	Q2303-02	Matrix:	SOIL
		% Solid:	92.7

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.13	J	1	0.073	0.42	mg/Kg	06/13/25 08:45	06/13/25 12:05	7196A
Trivalent Chromium	14.3		1	0.54	0.54	mg/Kg		06/16/25 15:53	6010D

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: Portal Partners Tri-Venture
Project: Amtrak Sawtooth Bridges 2025

SDG No.: Q2303
RunNo.: LB136147

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV Hexavalent Chromium	mg/L	0.503	0.5	101	90-110	06/13/2025
Sample ID: CCV1 Hexavalent Chromium	mg/L	0.488	0.5	98	90-110	06/13/2025
Sample ID: CCV2 Hexavalent Chromium	mg/L	0.502	0.5	100	90-110	06/13/2025

Initial and Continuing Calibration Blank Summary

Client: Portal Partners Tri-Venture

SDG No.: Q2303

Project: Amtrak Sawtooth Bridges 2025

RunNo.: LB136147

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0029	0.01	06/13/2025
Sample ID: CCB1 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0029	0.01	06/13/2025
Sample ID: CCB2 Hexavalent Chromium	mg/L	< 0.0050	0.0050	U	0.0029	0.01	06/13/2025

Preparation Blank Summary

Client: Portal Partners Tri-Venture

SDG No.: Q2303

Project: Amtrak Sawtooth Bridges 2025

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: PB168457BL							
Hexavalent Chromium	mg/Kg	< 0.2000	0.2000	U	0.07	0.4	06/13/2025

Matrix Spike Summary

Client:

Portal Partners Tri-Venture

SDG No.:

Q2303

Project:

Amtrak Sawtooth Bridges 2025

Sample ID:

Q2310-01

Client ID:

TP-7MS

Percent Solids for Spike Sample:

88.7

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	1410		0.078	U	1450	40	97		06/13/2025

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	Q2303
Project:	Amtrak Sawtooth Bridges 2025	Sample ID:	Q2310-01
Client ID:	TP-7MS	Percent Solids for Spike Sample:	88.7

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	85-115	42.3		0.078	U	45.1	2	94		06/13/2025

Matrix Spike Summary

Client:	Portal Partners Tri-Venture	SDG No.:	Q2303
Project:	Amtrak Sawtooth Bridges 2025	Sample ID:	Q2310-01
Client ID:	TP-7MS	Percent Solids for Spike Sample:	88.7

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	75-125	39.9		0.078	U	45.1	2	88		06/13/2025

Duplicate Sample Summary

Client: Portal Partners Tri-Venture Project: Amtrak Sawtooth Bridges 2025 Client ID: TP-7DUP	SDG No.: Q2303 Sample ID: Q2310-01 Percent Solids for Spike Sample: 88.7
---	---

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Hexavalent Chromium	mg/Kg	+/-20	0.078	U	0.078	U	1	0		06/13/2025

Laboratory Control Sample Summary

Client: Portal Partners Tri-Venture

SDG No.: Q2303

Project: Amtrak Sawtooth Bridges 2025

Run No.: LB136147

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB168457BS							
Hexavalent Chromium	mg/Kg	20	19.6		98	1	84-110	06/13/2025

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136147

Review By	Iwona	Review On	6/13/2025 12:22:00 PM
Supervise By	jignesh	Supervise On	6/16/2025 11:18:50 AM
SubDirectory	LB136147	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP113516,WP112831,WP112830,WP113087		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	06/13/25 11:50		Iwona	OK
2	CAL2	CAL2	CAL	06/13/25 11:51		Iwona	OK
3	CAL3	CAL3	CAL	06/13/25 11:52		Iwona	OK
4	CAL4	CAL4	CAL	06/13/25 11:53		Iwona	OK
5	CAL5	CAL5	CAL	06/13/25 11:54		Iwona	OK
6	CAL6	CAL6	CAL	06/13/25 11:55		Iwona	OK
7	CAL7	CAL7	CAL	06/13/25 11:56		Iwona	OK
8	ICV	ICV	ICV	06/13/25 11:57		Iwona	OK
9	ICB	ICB	ICB	06/13/25 11:58		Iwona	OK
10	CCV1	CCV1	CCV	06/13/25 11:59		Iwona	OK
11	CCB1	CCB1	CCB	06/13/25 12:00		Iwona	OK
12	RL Check	RL Check	SAM	06/13/25 12:01		Iwona	OK
13	PB168457BL	PB168457BL	MB	06/13/25 12:02		Iwona	OK
14	PB168457BS	PB168457BS	LCS	06/13/25 12:03		Iwona	OK
15	Q2303-01	B-165-SB01	SAM	06/13/25 12:04		Iwona	OK
16	Q2303-02	B-170-SB03	SAM	06/13/25 12:05		Iwona	OK
17	Q2308-01	EO-02-06122025	SAM	06/13/25 12:06		Iwona	OK
18	Q2310-01	TP-7	SAM	06/13/25 12:07		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136147

Review By	Iwona	Review On	6/13/2025 12:22:00 PM
Supervise By	jignesh	Supervise On	6/16/2025 11:18:50 AM
SubDirectory	LB136147	Test	Hexavalent Chromium
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP113516,WP112831,WP112830,WP113087		

19	Q2310-01DUP	TP-7DUP	DUP	06/13/25 12:08		Iwona	OK
20	Q2310-01MSPre	TP-7MS	MS	06/13/25 12:09		Iwona	OK
21	Q2310-01MS2Ins	TP-7MS	MS	06/13/25 12:10		Iwona	OK
22	Q2310-01MS3Post	TP-7MS	MS	06/13/25 12:11		Iwona	OK
23	CCV2	CCV2	CCV	06/13/25 12:12		Iwona	OK
24	CCB2	CCB2	CCB	06/13/25 12:13		Iwona	OK

LAB CHRONICLE

OrderID:	Q2303	OrderDate:	6/12/2025 12:09:00 PM
Client:	Portal Partners Tri-Venture	Project:	Amtrak Sawtooth Bridges 2025
Contact:	Joseph Krupansky	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2303-01	B-165-SB01	SOIL			06/11/25 11:10	06/13/25	06/13/25 12:04	06/11/25
			Hexavalent Chromium	7196A				
			Trivalent Chromium	6010D			06/16/25 15:49	
Q2303-02	B-170-SB03	SOIL			06/11/25 11:15	06/13/25	06/13/25 12:05	06/11/25
			Hexavalent Chromium	7196A				
			Trivalent Chromium	6010D			06/16/25 15:53	

SOP ID : M3060A,7196A-Hex.Chromium-26

SDG No : N/A

Start Digest Date: 06/13/2025 Time : 08:45 Temp : 90 °C

Matrix : SOIL

End Digest Date: 06/13/2025 Time : 09:50 Temp : 94 °C

Pipette ID : WC

Invol Boleh 06/13/25 10:10 92 °C
 06/13/25 11:10 95 °C

Balance ID : WC SC-7

Hood ID : HOOD#3

Digestion tube ID : M6054

Block Thermometer ID : WC-Block#1

Block ID : WC S-2, WC S-1

Filter paper ID : 400213

Prep Technician Signature: 12

Weigh By : IZ

pH Meter ID : WC pH meter-1

 Supervisor Signature: *[Signature]*

Standard Name	MLS USED	STD REF. # FROM LOG
PRE-DIGESTION SPIKE	2.0ML	WP111315
INSOLUBLE SPIKE	0.02GM	W2202
POST-DIGESTION SPIKE	2.0ML	WP111315
LCSS	1.0ML	WP111316
PBS003	50.ML	W3112

Chemical Used	ML/SAMPLE USED	Lot Number
MAGNESIUM CHLORIDE	0.4GM	W3152
PHOSPHATE BUFFER	0.5ML	WP112903
HEX. DIGESTION SOLN.	50.0ML	WP113085
5M HNO3	5-7ML	WP112830
5N H2SO4	1-3ML	WP112831
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Vol(ml)	Comment
CAL1	CAL1	2.5ML	W3112
CAL2	CAL2	0.2ML	WP113515
CAL3	CAL3	0.5ML	WP113515
CAL4	CAL4	1ML	WP113515
CAL5	CAL5	0.2ML	WP111315
CAL6	CAL6	1ML	WP111315
CAL7	CAL7	2.0ML	WP111315
ICV	ICV	1ML	WP111316
ICB	ICB	2.5ML	W3112
CCV	CCV	1ML	WP111315
CCB	CCB	2.5ML	W3112

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

12 6/13/25

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168457BL	PBS457	2.50	100	N/A	N/A	N/A	N/A	N/A	N/A
PB168457BS	LCS457	2.50	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2303-01	B-165-SB01	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2303-02	B-170-SB03	2.57	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2308-01	EO-02-06122025	2.54	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-01	TP-7	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-01DUP	TP-7DUP	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-01MSPre	TP-7MSPRE	2.51	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-01MS2Ins	TP-7MS2INS	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A
Q2310-01MS3Post	TP-7MS3POST	2.52	100	N/A	N/A	N/A	N/A	N/A	N/A