

LAB CHRONICLE

OrderID:	Q2309	OrderDate:	6/12/2025 2:34:00 PM
Client:	Holland Manufacturing Co.	Project:	Pre Treatment Plant 2025
Contact:	Todd Holland	Location:	D51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2309-01	EFFLUENT	WATER			06/12/25 11:00			06/12/25
			Ammonia	SM4500-NH3		06/13/25	06/13/25 15:03	
			BOD5	SM5210 B			06/12/25 16:30	
			Oil and Grease	1664A			06/13/25 09:30	
			Phosphorus-Ortho	SM4500-P E			06/13/25 12:37	
			Phosphorus-Total	365.3		06/13/25	06/13/25 13:29	
			TSS	SM2540 D			06/13/25 10:00	
Q2309-01DL	EFFLUENTDL	WATER			06/12/25 11:00			06/12/25
			Ammonia	SM4500-NH3		06/13/25	06/13/25 15:47	
Q2309-04	AERATION	WATER			06/12/25 11:00			06/12/25
			TSS	SM2540 D			06/13/25 10:00	
Q2309-05	INFLUENT	WATER			06/12/25 11:00			06/12/25
			Ammonia	SM4500-NH3		06/13/25	06/13/25 15:03	
			BOD5	SM5210 B			06/12/25 16:30	

LAB CHRONICLE

Q2309-05DL

INFLUENTDL

WATER

**06/12/25
11:00**

06/12/25

Ammonia

SM4500-NH3

06/13/25

06/13/25
15:47