

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061325\
 Data File : BN037231.D
 Acq On : 13 Jun 2025 17:11
 Operator : RC/JU
 Sample : SSTDICC5.0
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0

Quant Time: Jun 13 18:38:52 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 13 18:34:15 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.575	152	1719	0.400	ng	0.00
7) Naphthalene-d8	10.351	136	3927	0.400	ng	#-0.01
13) Acenaphthene-d10	14.224	164	2088	0.400	ng	0.00
19) Phenanthrene-d10	16.971	188	3744	0.400	ng	0.00
29) Chrysene-d12	21.171	240	3121	0.400	ng	0.00
35) Perylene-d12	23.360	264	2895	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.170	112	20890	4.948	ng	0.00
5) Phenol-d6	6.759	99	25211	5.666	ng	0.00
8) Nitrobenzene-d5	8.717	82	22243	5.731	ng	-0.01
11) 2-Methylnaphthalene-d10	11.950	152	27140	5.150	ng	0.00
14) 2,4,6-Tribromophenol	15.718	330	4635	5.344	ng	-0.01
15) 2-Fluorobiphenyl	12.843	172	44772	5.103	ng	0.00
27) Fluoranthene-d10	19.012	212	50205	5.125	ng	0.00
31) Terphenyl-d14	19.621	244	36062	5.111	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.104	88	10450	4.431	ng	92
3) n-Nitrosodimethylamine	3.415	42	24357	4.533	ng	94
6) bis(2-Chloroethyl)ether	7.012	93	22354	5.609	ng	94
9) Naphthalene	10.404	128	56880	5.002	ng	94
10) Hexachlorobutadiene	10.692	225	12686	4.586	ng	# 98
12) 2-Methylnaphthalene	12.026	142	36587	5.292	ng	98
16) Acenaphthylene	13.946	152	52739	5.154	ng	99
17) Acenaphthene	14.288	154	33323	5.045	ng	97
18) Fluorene	15.282	166	43051	5.075	ng	100
20) 4,6-Dinitro-2-methylph...	15.368	198	5424	4.992	ng	# 36
21) 4-Bromophenyl-phenylether	16.177	248	12785	5.240	ng	# 81
22) Hexachlorobenzene	16.289	284	13054	4.616	ng	98
23) Atrazine	16.450	200	11399	5.239	ng	# 87
24) Pentachlorophenol	16.636	266	8014	5.782	ng	97
25) Phenanthrene	17.021	178	62123	5.232	ng	99
26) Anthracene	17.108	178	59009	5.429	ng	99
28) Fluoranthene	19.045	202	71952	5.177	ng	98
30) Pyrene	19.407	202	72342	4.930	ng	99
32) Benzo(a)anthracene	21.153	228	58498	5.551	ng	97
33) Chrysene	21.206	228	63057	4.803	ng	98
34) Bis(2-ethylhexyl)phtha...	21.108	149	37466	4.774	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.552	276	65610	5.620	ng	# 94
37) Benzo(b)fluoranthene	22.708	252	58631	5.536	ng	# 85
38) Benzo(k)fluoranthene	22.749	252	62537	5.148	ng	# 85
39) Benzo(a)pyrene	23.266	252	51138	5.368	ng	# 78
40) Dibenzo(a,h)anthracene	25.564	278	51648	5.871	ng	# 81
41) Benzo(g,h,i)perylene	26.219	276	56339	5.204	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061325\
Data File : BN037231.D
Acq On : 13 Jun 2025 17:11
Operator : RC/JU
Sample : SSTDICC5.0
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Quant Time: Jun 13 18:38:52 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN061325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 13 18:34:15 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.575 min Scan# 61
 Delta R.T. -0.000 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0


Tgt Ion:152 Resp: 1719
 Ion Ratio Lower Upper
 152 100
 150 154.4 125.2 187.8
 115 72.4 58.4 87.6



#2
 1,4-Dioxane
 Concen: 4.431 ng
 RT: 3.104 min Scan# 31
 Delta R.T. 0.000 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Tgt Ion: 88 Resp: 10450
 Ion Ratio Lower Upper
 88 100
 43 56.4 52.6 79.0
 58 87.7 73.5 110.3









#3
 n-Nitrosodimethylamine
 Concen: 4.533 ng
 RT: 3.415 min Scan# 74
 Delta R.T. -0.007 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0


Tgt Ion: 42 Resp: 24357
 Ion Ratio Lower Upper
 42 100
 74 60.7 44.6 66.8
 44 4.7 3.5 5.3



#4
 2-Fluorophenol
 Concen: 4.948 ng
 RT: 5.170 min Scan# 317
 Delta R.T. 0.000 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Tgt Ion: 112 Resp: 20890
 Ion Ratio Lower Upper
 112 100
 64 70.8 57.2 85.8
 63 47.0 39.8 59.6









#5
Phenol-d6
Concen: 5.666 ng
RT: 6.759 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 99 Resp: 25211
Ion Ratio Lower Upper
99 100
42 42.3 36.2 54.4
71 50.9 42.4 63.6



#6
bis(2-Chloroethyl)ether
Concen: 5.609 ng
RT: 7.012 min Scan# 572
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion: 93 Resp: 22354
Ion Ratio Lower Upper
93 100
63 88.9 75.2 112.8
95 31.6 28.3 42.5









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.351 min Scan# 944
Delta R.T. -0.011 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:	136	Resp:	3927
Ion	Ratio	Lower	Upper
136	100		
137	12.7	10.6	15.8
54	14.9	9.2	13.8
68	7.5	5.4	8.0



#8
Nitrobenzene-d5
Concen: 5.731 ng
RT: 8.717 min Scan# 790
Delta R.T. -0.011 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:	82	Resp:	22243
Ion	Ratio	Lower	Upper
82	100		
128	29.6	31.2	46.8
54	80.1	63.3	94.9





#9

Naphthalene

Concen: 5.002 ng

RT: 10.404 min Scan# 948

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:128 Resp: 56880

Ion Ratio Lower Upper

128 100

129 10.9 10.7 16.1

127 13.6 12.6 19.0



#10

Hexachlorobutadiene

Concen: 4.586 ng

RT: 10.692 min Scan# 975

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:225 Resp: 12686


Ion Ratio Lower Upper

225 100

223 0.0 0.0 0.0

227 63.2 49.2 73.8









#11
2-Methylnaphthalene-d10
Concen: 5.150 ng
RT: 11.950 min Scan# 1140
Delta R.T. -0.005 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:152 Resp: 27140
Ion Ratio Lower Upper
152 100
151 21.4 17.9 26.9



#12
2-Methylnaphthalene
Concen: 5.292 ng
RT: 12.026 min Scan# 1154
Delta R.T. -0.005 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:142 Resp: 36587
Ion Ratio Lower Upper
142 100
141 91.2 73.0 109.6
115 51.1 43.3 64.9





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.224 min Scan# 1461

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:164 Resp: 2088

Ion Ratio Lower Upper

164 100

162 105.6 86.7 130.1

160 54.0 45.8 68.6



#14

2,4,6-Tribromophenol

Concen: 5.344 ng

RT: 15.718 min Scan# 1598

Delta R.T. -0.012 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:330 Resp: 4635


Ion Ratio Lower Upper

330 100

332 97.5 74.9 112.3

141 68.7 45.1 67.7#









#15
2-Fluorobiphenyl
Concen: 5.103 ng
RT: 12.843 min Scan# 11
Delta R.T. -0.005 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:172 Resp: 44772
Ion Ratio Lower Upper
172 100
171 35.9 29.8 44.8
170 24.6 21.1 31.7



#16
Acenaphthylene
Concen: 5.154 ng
RT: 13.946 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:152 Resp: 52739
Ion Ratio Lower Upper
152 100
151 20.1 15.7 23.5
153 12.9 10.7 16.1









#17
Acenaphthene
Concen: 5.045 ng
RT: 14.288 min Scan# 1467
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:154 Resp: 33323
Ion Ratio Lower Upper
154 100
153 115.1 94.6 141.8
152 58.6 49.6 74.4



#18
Fluorene
Concen: 5.075 ng
RT: 15.282 min Scan# 1560
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:166 Resp: 43051
Ion Ratio Lower Upper
166 100
165 99.9 79.8 119.6
167 13.3 10.8 16.2





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.971 min Scan# 1

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:188 Resp: 3744

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 13.1 12.2 18.4



#20

4,6-Dinitro-2-methylphenol

Concen: 4.992 ng

RT: 15.368 min Scan# 1568

Delta R.T. -0.010 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:198 Resp: 5424


Ion Ratio Lower Upper

198 100

51 49.4 111.2 166.8#

105 33.2 54.0 81.0#









#21
4-Bromophenyl-phenylether
Concen: 5.240 ng
RT: 16.177 min Scan# 1635
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:248 Resp: 12785
Ion Ratio Lower Upper
248 100
250 100.3 76.8 115.2
141 61.8 75.6 113.4#



#22
Hexachlorobenzene
Concen: 4.616 ng
RT: 16.289 min Scan# 1644
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:284 Resp: 13054
Ion Ratio Lower Upper
284 100
142 56.1 43.8 65.6
249 37.0 28.4 42.6





#23

Atrazine

Concen: 5.239 ng

RT: 16.450 min Scan# 1

Delta R.T. -0.012 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:200 Resp: 11399

Ion Ratio Lower Upper

200 100

173 26.4 25.1 37.7

215 43.2 43.7 65.5#



#24

Pentachlorophenol

Concen: 5.782 ng

RT: 16.636 min Scan# 1672

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:266 Resp: 8014


Ion Ratio Lower Upper

266 100

264 63.1 49.2 73.8

268 63.1 53.4 80.2





#25

Phenanthrene

Concen: 5.232 ng

RT: 17.021 min Scan# 1703

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:178 Resp: 62123

Ion Ratio Lower Upper

178 100

176 19.7 16.3 24.5

179 15.2 12.6 18.8



#26

Anthracene

Concen: 5.429 ng

RT: 17.108 min Scan# 1710

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:178 Resp: 59009


Ion Ratio Lower Upper

178 100

176 19.2 15.1 22.7

179 15.2 12.4 18.6









#27
Fluoranthene-d10
Concen: 5.125 ng
RT: 19.012 min Scan# 1932
Delta R.T. -0.005 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:212 Resp: 50205
Ion Ratio Lower Upper
212 100
106 12.6 9.3 13.9
104 7.7 5.7 8.5



#28
Fluoranthene
Concen: 5.177 ng
RT: 19.045 min Scan# 1938
Delta R.T. 0.000 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Tgt Ion:202 Resp: 71952
Ion Ratio Lower Upper
202 100
101 10.0 7.1 10.7
203 17.2 13.0 19.6





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.171 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:240 Resp: 3121

Ion Ratio Lower Upper

240 100

120 15.6 11.3 16.9

236 29.7 24.4 36.6



#30

Pyrene

Concen: 4.930 ng

RT: 19.407 min Scan# 2016

Delta R.T. -0.005 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:202 Resp: 72342


Ion Ratio Lower Upper

202 100

200 21.6 17.2 25.8

203 17.6 14.3 21.5









#31
 Terphenyl-d14
 Concen: 5.111 ng
 RT: 19.621 min Scan# 2063
 Delta R.T. -0.005 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0


Tgt Ion:244 Resp: 36062
 Ion Ratio Lower Upper
 244 100
 212 10.9 12.2 18.2#
 122 14.6 14.3 21.5



#32
 Benzo(a)anthracene
 Concen: 5.551 ng
 RT: 21.153 min Scan# 2273
 Delta R.T. -0.009 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Tgt Ion:228 Resp: 58498
 Ion Ratio Lower Upper
 228 100
 226 28.6 23.8 35.8
 229 19.1 17.0 25.4





#33

Chrysene

Concen: 4.803 ng

RT: 21.206 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11

Instrument :

BNA_N

ClientSampleId :

SSTDICC5.0





Tgt Ion:228 Resp: 63057

Ion Ratio Lower Upper

228 100

226 31.6 25.8 38.6

229 19.3 17.0 25.4



#34

Bis(2-ethylhexyl)phthalate

Concen: 4.774 ng

RT: 21.108 min Scan# 2268

Delta R.T. 0.000 min

Lab File: BN037231.D

Acq: 13 Jun 2025 17:11




Tgt Ion:149 Resp: 37466


Ion Ratio Lower Upper

149 100

167 26.0 21.3 31.9


279 2.9 3.3 4.9#








#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.360 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0







Tgt Ion:264 Resp: 2895
 Ion Ratio Lower Upper
 264 100
 260 27.5 22.8 34.2
 265 79.2 66.4 99.6



#36
 Indeno(1,2,3-cd)pyrene
 Concen: 5.620 ng
 RT: 25.552 min Scan# 3489
 Delta R.T. -0.009 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Tgt Ion:276 Resp: 65610
 Ion Ratio Lower Upper
 276 100
 138 26.6 16.8 25.2#
 277 24.9 19.5 29.3









#37
Benzo(b)fluoranthene
Concen: 5.536 ng
RT: 22.708 min Scan# 21
Delta R.T. -0.006 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:252 Resp: 58631
Ion Ratio Lower Upper
252 100
253 22.0 24.9 37.3#
125 11.0 12.9 19.3#



#38
Benzo(k)fluoranthene
Concen: 5.148 ng
RT: 22.749 min Scan# 2530
Delta R.T. -0.006 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11


Tgt Ion:252 Resp: 62537
Ion Ratio Lower Upper
252 100
253 22.0 24.6 37.0#
125 11.0 13.4 20.2#








#39
Benzo(a)pyrene
Concen: 5.368 ng
RT: 23.266 min Scan# 21
Delta R.T. -0.006 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:252 Resp: 51138
Ion Ratio Lower Upper
252 100
253 22.1 29.4 44.2#
125 12.1 16.2 24.2#



#40
Dibenzo(a,h)anthracene
Concen: 5.871 ng
RT: 25.564 min Scan# 3493
Delta R.T. -0.009 min
Lab File: BN037231.D
Acq: 13 Jun 2025 17:11


Tgt Ion:278 Resp: 51648
Ion Ratio Lower Upper
278 100
139 18.1 17.8 26.6
279 24.0 31.3 46.9#





#41
 Benzo(g,h,i)perylene
 Concen: 5.204 ng
 RT: 26.219 min Scan# 31
 Delta R.T. -0.003 min
 Lab File: BN037231.D
 Acq: 13 Jun 2025 17:11

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0



Tgt Ion:	276	Resp:	56339
Ion Ratio	Lower	Upper	
276	100		
277	23.7	22.0	33.0
138	23.2	18.4	27.6

