



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2505058				Courier :				1 of 5 COCs																			
Client ID : RTPE01				Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis																			
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td colspan="4">Matrix</td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>				Matrix															
				Matrix																											
Phone Number : 732-968-9600																															
Fax Number :																															
Site Details: Bayonne, NJ																															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : NJ Full				<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </table>																			
Rush (Specify): Days				EDD Type : Hz site w/ conversion table																											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
AA-3	6-11-25 to 6-12-25	10:56	10:56	-30	-5	76	83	-30	-5.9	10713	10588	6 L	4.16	VL042485.D	X	X

Temperature (Fahrenheit)			
	Ambient	Maximum	Minimum
Start			
Stop			

Pressure (Inches of Hg)			
	Ambient	Maximum	Minimum
Start			
Stop			

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 6/10/25	Canisters Received by: Chris Wasek	Date/Time: 6/10/25
Samples Relinquished by: cw	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: CP	Date/Time: 6/12/25 1355

Client Contact Information				Bottle Order ID : B2505058				Courier :				2 of 5 COCs							
Client ID : RTPE01 Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis				Matrix							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified											
				Phone Number : 732-968-9600															
				Fax Number :															
				Site Details:															
				Analysis Turnaround Time															
Standard : 10 business days OR				Data Package Type : SAME															
Rush (Specify): Days				EDD Type : AS PAGE 1															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas		
115-IA	6-11-25 to 6-12-25	11:08	10:57	-30	-2	72	72	-30	-4.7	10236	10492	6 L	4.16	VL042485.D	X	X			
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam				Date/Time: 6/10/25				Canisters Received by: CV				Date/Time: 6/10/25				B2505058 - 7			
Samples Relinquished by: CV				Date/Time:				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by: CP				Date/Time: 6/12/25 1355							

Client Contact Information						Bottle Order ID : B2505058				Courier :				3 of 5 COCs																		
Client ID : RTPE01				Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis		Matrix																		
Customer RTP Environmental Name : Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
						Phone Number : 732-968-9600																										
						Fax Number :																										
						Site Details:																										
						Analysis Turnaround Time																										
Standard : 10 business days OR						Data Package Type :																										
Rush (Specify): Days						EDD Type :																										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas															
115-1111 2	6-11-25 6-12-25	11:13	11:03	-23	-1	72	72	-30	-1.8	10207	10198	6 L	4.16	VL042330.D	X	X																
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> <td></td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum		Start					Stop					GC/MS Analyst Signature (TO-15)							
	Ambient	Maximum	Minimum																													
Start																																
Stop																																
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> <td></td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum		Start					Stop												
	Ambient	Maximum	Minimum																													
Start																																
Stop																																
** Submittal of this COC indicates approval of the analysis based on existing conditions.																																
Please follow the instructions on the back of this COC.																																
Special Instructions/QC Requirements & Comments :																																
Suspected Contamination: High Medium Low PID Readings:																																
Sampling site (State):																																
Quick Connector required : NO																																
Canisters Shipped by: Sam				Date/Time: 6/19/25				Canisters Received by: CW				Date/Time: 6/10/25				B2505058 - 3																
Samples Relinquished by: CW				Date/Time:				Received by:				Date/Time:																				
Relinquished by:				Date/Time:				Received by: CP				Date/Time: 6/12/25 1355																				

Client Contact Information				Bottle Order ID : B2505058				Courier :				4 of 5 COCs			
Client ID : RTPE01				Project ID : Yellow Cab - TO-15				Sampler Name(s) :				Analysis		Matrix	
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 732-968-9600											
				Fax Number :											
				Site Details:											
				Analysis Turnaround Time				Data Package Type :							
				Standard : 10 business days OR				EDD Type :							
Country :				Rush (Specify): Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambinet Air	Soil Gas	
115-561	6/12/25	11:40	11:50	-30	-7	72	72	-30	-8.0	10202	10601	6 L	100	VL042485.D	X				X	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15)
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings:

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 6/6/09/K	Canisters Received by: CW	Date/Time: 6/10/25
Samples Relinquished by: CW	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: CP	Date/Time: 6/12/25 1355

B2505058 - 9

Client Contact Information						Bottle Order ID : B2505058				Courier :				5 of 5 COCs															
Client ID : RTPE01		Project ID : Yellow Cab - TO-15		Sampler Name(s) :		Analysis		Matrix																					
Customer Name : RTP Environmental Address : 239 US Highway 22 East		Project Manager : David gabel		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																									
		Phone Number : 732-968-9600																											
		Fax Number :																											
		Site Details:																											
City : Green Brook																													
State : NJ		Analysis Turnaround Time																											
Zip Code : 08812		Standard : 10 business days OR		Data Package Type :																									
Country :		Rush (Specify): Days		EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
6-12-25	11:43	11:53	27-2	72	72	-30	6.7	10241	10315	6 L	100	VL042485.D	X				X												
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15)											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 06/09/25				Canisters Received by: CW				Date/Time: 6/10/25				B2505058 - 5													
Samples Relinquished by: CW				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by: CP				Date/Time: 6/12/25/355																	

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: *John Guler*Supervisor Signature: *SA*

METHOD: TO-15

Pressure Gauge ID: A755971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
04/24/15	Q1927-01	10197	10.9	-7.8				sy
↓	Q1927-02	10267	12.0	-5.5				sy
↓	Q1927-03	10283	11.4	-6.7				↓
↓	Q1927-04	10320	11.8	-5.9				↓
↓	Q1927-05	10445	11.0	-7.5				↓
✓	Q1927-06	10607	13.6	-2.2				↓
04/28/15	Q1908-01	10598	11.6	-6.3				sy
↓	Q1908-02	10595	12.0	-5.5				↓
↓	Q1908-03	10297	12.2	-5.1				↓
05/14/15	Q2011-01	10154	11.2	-7.1				sy
↓	Q2011-02	10599	12.0	-5.5				↓
5/12/15	Q2037-01	10609	12.0	-5.5				sy
u	Q2037-02	10285	12.0	-5.5				sy
05/23/15	Q2124-01	10334	12.0	-5.5				sy
↓	Q2124-02	10439	11.4	-6.7				↓
↓	Q2124-03	10329	12.0	-5.5				↓
06/12/15	Q2317-01	10588	11.8	-5.9				sy
↓	Q2317-02	10492	12.4	-4.7				↓
↓	Q2317-03	10198	13.8	-1.8				↓
↓	Q2317-04	10601	10.8	-8.0				↓
↓	Q2317-05	10315	11.4	-6.7				↓

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 115-IA1

Client Name: RTP

Project Name: Yellow Cab

Date: 6-11-25 to 6-12-25 Time: 10:08 to 10:58

Analysis: 10-15

Comments: Indoor Air

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration: _____

Storage Location: D41

Sample: Q2317-02

Cust #: 115-IA-1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: AA-3

Client Name: RTP

Project Name: Yellow Cab

Date: 6/11/25 to 6/12/25 Time: 10:56 to 10:56

Analysis: 10-15

Comments: Amber

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration: _____

Storage Location: D41

Sample: Q2317-01

Cust #: AA-3

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: 115-IA2

Client Name: RTP

Project Name: Yellow Cab

Date: 6-11-25 to 6-12-25 Time: 11:13 to 11:03

Analysis: 10-15

Comments: Indoor air

CHEMTECH'S SAMPLE ID: _____

Date Received: _____ Expiration: _____

Storage Location: D41

Sample: Q2317-03

Cust #: 115-IA-2

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID # 10950002-115-SG2
Client Name: RIP Yellow Cab
Project Name: Yellow Cab
Date: 6/12/25 Time: 11:43 to 12:43
Analysis: 90-15
Comments: bedroom?
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration: _____

Storage Location: D41
Sample: Q2317-05
Cust #: 115-SG2

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID # 115-SG1
Client Name: RIP
Project Name: Yellow Cab
Date: 6/12/25 Time: 11:40 to 12:40
Analysis: 90-15
Comments: bedroom
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration: _____

Storage Location: D41
Sample: Q2317-04
Cust #: 115-SG1

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~Q2317~~

Title: Sample Custodian

Field Sample Seal No. Q2317



Date Broken 5/12/2025

Military Time Seal Broken: 13:55:00

Case No.: Yellow Cab - TO-15

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2317-01	AA-3		
Q2317-02	115-IA-1		
Q2317-03	115-IA-2		
Q2317-04	115-SG1		
Q2317-05	115-SG2		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
6/13	1100	Signature		Signature		
		Printed Name	George Nelson	Printed Name	Sample Custodian	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy