

Report of Analysis

Client:	PSEG	Date Collected:	06/13/25
Project:	Plainfield Gas and Appliance Service MA0006789	Date Received:	06/13/25
Client Sample ID:	PL-01-06132025-E2	SDG No.:	Q2323
Lab Sample ID:	Q2323-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	90.1
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
06/16/25 08:50	06/16/25 21:48	PB168485

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	43.1		1	1.31	2.22	mg/kg	FE054418.D
Aliphatic C9-C28	Aliphatic C9-C28	13.2		1	1.01	4.44	mg/kg	FE054418.D
Total AliphaticEPH	Total AliphaticEPH	56.3			2.32	6.66	mg/kg	
Total EPH	Total EPH	56.3			2.32	6.66	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	06/13/25
Project:	Plainfield Gas and Appliance Service MA0006789	Date Received:	06/13/25
Client Sample ID:	PL-01-06132025-E2	SDG No.:	Q2323
Lab Sample ID:	Q2323-02	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	90.1
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_NF
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054418.D	1	06/16/25	06/16/25	PB168485

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	13.2		1.01	4.44	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	43.1		1.31	2.22	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	37.7		40 - 140	75%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	33.7		40 - 140	67%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2323-02	Acq On:	16 Jun 2025 21:48
Client Sample ID:	PL-01-06132025-E2	Operator:	YP\AJ
Data file:	FE054418.D	Misc:	
Instrument:	FID_E	ALS Vial:	22
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.075	6.719	1023154	8.169	300	ug/ml
Aliphatic C12-C16	6.720	10.165	1842661	14.05	200	ug/ml
Aliphatic C16-C21	10.166	13.538	7485511	55.893	300	ug/ml
Aliphatic C21-C28	13.539	17.207	12729451	100.178	400	ug/ml
Aliphatic C28-C40	17.208	22.075	74723742	582.662	600	ug/ml
Aliphatic EPH	3.075	22.075	97804519	760.951		ug/ml
ortho-Terphenyl (SURR)	11.826	11.826	5562480	33.66		ug/ml
1-chlorooctadecane (SURR)	13.271	13.271	4596022	37.69		ug/ml
Aliphatic C9-C28	3.075	17.207	23080777	178.29	1200	ug/ml