

Report of Analysis

Client:	LiRo Engineers, Inc.	Date Collected:	06/12/25
Project:	RFK Bridge RMB-Randall Island	Date Received:	06/13/25
Client Sample ID:	MW-08	SDG No.:	Q2333
Lab Sample ID:	Q2333-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087107.D	1		06/19/25 13:38	VN061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	88.5		0.15	1.00	ug/L
108-88-3	Toluene	22.0		0.14	1.00	ug/L
100-41-4	Ethyl Benzene	520	E	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	1200	E	0.24	2.00	ug/L
1330-20-7	Total Xylenes	1770	E	0.36	3.00	ug/L
95-47-6	o-Xylene	570	E	0.12	1.00	ug/L
98-82-8	Isopropylbenzene	38.1		0.12	1.00	ug/L
103-65-1	n-propylbenzene	79.6		0.13	1.00	ug/L
108-67-8	1,3,5-Trimethylbenzene	46.5		0.15	1.00	ug/L
98-06-6	tert-Butylbenzene	1.00	U	0.14	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	890	E	0.14	1.00	ug/L
135-98-8	sec-Butylbenzene	3.60		0.13	1.00	ug/L
99-87-6	p-Isopropyltoluene	2.80		0.13	1.00	ug/L
104-51-8	n-Butylbenzene	3.40		0.15	1.00	ug/L
91-20-3	Naphthalene	350	E	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.3		74 - 125	105%	SPK: 50
1868-53-7	Dibromofluoromethane	51.4		75 - 124	103%	SPK: 50
2037-26-5	Toluene-d8	52.9		86 - 113	106%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.2		77 - 121	94%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	261000	8.23			
540-36-3	1,4-Difluorobenzene	524000	9.106			
3114-55-4	Chlorobenzene-d5	470000	11.865			
3855-82-1	1,4-Dichlorobenzene-d4	202000	13.788			

Report of Analysis

Client:	LiRo Engineers, Inc.	Date Collected:	06/12/25
Project:	RFK Bridge RMB-Randall Island	Date Received:	06/13/25
Client Sample ID:	MW-08	SDG No.:	Q2333
Lab Sample ID:	Q2333-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW
		Final Vol:	5000 uL
		Test:	VOCMS Group1

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087107.D	1		06/19/25 13:38	VN061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products