

Hit Summary Sheet
SW-846

SDG No.: Q2334
Client: G Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MW3							
Q2334-01	MW3	Water	Acetone	2.30	J	1.50	5.00	ug/L
			Total Voc :	2.30				
			Total Concentration:	2.30				
Client ID:	GBTW1							
Q2334-03	GBTW1	Water	Acetone	2.00	J	1.50	5.00	ug/L
Q2334-03	GBTW1	Water	Carbon Disulfide	0.87	J	0.21	1.00	ug/L
Q2334-03	GBTW1	Water	Tetrachloroethene	1.50		0.23	1.00	ug/L
			Total Voc :	4.37				
			Total Concentration:	4.37				



SAMPLE DATA

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	MW3		SDG No.:	Q2334	
Lab Sample ID:	Q2334-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046765.D	1		06/19/25 12:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	2.30	J	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW3	SDG No.:	Q2334
Lab Sample ID:	Q2334-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046765.D	1		06/19/25 12:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.3		70 (74) - 130 (125)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	48.9		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	50.6		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.1		70 (77) - 130 (121)	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	123000	5.562			
540-36-3	1,4-Difluorobenzene	207000	6.769			
3114-55-4	Chlorobenzene-d5	191000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	92600	12.018			

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW3	SDG No.:	Q2334
Lab Sample ID:	Q2334-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW
		Final Vol:	5000
		Test:	VOCMS Group1

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046765.D	1		06/19/25 12:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	MW4		SDG No.:	Q2334	
Lab Sample ID:	Q2334-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046766.D	1		06/19/25 12:54	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW4	SDG No.:	Q2334
Lab Sample ID:	Q2334-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046766.D	1		06/19/25 12:54	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	47.8		70 (74) - 130 (125)	96%	SPK: 50
1868-53-7	Dibromofluoromethane	48.4		70 (75) - 130 (124)	97%	SPK: 50
2037-26-5	Toluene-d8	49.7		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.4		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	186000	5.562			
540-36-3	1,4-Difluorobenzene	318000	6.769			
3114-55-4	Chlorobenzene-d5	280000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	136000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	MW4		SDG No.:	Q2334	
Lab Sample ID:	Q2334-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046766.D	1		06/19/25 12:54	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	GBTW1		SDG No.:	Q2334	
Lab Sample ID:	Q2334-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046767.D	1		06/19/25 13:15	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	2.00	J	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.87	J	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	GBTW1		SDG No.:	Q2334	
Lab Sample ID:	Q2334-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046767.D	1		06/19/25 13:15	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.50		0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.2		70 (74) - 130 (125)	96%	SPK: 50
1868-53-7	Dibromofluoromethane	49.1		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	49.7		70 (86) - 130 (113)	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.9		70 (77) - 130 (121)	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	165000	5.562			
540-36-3	1,4-Difluorobenzene	283000	6.769			
3114-55-4	Chlorobenzene-d5	254000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	125000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	06/12/25	
Project:	Buff		Date Received:	06/13/25	
Client Sample ID:	GBTW1		SDG No.:	Q2334	
Lab Sample ID:	Q2334-03		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046767.D	1		06/19/25 13:15	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



QC SUMMARY

Surrogate Summary

SDG No.: **Q2334**

Client: **G Environmental**

Analytical Method: **SW8260-Low**

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q2334-01	MW3	1,2-Dichloroethane-d4	50	48.3	97	70 (74)	130 (125)
		Dibromofluoromethane	50	49.0	98	70 (75)	130 (124)
		Toluene-d8	50	50.6	101	70 (86)	130 (113)
		4-Bromofluorobenzene	50	51.1	102	70 (77)	130 (121)
Q2334-02	MW4	1,2-Dichloroethane-d4	50	47.8	96	70 (74)	130 (125)
		Dibromofluoromethane	50	48.4	97	70 (75)	130 (124)
		Toluene-d8	50	49.7	99	70 (86)	130 (113)
		4-Bromofluorobenzene	50	49.4	99	70 (77)	130 (121)
Q2334-03	GBTW1	1,2-Dichloroethane-d4	50	48.2	96	70 (74)	130 (125)
		Dibromofluoromethane	50	49.1	98	70 (75)	130 (124)
		Toluene-d8	50	49.7	99	70 (86)	130 (113)
		4-Bromofluorobenzene	50	49.9	100	70 (77)	130 (121)
VX0619WBL01	VX0619WBL01	1,2-Dichloroethane-d4	50	48.3	97	70 (74)	130 (125)
		Dibromofluoromethane	50	49.0	98	70 (75)	130 (124)
		Toluene-d8	50	50.0	100	70 (86)	130 (113)
		4-Bromofluorobenzene	50	49.4	99	70 (77)	130 (121)
VX0619WBS01	VX0619WBS01	1,2-Dichloroethane-d4	50	49.8	100	70 (74)	130 (125)
		Dibromofluoromethane	50	52.0	104	70 (75)	130 (124)
		Toluene-d8	50	52.3	105	70 (86)	130 (113)
		4-Bromofluorobenzene	50	54.1	108	70 (77)	130 (121)
VX0619WBSD01	VX0619WBSD01	1,2-Dichloroethane-d4	50	51.5	103	70 (74)	130 (125)
		Dibromofluoromethane	50	52.8	106	70 (75)	130 (124)
		Toluene-d8	50	52.7	105	70 (86)	130 (113)
		4-Bromofluorobenzene	50	54.9	110	70 (77)	130 (121)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2334

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046762.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBS01	Dichlorodifluoromethane	20	19.1	ug/L	96			40 (69)	160 (116)	
	Chloromethane	20	18.7	ug/L	94			40 (65)	160 (116)	
	Vinyl chloride	20	18.9	ug/L	95			70 (65)	130 (117)	
	Bromomethane	20	21.2	ug/L	106			40 (58)	160 (125)	
	Chloroethane	20	19.9	ug/L	100			40 (56)	160 (128)	
	Trichlorofluoromethane	20	18.4	ug/L	92			40 (73)	160 (115)	
	1,1,2-Trichlorotrifluoroethane	20	18.5	ug/L	93			70 (80)	130 (112)	
	1,1-Dichloroethene	20	18.6	ug/L	93			70 (74)	130 (110)	
	Acetone	100	74.1	ug/L	74			40 (60)	160 (125)	
	Carbon disulfide	20	17.0	ug/L	85			40 (64)	160 (112)	
	Methyl tert-butyl Ether	20	17.0	ug/L	85			70 (78)	130 (114)	
	Methyl Acetate	20	16.0	ug/L	80			70 (67)	130 (125)	
	Methylene Chloride	20	18.1	ug/L	91			70 (72)	130 (114)	
	trans-1,2-Dichloroethene	20	18.3	ug/L	92			70 (75)	130 (108)	
	1,1-Dichloroethane	20	18.5	ug/L	93			70 (78)	130 (112)	
	Cyclohexane	20	18.8	ug/L	94			70 (75)	130 (110)	
	2-Butanone	100	78.9	ug/L	79			40 (65)	160 (122)	
	Carbon Tetrachloride	20	18.0	ug/L	90			70 (77)	130 (113)	
	cis-1,2-Dichloroethene	20	18.6	ug/L	93			70 (77)	130 (110)	
	Bromochloromethane	20	20.8	ug/L	104			70 (70)	130 (124)	
	Chloroform	20	19.0	ug/L	95			70 (79)	130 (113)	
	1,1,1-Trichloroethane	20	17.7	ug/L	89			70 (80)	130 (108)	
	Methylcyclohexane	20	18.5	ug/L	93			70 (72)	130 (115)	
	Benzene	20	18.9	ug/L	95			70 (82)	130 (109)	
	1,2-Dichloroethane	20	18.5	ug/L	93			70 (80)	130 (115)	
	Trichloroethene	20	18.4	ug/L	92			70 (77)	130 (113)	
	1,2-Dichloropropane	20	18.4	ug/L	92			70 (83)	130 (111)	
	Bromodichloromethane	20	18.9	ug/L	95			70 (83)	130 (110)	
	4-Methyl-2-Pentanone	100	81.6	ug/L	82			40 (74)	160 (118)	
	Toluene	20	19.0	ug/L	95			70 (82)	130 (110)	
	t-1,3-Dichloropropene	20	18.0	ug/L	90			70 (79)	130 (110)	
	cis-1,3-Dichloropropene	20	18.2	ug/L	91			70 (82)	130 (110)	
	1,1,2-Trichloroethane	20	18.5	ug/L	93			70 (83)	130 (112)	
	2-Hexanone	100	78.9	ug/L	79			40 (73)	160 (117)	
	Dibromochloromethane	20	18.4	ug/L	92			70 (82)	130 (110)	
	1,2-Dibromoethane	20	18.0	ug/L	90			70 (81)	130 (110)	
	Tetrachloroethene	20	17.7	ug/L	89			70 (67)	130 (123)	
	Chlorobenzene	20	18.0	ug/L	90			70 (82)	130 (109)	
	Ethyl Benzene	20	18.0	ug/L	90			70 (83)	130 (109)	
	m/p-Xylenes	40	37.2	ug/L	93			70 (82)	130 (110)	
	o-Xylene	20	18.6	ug/L	93			70 (83)	130 (109)	
	Styrene	20	18.3	ug/L	92			70 (80)	130 (111)	
	Bromoform	20	16.7	ug/L	84			70 (79)	130 (109)	
	Isopropylbenzene	20	18.1	ug/L	91			70 (83)	130 (112)	
	1,1,2,2-Tetrachloroethane	20	17.3	ug/L	86			70 (76)	130 (118)	
	1,3-Dichlorobenzene	20	17.8	ug/L	89			70 (82)	130 (108)	
	1,4-Dichlorobenzene	20	17.5	ug/L	88			70 (82)	130 (107)	
	1,2-Dichlorobenzene	20	18.1	ug/L	91			70 (82)	130 (109)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2334

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046762.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBS01	1,2-Dibromo-3-Chloropropane	20	15.1	ug/L	76			40 (68)	160 (112)	
	1,2,4-Trichlorobenzene	20	17.1	ug/L	86			70 (75)	130 (113)	
	1,2,3-Trichlorobenzene	20	17.6	ug/L	88			70 (76)	130 (114)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2334

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046763.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBSD01	Dichlorodifluoromethane	20	19.8	ug/L	99	3		40 (69)	160 (116)	20 (19)
	Chloromethane	20	19.5	ug/L	98	4		40 (65)	160 (116)	20 (21)
	Vinyl chloride	20	19.7	ug/L	99	4		70 (65)	130 (117)	20 (19)
	Bromomethane	20	22.2	ug/L	111	5		40 (58)	160 (125)	20 (20)
	Chloroethane	20	20.6	ug/L	103	3		40 (56)	160 (128)	20 (20)
	Trichlorofluoromethane	20	19.3	ug/L	97	5		40 (73)	160 (115)	20 (16)
	1,1,2-Trichlorotrifluoroethane	20	19.7	ug/L	99	6		70 (80)	130 (112)	20 (15)
	1,1-Dichloroethene	20	19.5	ug/L	98	5		70 (74)	130 (110)	20 (20)
	Acetone	100	81.5	ug/L	82	10		40 (60)	160 (125)	20 (20)
	Carbon disulfide	20	18.0	ug/L	90	6		40 (64)	160 (112)	20 (20)
	Methyl tert-butyl Ether	20	18.7	ug/L	94	10		70 (78)	130 (114)	20 (20)
	Methyl Acetate	20	17.8	ug/L	89	11		70 (67)	130 (125)	20 (20)
	Methylene Chloride	20	19.3	ug/L	97	6		70 (72)	130 (114)	20 (20)
	trans-1,2-Dichloroethene	20	19.2	ug/L	96	4		70 (75)	130 (108)	20 (16)
	1,1-Dichloroethane	20	19.4	ug/L	97	4		70 (78)	130 (112)	20 (20)
	Cyclohexane	20	19.7	ug/L	99	5		70 (75)	130 (110)	20 (20)
	2-Butanone	100	87.0	ug/L	87	10		40 (65)	160 (122)	20 (26)
	Carbon Tetrachloride	20	19.1	ug/L	96	6		70 (77)	130 (113)	20 (15)
	cis-1,2-Dichloroethene	20	19.4	ug/L	97	4		70 (77)	130 (110)	20 (20)
	Bromochloromethane	20	23.1	ug/L	116	11		70 (70)	130 (124)	20 (20)
	Chloroform	20	20.5	ug/L	103	8		70 (79)	130 (113)	20 (20)
	1,1,1-Trichloroethane	20	19.3	ug/L	97	9		70 (80)	130 (108)	20 (20)
	Methylcyclohexane	20	19.0	ug/L	95	2		70 (72)	130 (115)	20 (20)
	Benzene	20	20.0	ug/L	100	5		70 (82)	130 (109)	20 (15)
	1,2-Dichloroethane	20	20.1	ug/L	101	8		70 (80)	130 (115)	20 (20)
	Trichloroethene	20	19.3	ug/L	97	5		70 (77)	130 (113)	20 (15)
	1,2-Dichloropropane	20	20.3	ug/L	102	10		70 (83)	130 (111)	20 (16)
	Bromodichloromethane	20	20.1	ug/L	101	6		70 (83)	130 (110)	20 (16)
	4-Methyl-2-Pentanone	100	91.8	ug/L	92	11		40 (74)	160 (118)	20 (25)
	Toluene	20	20.3	ug/L	102	7		70 (82)	130 (110)	20 (16)
	t-1,3-Dichloropropene	20	19.5	ug/L	98	9		70 (79)	130 (110)	20 (20)
	cis-1,3-Dichloropropene	20	19.9	ug/L	100	9		70 (82)	130 (110)	20 (16)
	1,1,2-Trichloroethane	20	20.4	ug/L	102	9		70 (83)	130 (112)	20 (20)
	2-Hexanone	100	88.8	ug/L	89	12		40 (73)	160 (117)	20 (25)
	Dibromochloromethane	20	19.9	ug/L	100	8		70 (82)	130 (110)	20 (20)
	1,2-Dibromoethane	20	20.1	ug/L	101	12		70 (81)	130 (110)	20 (20)
	Tetrachloroethene	20	18.8	ug/L	94	5		70 (67)	130 (123)	20 (15)
	Chlorobenzene	20	19.4	ug/L	97	7		70 (82)	130 (109)	20 (15)
	Ethyl Benzene	20	19.1	ug/L	96	6		70 (83)	130 (109)	20 (16)
	m/p-Xylenes	40	38.8	ug/L	97	4		70 (82)	130 (110)	20 (15)
	o-Xylene	20	19.8	ug/L	99	6		70 (83)	130 (109)	20 (20)
	Styrene	20	19.7	ug/L	99	7		70 (80)	130 (111)	20 (17)
	Bromoform	20	18.4	ug/L	92	9		70 (79)	130 (109)	20 (20)
	Isopropylbenzene	20	18.6	ug/L	93	2		70 (83)	130 (112)	20 (29)
	1,1,2,2-Tetrachloroethane	20	18.4	ug/L	92	7		70 (76)	130 (118)	20 (20)
	1,3-Dichlorobenzene	20	18.6	ug/L	93	4		70 (82)	130 (108)	20 (20)
	1,4-Dichlorobenzene	20	17.8	ug/L	89	1		70 (82)	130 (107)	20 (15)
	1,2-Dichlorobenzene	20	19.0	ug/L	95	4		70 (82)	130 (109)	20 (20)

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2334

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046763.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBSD01	1,2-Dibromo-3-Chloropropane	20	16.1	ug/L	81	6		40 (68)	160 (112)	20 (20)
	1,2,4-Trichlorobenzene	20	18.3	ug/L	92	7		70 (75)	130 (113)	20 (29)
	1,2,3-Trichlorobenzene	20	18.2	ug/L	91	3		70 (76)	130 (114)	20 (29)

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX0619WBL01

Lab Name: CHEMTECH

Contract: GENV01

Lab Code: CHEM Case No.: Q2334

SAS No.: Q2334 SDG NO.: Q2334

Lab File ID: VX046760.D

Lab Sample ID: VX0619WBL01

Date Analyzed: 06/19/2025

Time Analyzed: 10:33

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VX0619WBS01	VX0619WBS01	VX046762.D	06/19/2025
VX0619WBSD01	VX0619WBSD01	VX046763.D	06/19/2025
MW3	Q2334-01	VX046765.D	06/19/2025
MW4	Q2334-02	VX046766.D	06/19/2025
GBTW1	Q2334-03	VX046767.D	06/19/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG NO.: Q2334
Lab File ID: VX046715.D BFB Injection Date: 06/17/2025
Instrument ID: MSVOA_X BFB Injection Time: 08:46
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.7
75	30.0 - 60.0% of mass 95	50.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.5 (0.7) 1
174	50.0 - 100.0% of mass 95	74.8
175	5.0 - 9.0% of mass 174	5.5 (7.4) 1
176	95.0 - 101.0% of mass 174	72 (96.2) 1
177	5.0 - 9.0% of mass 176	4.3 (6) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDIC005	VSTDIC005	VX046718.D	06/17/2025	11:19
VSTDIC020	VSTDIC020	VX046719.D	06/17/2025	13:59
VSTDIC050	VSTDIC050	VX046720.D	06/17/2025	14:20
VSTDIC100	VSTDIC100	VX046721.D	06/17/2025	14:41
VSTDIC150	VSTDIC150	VX046722.D	06/17/2025	15:02
VSTDIC001	VSTDIC001	VX046725.D	06/17/2025	17:18

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG NO.: Q2334
Lab File ID: VX046757.D BFB Injection Date: 06/19/2025
Instrument ID: MSVOA_X BFB Injection Time: 08:42
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.8
75	30.0 - 60.0% of mass 95	50.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.3
173	Less than 2.0% of mass 174	0.7 (1) 1
174	50.0 - 100.0% of mass 95	72.6
175	5.0 - 9.0% of mass 174	5.7 (7.8) 1
176	95.0 - 101.0% of mass 174	71.1 (97.9) 1
177	5.0 - 9.0% of mass 176	4.5 (6.3) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC050	VSTDCCC050	VX046758.D	06/19/2025	09:43
VX0619WBL01	VX0619WBL01	VX046760.D	06/19/2025	10:33
VX0619WBS01	VX0619WBS01	VX046762.D	06/19/2025	11:24
VX0619WBSD01	VX0619WBSD01	VX046763.D	06/19/2025	11:51
MW3	Q2334-01	VX046765.D	06/19/2025	12:33
MW4	Q2334-02	VX046766.D	06/19/2025	12:54
GBTW1	Q2334-03	VX046767.D	06/19/2025	13:15

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG NO.: Q2334
Lab File ID: VX046758.D Date Analyzed: 06/19/2025
Instrument ID: MSVOA_X Time Analyzed: 09:43
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	137182	5.56	224265	6.76	197740	10.05
UPPER LIMIT	274364	6.056	448530	7.263	395480	10.549
LOWER LIMIT	68591	5.056	112133	6.263	98870	9.549
EPA SAMPLE NO.						
MW3	123418	5.56	207193	6.77	191314	10.06
MW4	185853	5.56	317531	6.77	280337	10.06
GBTW1	164981	5.56	283367	6.77	253680	10.06
VX0619WBL01	124937	5.56	212303	6.77	191555	10.06
VX0619WBS01	137936	5.56	227140	6.77	207463	10.06
VX0619WBSD01	120371	5.56	199496	6.76	183807	10.06

IS1 = Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG NO.: Q2334
Lab File ID: VX046758.D Date Analyzed: 06/19/2025
Instrument ID: MSVOA_X Time Analyzed: 09:43
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	96867	12.018				
UPPER LIMIT	193734	12.518				
LOWER LIMIT	48433.5	11.518				
EPA SAMPLE NO.						
MW3	92623	12.02				
MW4	136063	12.02				
GBTW1	125261	12.02				
VX0619WBL01	93040	12.02				
VX0619WBS01	104652	12.02				
VX0619WBSD01	94851	12.02				

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Buff	Date Received:	
Client Sample ID:	VX0619WBL01	SDG No.:	Q2334
Lab Sample ID:	VX0619WBL01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Buff		Date Received:	
Client Sample ID:	VX0619WBL01		SDG No.:	Q2334
Lab Sample ID:	VX0619WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.3		70 (74) - 130 (125)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	49.0		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	50.0		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.4		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	125000	5.562			
540-36-3	1,4-Difluorobenzene	212000	6.769			
3114-55-4	Chlorobenzene-d5	192000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	93000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Buff		Date Received:	
Client Sample ID:	VX0619WBL01		SDG No.:	Q2334
Lab Sample ID:	VX0619WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Buff	Date Received:	
Client Sample ID:	VX0619WBS01	SDG No.:	Q2334
Lab Sample ID:	VX0619WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.1		0.22	1.00	ug/L
74-87-3	Chloromethane	18.7		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	18.9		0.26	1.00	ug/L
74-83-9	Bromomethane	21.2		1.40	5.00	ug/L
75-00-3	Chloroethane	19.9		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	18.4		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.5		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	18.6		0.23	1.00	ug/L
67-64-1	Acetone	74.1		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	17.0		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	17.0		0.16	1.00	ug/L
79-20-9	Methyl Acetate	16.0		0.27	1.00	ug/L
75-09-2	Methylene Chloride	18.1		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	18.3		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	18.5		0.23	1.00	ug/L
110-82-7	Cyclohexane	18.8		1.50	5.00	ug/L
78-93-3	2-Butanone	78.9		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	18.0		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	18.6		0.19	1.00	ug/L
74-97-5	Bromochloromethane	20.8		0.22	1.00	ug/L
67-66-3	Chloroform	19.0		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	17.7		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	18.5		0.16	1.00	ug/L
71-43-2	Benzene	18.9		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	18.5		0.22	1.00	ug/L
79-01-6	Trichloroethene	18.4		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	18.4		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	18.9		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	81.6		0.68	5.00	ug/L
108-88-3	Toluene	19.0		0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Buff		Date Received:	
Client Sample ID:	VX0619WBS01		SDG No.:	Q2334
Lab Sample ID:	VX0619WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	18.0		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	18.2		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	18.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	78.9		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	18.4		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.0		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	17.7		0.23	1.00	ug/L
108-90-7	Chlorobenzene	18.0		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	18.0		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	37.2		0.24	2.00	ug/L
95-47-6	o-Xylene	18.6		0.12	1.00	ug/L
100-42-5	Styrene	18.3		0.15	1.00	ug/L
75-25-2	Bromoform	16.7		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	18.1		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	17.3		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	17.8		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.5		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	18.1		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	15.1		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	17.1		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	17.6		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.8		70 (74) - 130 (125)	100%	SPK: 50
1868-53-7	Dibromofluoromethane	52.0		70 (75) - 130 (124)	104%	SPK: 50
2037-26-5	Toluene-d8	52.3		70 (86) - 130 (113)	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.1		70 (77) - 130 (121)	108%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	138000	5.562			
540-36-3	1,4-Difluorobenzene	227000	6.769			
3114-55-4	Chlorobenzene-d5	207000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	105000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Buff		Date Received:	
Client Sample ID:	VX0619WBS01		SDG No.:	Q2334
Lab Sample ID:	VX0619WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Buff	Date Received:	
Client Sample ID:	VX0619WBSD01	SDG No.:	Q2334
Lab Sample ID:	VX0619WBSD01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.8		0.22	1.00	ug/L
74-87-3	Chloromethane	19.5		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	19.7		0.26	1.00	ug/L
74-83-9	Bromomethane	22.2		1.40	5.00	ug/L
75-00-3	Chloroethane	20.6		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.3		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.7		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.5		0.23	1.00	ug/L
67-64-1	Acetone	81.5		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	18.0		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	18.7		0.16	1.00	ug/L
79-20-9	Methyl Acetate	17.8		0.27	1.00	ug/L
75-09-2	Methylene Chloride	19.3		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.2		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	19.4		0.23	1.00	ug/L
110-82-7	Cyclohexane	19.7		1.50	5.00	ug/L
78-93-3	2-Butanone	87.0		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	19.1		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.4		0.19	1.00	ug/L
74-97-5	Bromochloromethane	23.1		0.22	1.00	ug/L
67-66-3	Chloroform	20.5		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.3		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	19.0		0.16	1.00	ug/L
71-43-2	Benzene	20.0		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.1		0.22	1.00	ug/L
79-01-6	Trichloroethene	19.3		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	20.3		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	20.1		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	91.8		0.68	5.00	ug/L
108-88-3	Toluene	20.3		0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Buff	Date Received:	
Client Sample ID:	VX0619WBSD01	SDG No.:	Q2334
Lab Sample ID:	VX0619WBSD01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	19.5		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.9		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	20.4		0.21	1.00	ug/L
591-78-6	2-Hexanone	88.8		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	19.9		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	20.1		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	18.8		0.23	1.00	ug/L
108-90-7	Chlorobenzene	19.4		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.1		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	38.8		0.24	2.00	ug/L
95-47-6	o-Xylene	19.8		0.12	1.00	ug/L
100-42-5	Styrene	19.7		0.15	1.00	ug/L
75-25-2	Bromoform	18.4		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	18.6		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.4		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	18.6		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.0		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	16.1		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	18.3		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	18.2		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.5		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		70 (75) - 130 (124)	106%	SPK: 50
2037-26-5	Toluene-d8	52.7		70 (86) - 130 (113)	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.9		70 (77) - 130 (121)	110%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	120000	5.562			
540-36-3	1,4-Difluorobenzene	199000	6.763			
3114-55-4	Chlorobenzene-d5	184000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	94900	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Buff		Date Received:	
Client Sample ID:	VX0619WBSD01		SDG No.:	Q2334
Lab Sample ID:	VX0619WBSD01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



CALIBRATION SUMMARY

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG No.: Q2334

Instrument ID: MSVOA_X Calibration Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Calibration Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

LAB FILE ID:	RRF005 = VX046718.D			RRF020 = VX046719.D		RRF050 = VX046720.D		
	RRF100 = VX046721.D			RRF150 = VX046722.D		RRF001 = VX046725.D		
COMPOUND	RRF005	RRF020	RRF050	RRF100	RRF150	RRF001	RRF	% RSD
Dichlorodifluoromethane	0.464	0.507	0.583	0.627	0.598	0.425	0.534	15.1
Chloromethane	0.541	0.570	0.593	0.641	0.627	0.485	0.576	10
Vinyl Chloride	0.569	0.632	0.634	0.687	0.644	0.521	0.614	9.7
Bromomethane	0.371	0.367	0.369	0.341	0.280		0.346	11.1
Chloroethane	0.350	0.388	0.377	0.405	0.381	0.332	0.372	7.1
Trichlorofluoromethane	0.897	0.974	0.967	1.030	0.972	0.757	0.933	10.3
1,1,2-Trichlorotrifluoroethane	0.563	0.608	0.576	0.623	0.594	0.470	0.572	9.6
1,1-Dichloroethene	0.527	0.574	0.569	0.609	0.583	0.451	0.552	10.2
Acetone	0.219	0.222	0.220	0.238	0.234	0.251	0.231	5.6
Carbon Disulfide	1.503	1.644	1.599	1.735	1.656	1.869	1.668	7.5
Methyl tert-butyl Ether	1.628	1.803	1.752	1.898	1.808	1.427	1.720	9.8
Methyl Acetate	0.577	0.590	0.581	0.650	0.647	0.470	0.586	11.2
Methylene Chloride	0.655	0.655	0.610	0.666	0.624	0.637	0.641	3.3
trans-1,2-Dichloroethene	0.569	0.627	0.589	0.637	0.595	0.529	0.591	6.7
1,1-Dichloroethane	1.054	1.153	1.088	1.170	1.114	0.972	1.092	6.6
Cyclohexane	0.983	1.086	1.013	1.074	1.021		1.036	4.2
2-Butanone	0.319	0.325	0.338	0.371	0.353	0.251	0.326	12.7
Carbon Tetrachloride	0.509	0.537	0.515	0.548	0.531	0.470	0.518	5.4
cis-1,2-Dichloroethene	0.681	0.731	0.686	0.741	0.704	0.623	0.694	6.1
Bromochloromethane	0.527	0.459	0.485	0.519	0.500	0.480	0.495	5.2
Chloroform	1.102	1.190	1.114	1.181	1.109	0.857	1.092	11.1
1,1,1-Trichloroethane	0.931	1.012	0.956	1.046	0.990	0.812	0.958	8.6
Methylcyclohexane	0.631	0.642	0.629	0.672	0.647	0.550	0.628	6.6
Benzene	1.431	1.477	1.417	1.509	1.427	1.218	1.413	7.2
1,2-Dichloroethane	0.508	0.523	0.495	0.528	0.497	0.429	0.497	7.2
Trichloroethene	0.355	0.374	0.356	0.389	0.366	0.320	0.360	6.5
1,2-Dichloropropane	0.347	0.372	0.346	0.374	0.357	0.305	0.350	7.2
Bromodichloromethane	0.510	0.545	0.522	0.562	0.540	0.404	0.514	11.1
4-Methyl-2-Pentanone	0.408	0.414	0.426	0.460	0.439	0.322	0.411	11.6
Toluene	0.884	0.927	0.888	0.927	0.881	0.750	0.876	7.4

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG No.: Q2334

Instrument ID: MSVOA_X Calibration Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Calibration Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

LAB FILE ID:		RRF005 = VX046718.D		RRF020 = VX046719.D		RRF050 = VX046720.D			
		RRF100 = VX046721.D		RRF150 = VX046722.D		RRF001 = VX046725.D			
COMPOUND	RRF005	RRF020	RRF050	RRF100	RRF150	RRF001	RRF	% RSD	
t-1,3-Dichloropropene	0.438	0.484	0.488	0.555	0.540	0.355	0.477	15.3	
cis-1,3-Dichloropropene	0.516	0.555	0.548	0.603	0.589	0.436	0.541	11.1	
1,1,2-Trichloroethane	0.330	0.341	0.326	0.347	0.329	0.287	0.327	6.4	
2-Hexanone	0.285	0.285	0.297	0.320	0.305	0.214	0.284	13	
Dibromochloromethane	0.380	0.402	0.388	0.419	0.402	0.318	0.385	9.3	
1,2-Dibromoethane	0.333	0.348	0.335	0.363	0.346	0.267	0.332	10.1	
Tetrachloroethene	0.345	0.353	0.340	0.360	0.339	0.341	0.346	2.4	
Chlorobenzene	1.114	1.148	1.091	1.165	1.100	1.005	1.104	5.1	
Ethyl Benzene	1.905	2.030	1.933	2.062	1.945	1.696	1.929	6.7	
m/p-Xylenes	0.705	0.764	0.724	0.765	0.718	0.635	0.719	6.7	
o-Xylene	0.686	0.729	0.692	0.739	0.698	0.498	0.673	13.1	
Styrene	1.144	1.256	1.208	1.267	1.203	0.993	1.179	8.6	
Bromoform	0.268	0.295	0.287	0.315	0.304	0.226	0.282	11.3	
Isopropylbenzene	3.593	3.914	3.723	4.004	3.814	3.048	3.682	9.3	
1,1,2,2-Tetrachloroethane	1.037	1.075	1.044	1.124	1.074	0.816	1.028	10.6	
1,3-Dichlorobenzene	1.703	1.787	1.678	1.786	1.719	1.694	1.728	2.7	
1,4-Dichlorobenzene	1.743	1.830	1.653	1.789	1.702	1.932	1.775	5.6	
1,2-Dichlorobenzene	1.604	1.701	1.592	1.703	1.628	1.460	1.615	5.5	
1,2-Dibromo-3-Chloropropane	0.196	0.205	0.211	0.235	0.237	0.134	0.203	18.6	
1,2,4-Trichlorobenzene	1.040	1.138	1.127	1.253	1.160	1.170	1.148	6	
1,2,3-Trichlorobenzene	1.062	1.129	1.082	1.207	1.153	0.957	1.098	7.9	
1,2-Dichloroethane-d4	0.801	0.567	0.649	0.726	0.714		0.692	12.7	
Dibromofluoromethane	0.362	0.267	0.320	0.354	0.351		0.331	11.9	
Toluene-d8	1.342	0.973	1.144	1.250	1.234		1.189	11.7	
4-Bromofluorobenzene	0.513	0.354	0.426	0.466	0.456		0.443	13.3	

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG No.: Q2334

Instrument ID: MSVOA_X Calibration Date/Time: 06/19/2025 09:43

Lab File ID: VX046758.D Init. Calib. Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	0.534	0.565		5.8	20
Chloromethane	0.576	0.595	0.1	3.3	20
Vinyl Chloride	0.614	0.641		4.4	20
Bromomethane	0.346	0.384		10.98	20
Chloroethane	0.372	0.387		4.03	20
Trichlorofluoromethane	0.933	0.957		2.57	20
1,1,2-Trichlorotrifluoroethane	0.572	0.592		3.5	20
1,1-Dichloroethene	0.552	0.572		3.62	20
Acetone	0.231	0.185		-19.91	20
Carbon Disulfide	1.668	1.595		-4.38	20
Methyl tert-butyl Ether	1.720	1.569		-8.78	20
Methyl Acetate	0.586	0.480		-18.09	20
Methylene Chloride	0.641	0.618		-3.59	20
trans-1,2-Dichloroethene	0.591	0.587		-0.68	20
1,1-Dichloroethane	1.092	1.081	0.1	-1.01	20
Cyclohexane	1.036	1.018		-1.74	20
2-Butanone	0.326	0.263		-19.33	20
Carbon Tetrachloride	0.518	0.515		-0.58	20
cis-1,2-Dichloroethene	0.694	0.686		-1.15	20
Bromochloromethane	0.495	0.476		-3.84	20
Chloroform	1.092	1.093		0.09	20
1,1,1-Trichloroethane	0.958	0.939		-1.98	20
Methylcyclohexane	0.628	0.627		-0.32	20
Benzene	1.413	1.415		0.14	20
1,2-Dichloroethane	0.497	0.481		-3.22	20
Trichloroethene	0.360	0.357		-0.83	20
1,2-Dichloropropane	0.350	0.353		0.86	20
Bromodichloromethane	0.514	0.521		1.36	20
4-Methyl-2-Pentanone	0.411	0.339		-17.52	20
Toluene	0.876	0.877		0.11	20
t-1,3-Dichloropropene	0.477	0.481		0.84	20
cis-1,3-Dichloropropene	0.541	0.545		0.74	20
1,1,2-Trichloroethane	0.327	0.311		-4.89	20
2-Hexanone	0.284	0.229		-19.37	20
Dibromochloromethane	0.385	0.377		-2.08	20
1,2-Dibromoethane	0.332	0.317		-4.52	20
Tetrachloroethene	0.346	0.344		-0.58	20
Chlorobenzene	1.104	1.089	0.3	-1.36	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2334 SAS No.: Q2334 SDG No.: Q2334

Instrument ID: MSVOA_X Calibration Date/Time: 06/19/2025 09:43

Lab File ID: VX046758.D Init. Calib. Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Ethyl Benzene	1.929	1.918		-0.57	20
m/p-Xylenes	0.719	0.724		0.69	20
o-Xylene	0.673	0.687		2.08	20
Styrene	1.179	1.192		1.1	20
Bromoform	0.282	0.263	0.1	-6.74	20
Isopropylbenzene	3.682	3.747		1.76	20
1,1,2,2-Tetrachloroethane	1.028	0.933	0.3	-9.24	20
1,3-Dichlorobenzene	1.728	1.670		-3.36	20
1,4-Dichlorobenzene	1.775	1.693		-4.62	20
1,2-Dichlorobenzene	1.615	1.598		-1.05	20
1,2-Dibromo-3-Chloropropane	0.203	0.164		-19.21	20
1,2,4-Trichlorobenzene	1.148	1.111		-3.22	20
1,2,3-Trichlorobenzene	1.098	1.064		-3.1	20
1,2-Dichloroethane-d4	0.692	0.639		-7.66	20
Dibromofluoromethane	0.331	0.327		-1.21	20
Toluene-d8	1.189	1.166		-1.93	20
4-Bromofluorobenzene	0.443	0.433		-2.26	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.



SAMPLE RAW DATA

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046765.D
 Acq On : 19 Jun 2025 12:33
 Operator : JC/MD
 Sample : Q2334-01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW3

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:19:00 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.562	168	123418	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	207193	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	191314	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	92623	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	82408	48.274	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	96.540%
35) Dibromofluoromethane	5.397	113	67098	48.946	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.900%
50) Toluene-d8	8.653	98	249208	50.599	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	101.200%
62) 4-Bromofluorobenzene	11.079	95	93782	51.082	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	102.160%
Target Compounds						
					Qvalue	
16) Acetone	2.398	43	1291	2.268	ug/l #	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046765.D
Acq On : 19 Jun 2025 12:33
Operator : JC/MD
Sample : Q2334-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW3

Quant Time: Jun 20 05:19:00 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration





#1
Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.562 min Scan# 71

Delta R.T. -0.000 min

Lab File: VX046765.D

Acq: 19 Jun 2025 12:33

Instrument :

MSVOA_X

ClientSampleId :





MW3

Tgt Ion:168 Resp: 123418

Ion Ratio Lower Upper

168 100

99 60.7 48.5 72.7



#16

Acetone

Concen: 2.268 ug/l

RT: 2.398 min Scan# 215

Delta R.T. 0.012 min

Lab File: VX046765.D




Acq: 19 Jun 2025 12:33


Tgt Ion: 43 Resp: 1291

Ion Ratio Lower Upper

43 100

58 21.2 24.5 36.7#





#33

1,2-Dichloroethane-d4

Concen: 48.274 ug/l

RT: 5.964 min Scan# 800

Delta R.T. -0.000 min

Lab File: VX046765.D

Acq: 19 Jun 2025 12:33

Instrument :

MSVOA_X

ClientSampleId :





MW3

Tgt Ion: 65 Resp: 82408

Ion Ratio Lower Upper

65 100

67 52.2 0.0 105.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 932

Delta R.T. 0.000 min

Lab File: VX046765.D

Acq: 19 Jun 2025 12:33




Tgt Ion: 114 Resp: 207193


Ion Ratio Lower Upper

114 100

63 21.3 0.0 44.2

88 16.8 0.0 33.2





#35

Dibromofluoromethane

Concen: 48.946 ug/l

RT: 5.397 min Scan# 707

Delta R.T. -0.000 min

Lab File: VX046765.D

Acq: 19 Jun 2025 12:33

Instrument :

MSVOA_X

ClientSampleId :

MW3





Tgt Ion:113 Resp: 67098

Ion Ratio Lower Upper

113 100

111 103.0 82.0 123.0

192 19.0 15.3 22.9



#50

Toluene-d8

Concen: 50.599 ug/l

RT: 8.653 min Scan# 1241

Delta R.T. 0.006 min

Lab File: VX046765.D




Acq: 19 Jun 2025 12:33


Tgt Ion: 98 Resp: 249208

Ion Ratio Lower Upper

98 100

100 65.9 53.0 79.4









#62
4-Bromofluorobenzene
Concen: 51.082 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.000 min
Lab File: VX046765.D
Acq: 19 Jun 2025 12:33




Instrument :
MSVOA_X
ClientSampleId :
MW3


Tgt Ion: 95 Resp: 93782
Ion Ratio Lower Upper
95 100
174 74.3 0.0 150.4
176 72.0 0.0 145.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. -0.000 min
Lab File: VX046765.D
Acq: 19 Jun 2025 12:33

Tgt Ion: 117 Resp: 191314
Ion Ratio Lower Upper
117 100
82 55.1 44.6 66.8
119 32.7 25.8 38.8





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 11

Delta R.T. -0.000 min

Lab File: VX046765.D

Acq: 19 Jun 2025 12:33

Instrument :

MSVOA_X

ClientSampleId :

MW3




Tgt Ion:152 Resp: 92623

Ion Ratio Lower Upper

152 100

115 60.8 43.2 129.6

150 156.8 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046765.D
Acq On : 19 Jun 2025 12:33
Operator : JC/MD
Sample : Q2334-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW3

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046765.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.264	25	29	41	rBV	9231	21318	3.21%	0.599%
2	5.397	695	707	724	rBV4	67931	219314	33.00%	6.164%
3	5.562	724	734	755	rVB	115993	359922	54.15%	10.116%
4	5.964	791	800	819	rBV	76808	223932	33.69%	6.294%
5	6.769	922	932	957	rBV	188544	485666	73.07%	13.650%
6	8.647	1234	1240	1256	rBV	398206	664621	100.00%	18.680%
7	10.055	1465	1471	1483	rBV	415290	582034	87.57%	16.358%
8	11.079	1634	1639	1656	rBV	341390	438288	65.95%	12.318%
9	12.018	1788	1793	1805	rBV	452050	562922	84.70%	15.821%




Sum of corrected areas: 3558017

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046765.D
Acq On : 19 Jun 2025 12:33
Operator : JC/MD
Sample : Q2334-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046765.D
Acq On : 19 Jun 2025 12:33
Operator : JC/MD
Sample : Q2334-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046765.D
Acq On : 19 Jun 2025 12:33
Operator : JC/MD
Sample : Q2334-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046766.D
 Acq On : 19 Jun 2025 12:54
 Operator : JC/MD
 Sample : Q2334-02
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 MW4

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:19:19 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	185853	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	317531	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	280337	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	136063	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	122789	47.765	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	95.540%
35) Dibromofluoromethane	5.397	113	101728	48.421	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	96.840%
50) Toluene-d8	8.653	98	374910	49.670	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.340%
62) 4-Bromofluorobenzene	11.079	95	139067	49.426	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	98.860%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046766.D
Acq On : 19 Jun 2025 12:54
Operator : JC/MD
Sample : Q2334-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW4

Quant Time: Jun 20 05:19:19 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 71
Delta R.T. 0.000 min
Lab File: VX046766.D
Acq: 19 Jun 2025 12:54




Instrument :
MSVOA_X
ClientSampleId :
MW4


Tgt Ion:168 Resp: 185853
Ion Ratio Lower Upper
168 100
99 60.4 48.5 72.7



#33
1,2-Dichloroethane-d4
Concen: 47.765 ug/l
RT: 5.964 min Scan# 800
Delta R.T. -0.000 min
Lab File: VX046766.D
Acq: 19 Jun 2025 12:54

Tgt Ion: 65 Resp: 122789
Ion Ratio Lower Upper
65 100
67 52.2 0.0 105.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54

Instrument :

MSVOA_X

ClientSampleId :

MW4





Tgt Ion:114 Resp: 317531

Ion Ratio Lower Upper

114 100

63 20.9 0.0 44.2

88 16.1 0.0 33.2



#35

Dibromofluoromethane

Concen: 48.421 ug/l

RT: 5.397 min Scan# 707

Delta R.T. -0.000 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54




Tgt Ion:113 Resp: 101728


Ion Ratio Lower Upper

113 100

111 102.7 82.0 123.0

192 18.8 15.3 22.9





#50

Toluene-d8

Concen: 49.670 ug/l

RT: 8.653 min Scan# 1241

Delta R.T. 0.006 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54

Instrument :

MSVOA_X

ClientSampleId :





MW4

Tgt Ion: 98 Resp: 374910

Ion Ratio Lower Upper

98 100

100 66.9 53.0 79.4



#62

4-Bromofluorobenzene

Concen: 49.426 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. -0.000 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54




Tgt Ion: 95 Resp: 139067


Ion Ratio Lower Upper

95 100

174 74.1 0.0 150.4

176 71.9 0.0 145.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. -0.000 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54

Instrument :

MSVOA_X

ClientSampleId :

MW4





Tgt Ion:117 Resp: 280337

Ion Ratio Lower Upper

117 100

82 54.4 44.6 66.8

119 31.9 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 1793

Delta R.T. -0.000 min

Lab File: VX046766.D

Acq: 19 Jun 2025 12:54




Tgt Ion:152 Resp: 136063

Ion Ratio Lower Upper

152 100

115 61.0 43.2 129.6

150 156.1 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046766.D
Acq On : 19 Jun 2025 12:54
Operator : JC/MD
Sample : Q2334-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW4

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046766.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.397	696	707	723	rBV4	105475	330909	32.82%	6.232%
2	5.562	723	734	757	rVB	179955	556834	55.23%	10.487%
3	5.964	789	800	820	rBV	118319	337277	33.45%	6.352%
4	6.769	920	932	952	rBV	288501	739050	73.30%	13.919%
5	8.647	1234	1240	1259	rBV	604437	1008212	100.00%	18.989%
6	10.055	1465	1471	1482	rBV	614108	858419	85.14%	16.168%
7	11.079	1634	1639	1652	rBV	514401	651133	64.58%	12.264%
8	12.018	1788	1793	1805	rBV	663422	827668	82.09%	15.588%




Sum of corrected areas: 5309502

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046766.D
Acq On : 19 Jun 2025 12:54
Operator : JC/MD
Sample : Q2334-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046766.D
Acq On : 19 Jun 2025 12:54
Operator : JC/MD
Sample : Q2334-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046766.D
Acq On : 19 Jun 2025 12:54
Operator : JC/MD
Sample : Q2334-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
MW4

A

B

C

D

E

F

G

H

I

J

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046767.D
 Acq On : 19 Jun 2025 13:15
 Operator : JC/MD
 Sample : Q2334-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 GBTW1

Quant Time: Jun 20 05:19:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.562	168	164981	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	283367	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	253680	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	125261	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	110074	48.236	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	96.480%
35) Dibromofluoromethane	5.397	113	92057	49.101	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	98.200%
50) Toluene-d8	8.653	98	334848	49.711	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.420%
62) 4-Bromofluorobenzene	11.079	95	125274	49.892	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	99.780%
Target Compounds						
					Qvalue	
16) Acetone	2.386	43	1511	1.986	ug/l #	77
17) Carbon Disulfide	2.532	76	4809	0.874	ug/l	98
64) Tetrachloroethene	9.275	164	2566	1.460	ug/l	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046767.D
Acq On : 19 Jun 2025 13:15
Operator : JC/MD
Sample : Q2334-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBTW1

Quant Time: Jun 20 05:19:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 734
Delta R.T. 0.000 min
Lab File: VX046767.D
Acq: 19 Jun 2025 13:15




Instrument :
MSVOA_X
ClientSampleId :
GBTW1


Tgt Ion:168 Resp: 164981
Ion Ratio Lower Upper
168 100
99 61.0 48.5 72.7



#16
Acetone
Concen: 1.986 ug/l
RT: 2.386 min Scan# 213
Delta R.T. -0.000 min
Lab File: VX046767.D
Acq: 19 Jun 2025 13:15

Tgt Ion: 43 Resp: 1511
Ion Ratio Lower Upper
43 100
58 17.8 24.5 36.7#





#17

Carbon Disulfide

Concen: 0.874 ug/l

RT: 2.532 min Scan# 21

Delta R.T. 0.006 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Instrument :

MSVOA_X

ClientSampleId :





GBTW1

Tgt Ion: 76 Resp: 4809

Ion Ratio Lower Upper

76 100

78 9.9 7.5 11.3



#33

1,2-Dichloroethane-d4

Concen: 48.236 ug/l

RT: 5.964 min Scan# 800

Delta R.T. -0.000 min

Lab File: VX046767.D




Acq: 19 Jun 2025 13:15


Tgt Ion: 65 Resp: 110074

Ion Ratio Lower Upper

65 100

67 53.2 0.0 105.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Instrument :

MSVOA_X

ClientSampleId :

GBTW1





Tgt Ion:114 Resp: 283367

Ion Ratio Lower Upper

114 100

63 22.8 0.0 44.2

88 15.9 0.0 33.2



#35

Dibromofluoromethane

Concen: 49.101 ug/l

RT: 5.397 min Scan# 707

Delta R.T. -0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15




Tgt Ion:113 Resp: 92057


Ion Ratio Lower Upper

113 100

111 101.9 82.0 123.0

192 18.8 15.3 22.9





#50

Toluene-d8

Concen: 49.711 ug/l

RT: 8.653 min Scan# 11

Delta R.T. 0.006 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Instrument :

MSVOA_X

ClientSampleId :





GBTW1

Tgt Ion: 98 Resp: 334848

Ion Ratio Lower Upper

98 100

100 66.1 53.0 79.4



#62

4-Bromofluorobenzene

Concen: 49.892 ug/l

RT: 11.079 min Scan# 1639

Delta R.T. -0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15




Tgt Ion: 95 Resp: 125274


Ion Ratio Lower Upper

95 100

174 75.1 0.0 150.4

176 73.2 0.0 145.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. -0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Instrument :

MSVOA_X

ClientSampleId :

GBTW1





Tgt Ion:117 Resp: 253680

Ion Ratio Lower Upper

117 100

82 55.6 44.6 66.8

119 32.4 25.8 38.8



#64

Tetrachloroethene

Concen: 1.460 ug/l

RT: 9.275 min Scan# 1343

Delta R.T. -0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Tgt Ion:164 Resp: 2566




Ion Ratio Lower Upper


164 100

166 121.4 104.6 157.0

129 108.0 76.3 114.5

131 86.2 74.1 111.1





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 11

Delta R.T. -0.000 min

Lab File: VX046767.D

Acq: 19 Jun 2025 13:15

Instrument :

MSVOA_X

ClientSampleId :

GBTW1




Tgt Ion:152 Resp: 125261

Ion Ratio Lower Upper

152 100

115 60.3 43.2 129.6

150 158.4 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046767.D
Acq On : 19 Jun 2025 13:15
Operator : JC/MD
Sample : Q2334-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBTW1

A
B
C
D
E
F
G
H
I
J

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046767.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	27	32	35	rBV3	5696	10760	1.20%	0.223%
2	5.397	695	707	724	rBV2	93142	298074	33.23%	6.184%
3	5.562	724	734	757	rVB2	158059	491438	54.79%	10.196%
4	5.964	790	800	822	rBV2	103314	302873	33.77%	6.284%
5	6.769	923	932	951	rBV	253353	654857	73.01%	13.586%
6	8.653	1234	1241	1259	rBV	535303	896930	100.00%	18.609%
7	9.275	1338	1343	1351	rBV	12483	19948	2.22%	0.414%
8	10.055	1465	1471	1486	rBV	566914	784826	87.50%	16.283%
9	11.079	1634	1639	1654	rBV	468785	591713	65.97%	12.276%
10	12.018	1788	1793	1807	rBV	612123	768502	85.68%	15.944%




Sum of corrected areas: 4819921

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046767.D
Acq On : 19 Jun 2025 13:15
Operator : JC/MD
Sample : Q2334-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBTW1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046767.D
Acq On : 19 Jun 2025 13:15
Operator : JC/MD
Sample : Q2334-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBTW1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046767.D
Acq On : 19 Jun 2025 13:15
Operator : JC/MD
Sample : Q2334-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBTW1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046760.D
 Acq On : 19 Jun 2025 10:33
 Operator : JC/MD
 Sample : VX0619WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBL01

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:15:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	124937	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	212303	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	191555	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	93040	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	83430	48.278	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	96.560%
35) Dibromofluoromethane	5.397	113	68758	48.950	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.900%
50) Toluene-d8	8.647	98	252224	49.979	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.960%
62) 4-Bromofluorobenzene	11.079	95	92918	49.393	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	98.780%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Time: Jun 20 05:15:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 734
Delta R.T. 0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33




Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01


Tgt Ion:168 Resp: 124937
Ion Ratio Lower Upper
168 100
99 60.2 48.5 72.7



#33
1,2-Dichloroethane-d4
Concen: 48.278 ug/l
RT: 5.964 min Scan# 800
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33

Tgt Ion: 65 Resp: 83430
Ion Ratio Lower Upper
65 100
67 52.4 0.0 105.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33

Instrument :

MSVOA_X

ClientSampleId :

VX0619WBL01





Tgt Ion:114 Resp: 212303

Ion Ratio Lower Upper

114 100

63 21.2 0.0 44.2

88 16.0 0.0 33.2



#35

Dibromofluoromethane

Concen: 48.950 ug/l

RT: 5.397 min Scan# 707

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33




Tgt Ion:113 Resp: 68758


Ion Ratio Lower Upper

113 100

111 103.2 82.0 123.0

192 19.4 15.3 22.9









#50
Toluene-d8
Concen: 49.979 ug/l
RT: 8.647 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33




Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01


Tgt Ion: 98 Resp: 252224
Ion Ratio Lower Upper
98 100
100 66.3 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 49.393 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33

Tgt Ion: 95 Resp: 92918
Ion Ratio Lower Upper
95 100
174 75.8 0.0 150.4
176 71.2 0.0 145.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33

Instrument :

MSVOA_X

ClientSampleId :

VX0619WBL01





Tgt Ion:117 Resp: 191555

Ion Ratio Lower Upper

117 100

82 55.3 44.6 66.8

119 31.4 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 1793

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33




Tgt Ion:152 Resp: 93040

Ion Ratio Lower Upper

152 100

115 60.1 43.2 129.6

150 157.7 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 3 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046760.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.397	694	707	724	rBV2	71138	226401	33.63%	6.316%
2	5.562	724	734	757	rVB2	118344	370009	54.96%	10.322%
3	5.964	791	800	818	rBV	78654	226828	33.69%	6.328%
4	6.769	923	932	954	rBV	190158	495034	73.53%	13.809%
5	8.647	1234	1240	1259	rBV	401216	673238	100.00%	18.781%
6	10.055	1465	1471	1483	rBV	404279	586443	87.11%	16.359%
7	11.079	1634	1639	1654	rBV	342631	438043	65.07%	12.220%
8	12.018	1788	1793	1808	rBV	460324	568770	84.48%	15.866%




Sum of corrected areas: 3584766

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

A

B

C

D

E

F

G

H

I

J

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046762.D
 Acq On : 19 Jun 2025 11:24
 Operator : JC/MD
 Sample : VX0619WBS01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBS01

Manual Integrations APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:16:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	137936	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	227140	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	207463	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	104652	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	5.964	65	94946	49.765	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	99.520%
35) Dibromofluoromethane	5.397	113	78196	52.032	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	104.060%
50) Toluene-d8	8.647	98	282602	52.340	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	104.680%
62) 4-Bromofluorobenzene	11.079	95	108869	54.092	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	108.180%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.185	85	28069	19.060	ug/l	97
3) Chloromethane	1.307	50	29736	18.707	ug/l	99
4) Vinyl Chloride	1.386	62	32033	18.898	ug/l	93
5) Bromomethane	1.630	94	20191	21.172	ug/l	93
6) Chloroethane	1.709	64	20468	19.923	ug/l	98
7) Trichlorofluoromethane	1.910	101	47476	18.446	ug/l	99
8) Diethyl Ether	2.148	74	16252	18.400	ug/l	99
9) 1,1,2-Trichlorotrifluo...	2.349	101	29254	18.528	ug/l	99
10) Methyl Iodide	2.471	142	29614	18.018	ug/l	99
11) Tert butyl alcohol	2.959	59	10810	63.126	ug/l	97
12) 1,1-Dichloroethene	2.337	96	28292	18.570	ug/l	97
13) Acrolein	2.251	56	18186	72.910	ug/l	98
14) Allyl chloride	2.684	41	49324	17.868	ug/l	99
15) Acrylonitrile	3.075	53	62463	81.119	ug/l	98
16) Acetone	2.386	43	47143	74.096	ug/l	96
17) Carbon Disulfide	2.532	76	78405	17.041	ug/l	98
18) Methyl Acetate	2.715	43	25862	16.004	ug/l	98
19) Methyl tert-butyl Ether	3.123	73	80635	16.997	ug/l	98
20) Methylene Chloride	2.806	84	32048	18.113	ug/l	98
21) trans-1,2-Dichloroethene	3.111	96	29757	18.253	ug/l	99
22) Diisopropyl ether	3.769	45	100392	18.921	ug/l	94
23) Vinyl Acetate	3.733	43	365712	86.676	ug/l	100
24) 1,1-Dichloroethane	3.623	63	55663	18.477	ug/l	99
25) 2-Butanone	4.568	43	70964m	78.864	ug/l	
26) 2,2-Dichloropropane	4.489	77	39442	17.951	ug/l	99
27) cis-1,2-Dichloroethene	4.507	96	35547	18.560	ug/l	98
28) Bromochloromethane	4.910	49	28430	20.816	ug/l	99
29) Tetrahydrofuran	5.013	42	44591	76.721	ug/l	99
30) Chloroform	5.105	83	57187	18.982	ug/l	93
31) Cyclohexane	5.483	56	53811	18.836	ug/l	96
32) 1,1,1-Trichloroethane	5.391	97	46675	17.665	ug/l	98
36) 1,1-Dichloropropene	5.702	75	40684	18.754	ug/l	99
37) Ethyl Acetate	4.727	43	31829	15.895	ug/l	98
38) Carbon Tetrachloride	5.690	117	42451	18.031	ug/l	99
39) Methylcyclohexane	7.385	83	52931	18.541	ug/l	99
40) Benzene	6.050	78	121111	18.864	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046762.D
 Acq On : 19 Jun 2025 11:24
 Operator : JC/MD
 Sample : VX0619WBS01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBS01

Quant Time: Jun 20 05:16:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
 Supervised By :Mahesh Dadoda 06/21/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	17227	16.137	ug/l	99
42) 1,2-Dichloroethane	6.092	62	41780	18.518	ug/l	100
43) Isopropyl Acetate	6.348	43	51032	16.286	ug/l	99
44) Trichloroethene	7.135	130	30093	18.392	ug/l	99
45) 1,2-Dichloropropane	7.433	63	29323	18.429	ug/l	95
46) Dibromomethane	7.592	93	20791	18.181	ug/l	99
47) Bromodichloromethane	7.824	83	44034	18.870	ug/l	99
48) Methyl methacrylate	7.696	41	25618	16.301	ug/l	98
49) 1,4-Dioxane	7.659	88	6374	299.149	ug/l	94
51) 4-Methyl-2-Pentanone	8.573	43	152568	81.636	ug/l	98
52) Toluene	8.720	92	75814	19.048	ug/l	98
53) t-1,3-Dichloropropene	8.982	75	38942	17.985	ug/l	99
54) cis-1,3-Dichloropropene	8.366	75	44663	18.171	ug/l	98
55) 1,1,2-Trichloroethane	9.153	97	27505	18.544	ug/l	99
56) Ethyl methacrylate	9.116	69	37095	16.942	ug/l	98
57) 1,3-Dichloropropane	9.311	76	47213	18.484	ug/l	100
58) 2-Chloroethyl Vinyl ether	8.244	63	101869	89.565	ug/l	99
59) 2-Hexanone	9.427	43	101986	78.935	ug/l	100
60) Dibromochloromethane	9.518	129	32154	18.395	ug/l	100
61) 1,2-Dibromoethane	9.610	107	27221	18.042	ug/l	100
64) Tetrachloroethene	9.275	164	25376	17.655	ug/l	95
65) Chlorobenzene	10.079	112	82392	17.991	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.159	131	27463	17.843	ug/l	98
67) Ethyl Benzene	10.195	91	144047	18.002	ug/l	97
68) m/p-Xylenes	10.299	106	111044	37.244	ug/l	100
69) o-Xylene	10.640	106	51894	18.572	ug/l	98
70) Styrene	10.652	104	89289	18.260	ug/l	99
71) Bromoform	10.799	173	19576	16.701	ug/l #	98
73) Isopropylbenzene	10.957	105	139510	18.100	ug/l	99
74) N-amyl acetate	10.841	43	46412	15.893	ug/l	99
75) 1,1,2,2-Tetrachloroethane	11.207	83	37312	17.337	ug/l	100
76) 1,2,3-Trichloropropane	11.238	75	29393m	15.335	ug/l	
77) Bromobenzene	11.195	156	33896	18.275	ug/l	99
78) n-propylbenzene	11.299	91	168589	18.415	ug/l	99
79) 2-Chlorotoluene	11.360	91	99687	18.238	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	115409	18.221	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.018	75	10102	14.897	ug/l	96
82) 4-Chlorotoluene	11.451	91	116713	18.296	ug/l	99
83) tert-Butylbenzene	11.713	119	118027	18.027	ug/l	99
84) 1,2,4-Trimethylbenzene	11.750	105	116817	18.357	ug/l	99
85) sec-Butylbenzene	11.890	105	153043	18.496	ug/l	100
86) p-Isopropyltoluene	12.006	119	127841	18.312	ug/l	99
87) 1,3-Dichlorobenzene	11.969	146	64330	17.788	ug/l	99
88) 1,4-Dichlorobenzene	12.036	146	64856	17.460	ug/l	99
89) n-Butylbenzene	12.329	91	118756	17.915	ug/l	100
90) Hexachloroethane	12.536	117	20652	16.893	ug/l	98
91) 1,2-Dichlorobenzene	12.335	146	61156	18.096	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	6425	15.122	ug/l	97
93) 1,2,4-Trichlorobenzene	13.585	180	41109	17.110	ug/l	98
94) Hexachlorobutadiene	13.719	225	17833	17.644	ug/l	96
95) Naphthalene	13.774	128	110507	16.144	ug/l	100
96) 1,2,3-Trichlorobenzene	13.957	180	40546	17.639	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046762.D
Acq On : 19 Jun 2025 11:24
Operator : JC/MD
Sample : VX0619WBS01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 20 05:16:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBS01

Manual Integrations
APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBS01

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046763.D
 Acq On : 19 Jun 2025 11:51
 Operator : JC/MD
 Sample : VX0619WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBSD01

Manual Integrations APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:17:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	120371	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	199496	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	183807	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	94851	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	5.958	65	85794	51.530	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	= 103.060%	
35) Dibromofluoromethane	5.391	113	69686	52.795	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	= 105.600%	
50) Toluene-d8	8.647	98	249730	52.661	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	= 105.320%	
62) 4-Bromofluorobenzene	11.079	95	97074	54.915	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	= 109.820%	

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.185	85	25471	19.820	ug/l	99
3) Chloromethane	1.307	50	27061	19.509	ug/l	96
4) Vinyl Chloride	1.386	62	29098	19.672	ug/l	95
5) Bromomethane	1.630	94	18436	22.153	ug/l	93
6) Chloroethane	1.703	64	18444	20.573	ug/l	95
7) Trichlorofluoromethane	1.904	101	43435	19.339	ug/l	97
8) Diethyl Ether	2.148	74	15726	20.402	ug/l	99
9) 1,1,2-Trichlorotrifluo...	2.349	101	27115	19.679	ug/l	98
10) Methyl Iodide	2.465	142	30018	20.229	ug/l	98
11) Tert butyl alcohol	2.959	59	10932	73.154	ug/l	96
12) 1,1-Dichloroethene	2.337	96	25867	19.455	ug/l	98
13) Acrolein	2.245	56	18810	86.416	ug/l	97
14) Allyl chloride	2.678	41	45893	19.051	ug/l	100
15) Acrylonitrile	3.068	53	61358	91.312	ug/l	99
16) Acetone	2.386	43	45269	81.534	ug/l	95
17) Carbon Disulfide	2.526	76	72150	17.970	ug/l	99
18) Methyl Acetate	2.709	43	25035	17.753	ug/l	100
19) Methyl tert-butyl Ether	3.117	73	77256	18.661	ug/l	98
20) Methylene Chloride	2.800	84	29836	19.323	ug/l	99
21) trans-1,2-Dichloroethene	3.105	96	27280	19.176	ug/l	97
22) Diisopropyl ether	3.764	45	94092	20.321	ug/l	87
23) Vinyl Acetate	3.733	43	359723	97.697	ug/l	100
24) 1,1-Dichloroethane	3.623	63	50927	19.372	ug/l	100
25) 2-Butanone	4.562	43	68340	87.030	ug/l	97
26) 2,2-Dichloropropane	4.489	77	36206	18.883	ug/l	99
27) cis-1,2-Dichloroethene	4.501	96	32489	19.438	ug/l	100
28) Bromochloromethane	4.910	49	27522	23.092	ug/l	97
29) Tetrahydrofuran	5.013	42	43894	86.542	ug/l	99
30) Chloroform	5.099	83	53771	20.452	ug/l	97
31) Cyclohexane	5.477	56	49014	19.660	ug/l	98
32) 1,1,1-Trichloroethane	5.391	97	44445	19.276	ug/l	99
36) 1,1-Dichloropropene	5.702	75	35819	18.799	ug/l	97
37) Ethyl Acetate	4.721	43	31001	17.627	ug/l	98
38) Carbon Tetrachloride	5.684	117	39531	19.117	ug/l	99
39) Methylcyclohexane	7.385	83	47544	18.962	ug/l	99
40) Benzene	6.044	78	112866	20.015	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046763.D
 Acq On : 19 Jun 2025 11:51
 Operator : JC/MD
 Sample : VX0619WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBSD01

Manual Integrations
 APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:17:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	17801	18.985	ug/l	96
42) 1,2-Dichloroethane	6.092	62	39829	20.100	ug/l	99
43) Isopropyl Acetate	6.342	43	50813	18.463	ug/l	99
44) Trichloroethene	7.129	130	27765	19.321	ug/l	89
45) 1,2-Dichloropropane	7.427	63	28336	20.276	ug/l	92
46) Dibromomethane	7.580	93	19978	19.891	ug/l	99
47) Bromodichloromethane	7.824	83	41221	20.112	ug/l	99
48) Methyl methacrylate	7.696	41	26092	18.904	ug/l	100
49) 1,4-Dioxane	7.659	88	6068	321.885	ug/l	97
51) 4-Methyl-2-Pentanone	8.574	43	150700	91.811	ug/l	98
52) Toluene	8.720	92	70998	20.310	ug/l	99
53) t-1,3-Dichloropropene	8.976	75	37151	19.536	ug/l	98
54) cis-1,3-Dichloropropene	8.366	75	43044	19.939	ug/l	100
55) 1,1,2-Trichloroethane	9.153	97	26588	20.409	ug/l	98
56) Ethyl methacrylate	9.116	69	35838	18.636	ug/l	97
57) 1,3-Dichloropropane	9.305	76	45490	20.277	ug/l	99
58) 2-Chloroethyl Vinyl ether	8.238	63	100239	100.344	ug/l	99
59) 2-Hexanone	9.427	43	100820	88.846	ug/l	100
60) Dibromochloromethane	9.519	129	30624	19.947	ug/l	99
61) 1,2-Dibromoethane	9.610	107	26614	20.084	ug/l	98
64) Tetrachloroethene	9.275	164	23913	18.778	ug/l	98
65) Chlorobenzene	10.079	112	78801	19.421	ug/l	100
66) 1,1,1,2-Tetrachloroethane	10.159	131	26522	19.449	ug/l	100
67) Ethyl Benzene	10.195	91	135702	19.141	ug/l	99
68) m/p-Xylenes	10.299	106	102519	38.810	ug/l	99
69) o-Xylene	10.640	106	49068	19.820	ug/l	99
70) Styrene	10.653	104	85333	19.696	ug/l	98
71) Bromoform	10.799	173	19127	18.418	ug/l #	98
73) Isopropylbenzene	10.957	105	129881	18.592	ug/l	100
74) N-amyl acetate	10.842	43	45562	17.214	ug/l	99
75) 1,1,2,2-Tetrachloroethane	11.207	83	35939	18.425	ug/l	100
76) 1,2,3-Trichloropropane	11.238	75	29301m	16.867	ug/l	
77) Bromobenzene	11.195	156	31899	18.976	ug/l	98
78) n-propylbenzene	11.299	91	156018	18.803	ug/l	100
79) 2-Chlorotoluene	11.360	91	92310	18.633	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	108639	18.925	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.018	75	9561	15.556	ug/l	95
82) 4-Chlorotoluene	11.451	91	108666	18.795	ug/l	99
83) tert-Butylbenzene	11.713	119	108810	18.337	ug/l	100
84) 1,2,4-Trimethylbenzene	11.750	105	108849	18.872	ug/l	100
85) sec-Butylbenzene	11.890	105	141281	18.839	ug/l	100
86) p-Isopropyltoluene	12.006	119	118528	18.732	ug/l	99
87) 1,3-Dichlorobenzene	11.969	146	60812	18.553	ug/l	99
88) 1,4-Dichlorobenzene	12.036	146	59834	17.772	ug/l	98
89) n-Butylbenzene	12.329	91	111302	18.526	ug/l	99
90) Hexachloroethane	12.536	117	19081	17.220	ug/l	96
91) 1,2-Dichlorobenzene	12.335	146	58188	18.997	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	6206	16.116	ug/l	97
93) 1,2,4-Trichlorobenzene	13.585	180	39871	18.309	ug/l	99
94) Hexachlorobutadiene	13.719	225	17144	18.715	ug/l	96
95) Naphthalene	13.774	128	107578	17.340	ug/l	99
96) 1,2,3-Trichlorobenzene	13.957	180	37893	18.189	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046763.D
Acq On : 19 Jun 2025 11:51
Operator : JC/MD
Sample : VX0619WBSD01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 20 05:17:34 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBSD01

Manual Integrations
APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBSD01

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025



Manual Integration Report

Sequence:	vx061725	Instrument	MSVOA_x
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICC005	VX046718.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:26:54 PM	MMDadoda	6/18/2025 6:21:14 PM	Peak Integrated by Software
VSTDICC020	VX046719.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:04 PM	MMDadoda	6/18/2025 6:21:20 PM	Peak Integrated by Software
VSTDICCC050	VX046720.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:12 PM	MMDadoda	6/18/2025 6:21:32 PM	Peak Integrated by Software
VSTDICC100	VX046721.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:20 PM	MMDadoda	6/18/2025 6:21:40 PM	Peak Integrated by Software
VSTDICC150	VX046722.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:27 PM	MMDadoda	6/18/2025 6:21:48 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	1,4-Dichlorobenzene	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	2,2-Dichloropropane	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Chloroform	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Ethyl Acetate	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Methacrylonitrile	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICV050	VX046726.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:47 PM	MMDadoda	6/18/2025 6:22:09 PM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	vx061725	Instrument	MSVOA_x
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
-----------	---------	-----------	-----------	-----------	---------------	---------------	--------

Manual Integration Report

Sequence:

VX061925

Instrument

MSVOA_x

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VX046758.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:24 AM	MMdadoda	6/21/2025 12:20:44 AM	Peak Integrated by Software
VSTDCCC050	VX046758.D	2-Butanone	JOHN	6/20/2025 8:42:24 AM	MMdadoda	6/21/2025 12:20:44 AM	Peak Integrated by Software
VX0619WBS01	VX046762.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:30 AM	MMdadoda	6/21/2025 12:20:48 AM	Peak Integrated by Software
VX0619WBS01	VX046762.D	2-Butanone	JOHN	6/20/2025 8:42:30 AM	MMdadoda	6/21/2025 12:20:48 AM	Peak Integrated by Software
VX0619WBSD0 1	VX046763.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:34 AM	MMdadoda	6/21/2025 12:20:52 AM	Peak Integrated by Software
VSTDCCC050	VX046775.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:59 AM	MMdadoda	6/21/2025 12:21:03 AM	Peak Integrated by Software

Instrument ID: **MSVOA_X**

Daily Analysis Runlog For Sequence/QC Batch ID # VX061725

Review By	Semsettin Yesilyurt	Review On	6/18/2025 5:28:16 PM
Supervise By	Mahesh Dadoda	Supervise On	6/18/2025 6:22:48 PM
SubDirectory	VX061725	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk	VP134389		
Initial Calibration Stds	VP134390,VP134391,VP134392,VP134393,VP134394,VP134395		
CCC			
Internal Standard/PEM			
ICV/I.BLK	VP134396		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VX046715.D	17 Jun 2025 08:46	JC/MD	Ok
2	VSTDICC001	VX046716.D	17 Jun 2025 10:09	JC/MD	Not Ok
3	VSTDICC001	VX046717.D	17 Jun 2025 10:58	JC/MD	ReRun
4	VSTDICC005	VX046718.D	17 Jun 2025 11:19	JC/MD	Ok,M
5	VSTDICC020	VX046719.D	17 Jun 2025 13:59	JC/MD	Ok,M
6	VSTDICCC050	VX046720.D	17 Jun 2025 14:20	JC/MD	Ok,M
7	VSTDICC100	VX046721.D	17 Jun 2025 14:41	JC/MD	Ok,M
8	VSTDICC150	VX046722.D	17 Jun 2025 15:02	JC/MD	Ok,M
9	IBLK	VX046723.D	17 Jun 2025 15:23	JC/MD	Ok
10	VSTDICC001	VX046724.D	17 Jun 2025 16:20	JC/MD	Not Ok
11	VSTDICC001	VX046725.D	17 Jun 2025 17:18	JC/MD	Ok,M
12	VSTDICV050	VX046726.D	17 Jun 2025 18:00	JC/MD	Ok,M

M : Manual Integration

Instrument ID: **MSVOA_X**

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM
Supervise By	Maresh Dadoda	Supervise On	6/21/2025 12:21:16 AM
SubDirectory	VX061925	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134428		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134429,VP134430		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VX046757.D	19 Jun 2025 08:42	JC/MD	Ok
2	VSTDCCC050	VX046758.D	19 Jun 2025 09:43	JC/MD	Ok,M
3	VX0619MBL01	VX046759.D	19 Jun 2025 10:12	JC/MD	Ok
4	VX0619WBL01	VX046760.D	19 Jun 2025 10:33	JC/MD	Ok
5	Q2345-01	VX046761.D	19 Jun 2025 11:03	JC/MD	Ok
6	VX0619WBS01	VX046762.D	19 Jun 2025 11:24	JC/MD	Ok,M
7	VX0619WBSD01	VX046763.D	19 Jun 2025 11:51	JC/MD	Ok,M
8	Q2361-01	VX046764.D	19 Jun 2025 12:12	JC/MD	Ok
9	Q2334-01	VX046765.D	19 Jun 2025 12:33	JC/MD	Ok
10	Q2334-02	VX046766.D	19 Jun 2025 12:54	JC/MD	Ok
11	Q2334-03	VX046767.D	19 Jun 2025 13:15	JC/MD	Ok
12	Q2363-02	VX046768.D	19 Jun 2025 13:36	JC/MD	Dilution
13	IBLK	VX046769.D	19 Jun 2025 13:57	JC/MD	Ok
14	IBLK	VX046770.D	19 Jun 2025 14:18	JC/MD	Ok
15	Q2351-01	VX046771.D	19 Jun 2025 15:45	JC/MD	Ok
16	Q2372-02	VX046772.D	19 Jun 2025 16:06	JC/MD	Ok
17	Q2372-01	VX046773.D	19 Jun 2025 16:27	JC/MD	Ok
18	IBLK	VX046774.D	19 Jun 2025 16:49	JC/MD	Ok
19	VSTDCCC050	VX046775.D	19 Jun 2025 17:10	JC/MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061725

Review By	Semsettin Yesilyurt	Review On	6/18/2025 5:28:16 PM
Supervise By	Mahesh Dadoda	Supervise On	6/18/2025 6:22:48 PM
SubDirectory	VX061725	HP Acquire Method	HP Processing Method 82X061725W.M

STD. NAME	STD REF.#
Tune/Reschk	VP134389
Initial Calibration Stds	VP134390,VP134391,VP134392,VP134393,VP134394,VP134395
CCC	
Internal Standard/PEM	
ICV/I.BLK	VP134396
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VX046715.D	17 Jun 2025 08:46		JC/MD	Ok
2	VSTDICC001	VSTDICC001	VX046716.D	17 Jun 2025 10:09	RRF check	JC/MD	Not Ok
3	VSTDICC001	VSTDICC001	VX046717.D	17 Jun 2025 10:58	low response	JC/MD	ReRun
4	VSTDICC005	VSTDICC005	VX046718.D	17 Jun 2025 11:19		JC/MD	Ok,M
5	VSTDICC020	VSTDICC020	VX046719.D	17 Jun 2025 13:59	LR- 10,49	JC/MD	Ok,M
6	VSTDICCC050	VSTDICCC050	VX046720.D	17 Jun 2025 14:20		JC/MD	Ok,M
7	VSTDICC100	VSTDICC100	VX046721.D	17 Jun 2025 14:41		JC/MD	Ok,M
8	VSTDICC150	VSTDICC150	VX046722.D	17 Jun 2025 15:02		JC/MD	Ok,M
9	IBLK	IBLK	VX046723.D	17 Jun 2025 15:23		JC/MD	Ok
10	VSTDICC001	VSTDICC001	VX046724.D	17 Jun 2025 16:20	spike error	JC/MD	Not Ok
11	VSTDICC001	VSTDICC001	VX046725.D	17 Jun 2025 17:18		JC/MD	Ok,M
12	VSTDICV050	ICVVX061725	VX046726.D	17 Jun 2025 18:00		JC/MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM
Supervise By	Maresh Dadoda	Supervise On	6/21/2025 12:21:16 AM
SubDirectory	VX061925	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134428		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134429,VP134430		

Sr#	Sampleld	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VX046757.D	19 Jun 2025 08:42		JC/MD	Ok
2	VSTDCCC050	VSTDCCC050	VX046758.D	19 Jun 2025 09:43	pH#Lot#V12668	JC/MD	Ok,M
3	VX0619MBL01	VX0619MBL01	VX046759.D	19 Jun 2025 10:12		JC/MD	Ok
4	VX0619WBL01	VX0619WBL01	VX046760.D	19 Jun 2025 10:33		JC/MD	Ok
5	Q2345-01	EB02-20250616	VX046761.D	19 Jun 2025 11:03	vial B pH<2 EB	JC/MD	Ok
6	VX0619WBS01	VX0619WBS01	VX046762.D	19 Jun 2025 11:24		JC/MD	Ok,M
7	VX0619WBSD01	VX0619WBSD01	VX046763.D	19 Jun 2025 11:51		JC/MD	Ok,M
8	Q2361-01	TT205S1-20250617	VX046764.D	19 Jun 2025 12:12	vial A pH<2	JC/MD	Ok
9	Q2334-01	MW3	VX046765.D	19 Jun 2025 12:33	vial A pH<2	JC/MD	Ok
10	Q2334-02	MW4	VX046766.D	19 Jun 2025 12:54	vial A pH<2	JC/MD	Ok
11	Q2334-03	GBTW1	VX046767.D	19 Jun 2025 13:15	vial A pH<2	JC/MD	Ok
12	Q2363-02	GCAP1W	VX046768.D	19 Jun 2025 13:36	vial A pH<2 Need 20X	JC/MD	Dilution
13	IBLK	IBLK	VX046769.D	19 Jun 2025 13:57		JC/MD	Ok
14	IBLK	IBLK	VX046770.D	19 Jun 2025 14:18		JC/MD	Ok
15	Q2351-01	FAIRLAWN-SUMP	VX046771.D	19 Jun 2025 15:45	vial A pH<2 oily sample	JC/MD	Ok
16	Q2372-02	GAV2W	VX046772.D	19 Jun 2025 16:06	vial A pH<2	JC/MD	Ok
17	Q2372-01	GAV1W	VX046773.D	19 Jun 2025 16:27	vial A pH<2	JC/MD	Ok
18	IBLK	IBLK	VX046774.D	19 Jun 2025 16:49		JC/MD	Ok

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM
Supervise By	Mahesh Dadoda	Supervise On	6/21/2025 12:21:16 AM
SubDirectory	VX061925	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134428		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134429,VP134430		

19	VSTDCCC050	VSTDCCC050EC	VX046775.D	19 Jun 2025 17:10		JC/MD	Ok,M
----	------------	--------------	------------	-------------------	--	-------	------

M : Manual Integration

A
B
C
D
E
F
G
H
I
J

LAB CHRONICLE

OrderID:	Q2334	OrderDate:	6/13/2025 3:40:07 PM
Client:	G Environmental	Project:	Buff
Contact:	Gary Landis	Location:	D52,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2334-01	MW3	Water	VOCMS Group1	8260-Low	06/12/25		06/19/25	06/13/25
Q2334-02	MW4	Water	VOCMS Group1	8260-Low	06/12/25		06/19/25	06/13/25
Q2334-03	GBTW1	Water	VOCMS Group1	8260-Low	06/12/25		06/19/25	06/13/25

Hit Summary Sheet
SW-846

SDG No.: Q2334 **Order ID:** Q2334
Client: G Environmental **Project ID:** Buff

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : MW3								
Q2334-01	MW3	Water	Iron	2430		11.7	50.0	ug/L
Q2334-01	MW3	Water	Manganese	530		2.97	10.0	ug/L
Q2334-01	MW3	Water	Sodium	9770		434	1000	ug/L
Client ID : MW4								
Q2334-02	MW4	Water	Iron	6700		11.7	50.0	ug/L
Q2334-02	MW4	Water	Manganese	426		2.97	10.0	ug/L
Q2334-02	MW4	Water	Sodium	21600		434	1000	ug/L
Client ID : GBTW1								
Q2334-03	GBTW1	Water	Iron	316000	D	58.5	250	ug/L
Q2334-03	GBTW1	Water	Manganese	11200	D	14.9	50.0	ug/L
Q2334-03	GBTW1	Water	Sodium	24500	D	2170	5000	ug/L



SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW3	SDG No.:	Q2334
Lab Sample ID:	Q2334-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-89-6	Iron	2430	1	11.7		50.0	ug/L	06/16/25 10:15	06/17/25 17:50	6010D	SW3010
7439-96-5	Manganese	530	1	2.97		10.0	ug/L	06/16/25 10:15	06/17/25 17:50	6010D	SW3010
7440-23-5	Sodium	9770	1	434		1000	ug/L	06/16/25 10:15	06/17/25 17:50	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group4			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW4	SDG No.:	Q2334
Lab Sample ID:	Q2334-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-89-6	Iron	6700	1	11.7		50.0	ug/L	06/16/25 10:15	06/17/25 18:16	6010D	SW3010
7439-96-5	Manganese	426	1	2.97		10.0	ug/L	06/16/25 10:15	06/17/25 18:16	6010D	SW3010
7440-23-5	Sodium	21600	1	434		1000	ug/L	06/16/25 10:15	06/17/25 18:16	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group4			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	GBTW1	SDG No.:	Q2334
Lab Sample ID:	Q2334-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7439-89-6	Iron	316000	D	5	58.5	250	ug/L	06/16/25 10:15	06/17/25 18:25	6010D	SW3010
7439-96-5	Manganese	11200	D	5	14.9	50.0	ug/L	06/16/25 10:15	06/17/25 18:25	6010D	SW3010
7440-23-5	Sodium	24500	D	5	2170	5000	ug/L	06/16/25 10:15	06/17/25 18:25	6010D	SW3010

Color Before:	Brown	Clarity Before:	Cloudy	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group4			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client:	G Environmental				SDG No.:	Q2334			
Contract:	GENV01	Lab Code:	CHEM	Case No.:	Q2334	SAS No.:	Q2334		
Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
ICB01	Iron	38.5	+/-50	J	100	P	06/17/2025	12:46	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	12:46	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	12:46	LB136187

Metals

- 3a -

INITIAL AND CONTINUING CALIBRATION BLANK SUMMARY

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334

Sample ID	Analyte	Result ug/L	Acceptance Limit	Conc Qual	CRQL	M	Analysis Date	Analysis Time	Run Number
CCB01	Iron	23.4	+/-50	U	100	P	06/17/2025	13:48	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	13:48	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	13:48	LB136187
CCB02	Iron	23.4	+/-50	U	100	P	06/17/2025	14:50	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	14:50	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	14:50	LB136187
CCB03	Iron	27.5	+/-50	J	100	P	06/17/2025	15:42	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	15:42	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	15:42	LB136187
CCB04	Iron	23.4	+/-50	U	100	P	06/17/2025	16:34	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	16:34	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	16:34	LB136187
CCB05	Iron	23.4	+/-50	U	100	P	06/17/2025	17:41	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	17:41	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	17:41	LB136187
CCB06	Iron	23.4	+/-50	U	100	P	06/17/2025	18:42	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	18:42	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	18:42	LB136187
CCB07	Iron	27.8	+/-50	J	100	P	06/17/2025	19:30	LB136187
	Manganese	5.94	+/-10	U	20.0	P	06/17/2025	19:30	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	19:30	LB136187
CCB08	Iron	41.7	+/-50	J	100	P	06/17/2025	20:22	LB136187
	Manganese	9.42	+/-10	J	20.0	P	06/17/2025	20:22	LB136187
	Sodium	868	+/-1000	U	2000	P	06/17/2025	20:22	LB136187

Metals
- 3b -
PREPARATION BLANK SUMMARY

Client: G Environmental

SDG No.: Q2334

Instrument: P5

Sample ID	Analyte	Result (ug/L)	Acceptance Limit	Conc Qual	CRQL ug/L	M	Analysis Date	Analysis Time	Run
PB168490BL	WATER			Batch Number:	PB168490		Prep Date:	06/16/2025	
	Iron	11.7	<25	U	50.0	P	06/17/2025	17:19	LB136187
	Manganese	2.97	<5	U	10.0	P	06/17/2025	17:19	LB136187
	Sodium	434	<500	U	1000	P	06/17/2025	17:19	LB136187



METAL CALIBRATION DATA

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
ICV01	Iron	3960	4000	99	90 - 110	P	06/17/2025	12:25	LB136187
	Manganese	2010	2000	100	90 - 110	P	06/17/2025	12:25	LB136187
	Sodium	20700	20000	104	90 - 110	P	06/17/2025	12:25	LB136187

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
LLICV01	Iron	110	100	110	80 - 120	P	06/17/2025	12:41	LB136187
	Manganese	21.1	20.0	105	80 - 120	P	06/17/2025	12:41	LB136187
	Sodium	1840	2000	92	80 - 120	P	06/17/2025	12:41	LB136187

Metals

- 2a -

INITIAL AND CONTINUING CALIBRATION VERIFICATION

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334
Initial Calibration Source: EPA
Continuing Calibration Source: Inorganic Ventures

Sample ID	Analyte	Result ug/L	True Value	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CCV01	Iron	4850	5000	97	90 - 110	P	06/17/2025	13:40	LB136187
	Manganese	2430	2500	97	90 - 110	P	06/17/2025	13:40	LB136187
	Sodium	24800	25000	99	90 - 110	P	06/17/2025	13:40	LB136187
CCV02	Iron	4990	5000	100	90 - 110	P	06/17/2025	14:43	LB136187
	Manganese	2490	2500	99	90 - 110	P	06/17/2025	14:43	LB136187
	Sodium	25100	25000	100	90 - 110	P	06/17/2025	14:43	LB136187
CCV03	Iron	4870	5000	97	90 - 110	P	06/17/2025	15:38	LB136187
	Manganese	2400	2500	96	90 - 110	P	06/17/2025	15:38	LB136187
	Sodium	24400	25000	98	90 - 110	P	06/17/2025	15:38	LB136187
CCV04	Iron	4980	5000	100	90 - 110	P	06/17/2025	16:30	LB136187
	Manganese	2470	2500	99	90 - 110	P	06/17/2025	16:30	LB136187
	Sodium	25400	25000	102	90 - 110	P	06/17/2025	16:30	LB136187
CCV05	Iron	4900	5000	98	90 - 110	P	06/17/2025	17:37	LB136187
	Manganese	2440	2500	98	90 - 110	P	06/17/2025	17:37	LB136187
	Sodium	25200	25000	101	90 - 110	P	06/17/2025	17:37	LB136187
CCV06	Iron	4900	5000	98	90 - 110	P	06/17/2025	18:38	LB136187
	Manganese	2400	2500	96	90 - 110	P	06/17/2025	18:38	LB136187
	Sodium	25100	25000	100	90 - 110	P	06/17/2025	18:38	LB136187
CCV07	Iron	4900	5000	98	90 - 110	P	06/17/2025	19:25	LB136187
	Manganese	2430	2500	97	90 - 110	P	06/17/2025	19:25	LB136187
	Sodium	26000	25000	104	90 - 110	P	06/17/2025	19:25	LB136187
CCV08	Iron	4770	5000	95	90 - 110	P	06/17/2025	20:17	LB136187
	Manganese	2390	2500	96	90 - 110	P	06/17/2025	20:17	LB136187
	Sodium	25700	25000	103	90 - 110	P	06/17/2025	20:17	LB136187



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334
Initial Calibration Source: _____
Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRI01	Iron	103	100	103	65 - 135	P	06/17/2025	12:50	LB136187
	Manganese	20.6	20.0	103	65 - 135	P	06/17/2025	12:50	LB136187
	Sodium	1870	2000	94	65 - 135	P	06/17/2025	12:50	LB136187

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: <u>G Environmental</u>	SDG No.: <u>Q2334</u>
Contract: <u>GENV01</u> Lab Code: <u>CHEM</u>	Case No.: <u>Q2334</u> SAS No.: <u>Q2334</u>
ICS Source: <u>EPA</u>	Instrument ID: <u>P5</u>

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSA01	Iron	103000	100000	103	85600	116500	06/17/2025	13:11	LB136187
	Manganese	5.99	7.0	86	-13	27	06/17/2025	13:11	LB136187
	Sodium	116			0	0	06/17/2025	13:11	LB136187
ICSAB01	Iron	104000	99000	105	84400	114500	06/17/2025	13:22	LB136187
	Manganese	509	510	100	430	584	06/17/2025	13:22	LB136187
	Sodium	122			0	0	06/17/2025	13:22	LB136187



METAL QC DATA

metals
- 5a -
MATRIX SPIKE SUMMARY

client: <u>G Environmental</u>	level: <u>low</u>	sdg no.: <u>Q2334</u>
contract: <u>GENV01</u>	lab code: <u>CHEM</u>	case no.: <u>Q2334</u> sas no.: <u>Q2334</u>
matrix: <u>Water</u>	sample id: <u>Q2334-01</u>	client id: <u>MW3MS</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q2334-01MS</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	Spiked Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Iron	ug/L	75 - 125	4110		2430		1500	112		P
Manganese	ug/L	75 - 125	661		530		100	131		P
Sodium	ug/L	75 - 125	11100		9770		1500	90		P

metals
- 5a -
MATRIX SPIKE DUPLICATE SUMMARY

client: <u>G Environmental</u>	level: <u>low</u>	sdg no.: <u>Q2334</u>
contract: <u>GENV01</u>	lab code: <u>CHEM</u>	case no.: <u>Q2334</u> sas no.: <u>Q2334</u>
matrix: <u>Water</u>	sample id: <u>Q2334-01</u>	client id: <u>MW3MSD</u>
Percent Solids for Sample: <u>NA</u>	Spiked ID: <u>Q2334-01MSD</u>	Percent Solids for Spike Sample: <u>NA</u>

Analyte	Units	Acceptance Limit %R	MSD Result	C	Sample Result	C	Spike Added	% Recovery	Qual	M
Iron	ug/L	75 - 125	4210		2430		1500	119		P
Manganese	ug/L	75 - 125	624		530		100	94		P
Sodium	ug/L	75 - 125	11200		9770		1500	94		P

Metals
- 5b -

Client: G Environmental **SDG No.:** Q2334
Contract: GENV01 **Lab Code:** CHEM **Case No.:** Q2334 **SAS No.:** Q2334
Matrix: **Level:** LOW **Client ID:**
Sample ID: **Spiked ID:**

Analyte	Units	Acceptance Limit %R	C	Sample Result	C	Spike Added	% Recovery	Qual	M
---------	-------	------------------------	---	------------------	---	----------------	---------------	------	---

.....

A
B
C
D
E
F
G
H
I
J

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client:	<u>G Environmental</u>	Level:	<u>LOW</u>	SDG No.:	<u>Q2334</u>
Contract:	<u>GENV01</u>	Lab Code:	<u>CHEM</u>	Case No.:	<u>Q2334</u>
Matrix:	<u>Water</u>	Sample ID:	<u>Q2334-01</u>	Client ID:	<u>MW3DUP</u>
Percent Solids for Sample:	NA	Duplicate ID	Q2334-01DUP	Percent Solids for Spike Sample:	NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Iron	ug/L	20	2430		2410		1		P
Manganese	ug/L	20	530		520		2		P
Sodium	ug/L	20	9770		9710		1		P

Metals

- 6 -

DUPLICATE SAMPLE SUMMARY

Client:	<u>G Environmental</u>	Level:	<u>LOW</u>	SDG No.:	<u>Q2334</u>
Contract:	<u>GENV01</u>	Lab Code:	<u>CHEM</u>	Case No.:	<u>Q2334</u>
Matrix:	<u>Water</u>	Sample ID:	<u>Q2334-01MS</u>	Client ID:	<u>MW3MSD</u>
Percent Solids for Sample:	NA	Duplicate ID	Q2334-01MSD	Percent Solids for Spike Sample:	NA

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M
Iron	ug/L	20	4110		4210		2		P
Manganese	ug/L	20	661		624		6		P
Sodium	ug/L	20	11100		11200		1		P

Metals

- 7 -

LABORATORY CONTROL SAMPLE SUMMARY

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Analyte	Units	True Value	Result	C	% Recovery	Acceptance Limits	M
PB168490BS							
Iron	ug/L	1500	1620		108	80 - 120	P
Manganese	ug/L	100	101		101	80 - 120	P
Sodium	ug/L	1500	1470		98	80 - 120	P

Metals
-9 -
ICP SERIAL DILUTIONS

SAMPLE NO.

MW3L

Lab Name: Chemtech Consulting Group

Contract: GENV01

Lab Code: CHEM **Lb No.:** lb136187

Lab Sample ID : Q2334-01L **SDG No.:** Q2334

Matrix (soil/water): Water

Level (low/med): LOW

Concentration Units: ug/L

Analyte	Initial Sample Result (I) C		Serial Dilution Result (S) C		% Differ- ence	Q	M
Iron	2430		3050		25		P
Manganese	530		562		6		P
Sodium	9770		10100		4		P

metals
- 14 -
ANALYSIS RUN LOG

Client: G Environmental

Contract: GENV01

Lab code: CHEM **Case no.:** Q2334 **Sas no.:** Q2334

Sdg no.: Q2334

Instrument id number: **Method:**

Run number: LB136187

Start date: 06/17/2025 **End date:** 06/17/2025

Lab sample id.	Client Sample Id	d/f	Time	Parameter list
S0	S0	1	1158	Fe,Mn,Na
S1	S1	1	1203	Fe,Mn,Na
S2	S2	1	1207	Fe,Mn,Na
S3	S3	1	1211	Fe,Mn,Na
S4	S4	1	1216	Fe,Mn,Na
S5	S5	1	1220	Fe,Mn,Na
ICV01	ICV01	1	1225	Fe,Mn,Na
LLICV01	LLICV01	1	1241	Fe,Mn,Na
ICB01	ICB01	1	1246	Fe,Mn,Na
CRI01	CRI01	1	1250	Fe,Mn,Na
ICSA01	ICSA01	1	1311	Fe,Mn,Na
ICSAB01	ICSAB01	1	1322	Fe,Mn,Na
CCV01	CCV01	1	1340	Fe,Mn,Na
CCB01	CCB01	1	1348	Fe,Mn,Na
CCV02	CCV02	1	1443	Fe,Mn,Na
CCB02	CCB02	1	1450	Fe,Mn,Na
CCV03	CCV03	1	1538	Fe,Mn,Na
CCB03	CCB03	1	1542	Fe,Mn,Na
CCV04	CCV04	1	1630	Fe,Mn,Na
CCB04	CCB04	1	1634	Fe,Mn,Na
PB168490BL	PB168490BL	1	1719	Fe,Mn,Na
PB168490BS	PB168490BS	1	1723	Fe,Mn,Na
CCV05	CCV05	1	1737	Fe,Mn,Na
CCB05	CCB05	1	1741	Fe,Mn,Na
Q2334-01	MW3	1	1750	Fe,Mn,Na
Q2334-01DUP	MW3DUP	1	1754	Fe,Mn,Na
Q2334-01L	MW3L	5	1759	Fe,Mn,Na
Q2334-01MS	MW3MS	1	1803	Fe,Mn,Na
Q2334-01MSD	MW3MSD	1	1807	Fe,Mn,Na
Q2334-02	MW4	1	1816	Fe,Mn,Na
Q2334-03	GBTW1	5	1825	Fe,Mn,Na
CCV06	CCV06	1	1838	Fe,Mn,Na
CCB06	CCB06	1	1842	Fe,Mn,Na
CCV07	CCV07	1	1925	Fe,Mn,Na
CCB07	CCB07	1	1930	Fe,Mn,Na
CCV08	CCV08	1	2017	Fe,Mn,Na
CCB08	CCB08	1	2022	Fe,Mn,Na



METAL PREPARATION & INSTRUMENT DATA

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Instrument ID: _____

Date: _____

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Al	Ca	Fe	Mg	Ag
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMEN CORRECTION FACTORS

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Instrument ID: _____

Date: _____

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		As	Ba	Be	Cd	Co
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMMENT CORRECTION FACTORS

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Instrument ID: _____

Date: _____

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Cr	Cu	K	Mn	Mo
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMEN CORRECTION FACTORS

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Instrument ID: _____

Date: _____

Interement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interement Correction Factors For:				
		Na	Ni	Pb	Sb	Se
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

Metals

- 11 -

ICP INTERELEMENT CORRECTION FACTORS

Client: G Environmental

SDG No.: Q2334

Contract: GENV01

Lab Code: CHEM

Case No.: Q2334

SAS No.: Q2334

Instrument ID: _____

Date: _____

Interelement Correction Factors (apparent ppb analyte/ppm interferent)

Analyte	Wave- Length (nm)	ICP Interelement Correction Factors For:				
		Sn	Ti	Tl	V	Zn
Iron	240.488	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Manganese	257.610	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000
Sodium	589.592	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000

LAB CHRONICLE

OrderID:	Q2334	OrderDate:	6/13/2025 3:40:07 PM
Client:	G Environmental	Project:	Buff
Contact:	Gary Landis	Location:	D52,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2334-01	MW3	Water	Metals Group4	6010D	06/12/25	06/16/25	06/17/25	06/13/25
Q2334-02	MW4	Water	Metals Group4	6010D	06/12/25	06/16/25	06/17/25	06/13/25
Q2334-03	GBTW1	Water	Metals Group4	6010D	06/12/25	06/16/25	06/17/25	06/13/25



METAL PREPARATION & ANALYICAL SUMMARY

Metals

- 13 -

SAMPLE PREPARATION SUMMARY

Client:	<u>G Environmental</u>	SDG No.:	<u>Q2334</u>
Contract:	<u>GENV01</u>	Lab Code:	<u>CHEM</u>
		Method:	<u></u>
		Case No.:	<u>Q2334</u>
		SAS No.:	<u>Q2334</u>

Sample ID	Client ID	Sample Type	Matrix	Prep Date	Initial Sample Size(mL)	Final Sample Volume (mL)	Percent Solids
Batch Number: PB168490							
PB168490BL	PB168490BL	MB	WATER	06/16/2025	50.0	25.0	
PB168490BS	PB168490BS	LCS	WATER	06/16/2025	50.0	25.0	
Q2334-01	MW3	SAM	WATER	06/16/2025	50.0	25.0	
Q2334-01DUP	MW3DUP	DUP	WATER	06/16/2025	50.0	25.0	
Q2334-01MS	MW3MS	MS	WATER	06/16/2025	50.0	25.0	
Q2334-01MSD	MW3MSD	MSD	WATER	06/16/2025	50.0	25.0	
Q2334-02	MW4	SAM	WATER	06/16/2025	50.0	25.0	
Q2334-03	GBTW1	SAM	WATER	06/16/2025	50.0	25.0	

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	S0	S0	CAL1	06/17/25 11:58		Jaswal	OK
2	S1	S1	CAL2	06/17/25 12:03		Jaswal	OK
3	S2	S2	CAL3	06/17/25 12:07		Jaswal	OK
4	S3	S3	CAL4	06/17/25 12:11		Jaswal	OK
5	S4	S4	CAL5	06/17/25 12:16		Jaswal	OK
6	S5	S5	CAL6	06/17/25 12:20		Jaswal	OK
7	ICV01	ICV01	ICV	06/17/25 12:25		Jaswal	OK
8	LLICV01	LLICV01	LLICV	06/17/25 12:41		Jaswal	OK
9	ICB01	ICB01	ICB	06/17/25 12:46		Jaswal	OK
10	CRI01	CRI01	CRDL	06/17/25 12:50		Jaswal	OK
11	ICSA01	ICSA01	ICSA	06/17/25 13:11		Jaswal	OK
12	ICSAB01	ICSAB01	ICSAB	06/17/25 13:22		Jaswal	OK
13	ICSADL	ICSADL	ICSA	06/17/25 13:28		Jaswal	OK
14	ICSABDL	ICSABDL	ICSAB	06/17/25 13:35		Jaswal	OK
15	CCV01	CCV01	CCV	06/17/25 13:40		Jaswal	OK
16	CCB01	CCB01	CCB	06/17/25 13:48		Jaswal	OK
17	Q2264-04	EF-WW	SAM	06/17/25 13:53		Jaswal	OK
18	Q2264-04L	EF-WWL	SD	06/17/25 14:02		Jaswal	OK

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

19	Q2264-04MS	EF-WWMS	MS	06/17/25 14:06		Jaswal	OK
20	Q2264-04MSD	EF-WWMSD	MSD	06/17/25 14:11		Jaswal	OK
21	Q2264-04A	EF-WWA	PS	06/17/25 14:15	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
22	Q2264-04DUP	EF-WWDUP	DUP	06/17/25 14:21		Jaswal	OK
23	Q2290-01	Outfall 1	SAM	06/17/25 14:25		Jaswal	OK
24	Q2290-02	Outfall 2	SAM	06/17/25 14:30		Jaswal	OK
25	Q2291-01	Outfall 001	SAM	06/17/25 14:34		Jaswal	OK
26	Q2292-01	SW-1	SAM	06/17/25 14:39		Jaswal	OK
27	CCV02	CCV02	CCV	06/17/25 14:43		Jaswal	OK
28	CCB02	CCB02	CCB	06/17/25 14:50		Jaswal	OK
29	Q2292-02	SW-2	SAM	06/17/25 14:54		Jaswal	OK
30	Q2293-01	SW-3	SAM	06/17/25 14:59		Jaswal	OK
31	Q2312-01	TP-1	SAM	06/17/25 15:03		Jaswal	OK
32	Q2319-01	MH-B	SAM	06/17/25 15:07		Jaswal	OK
33	Q2322-01	CL-01-061325	SAM	06/17/25 15:12		Jaswal	OK
34	Q2323-01	PL-01-06132025	SAM	06/17/25 15:16		Jaswal	OK
35	Q2324-01	HD-01-6132025	SAM	06/17/25 15:20		Jaswal	OK
36	Q2325-01	TP-8	SAM	06/17/25 15:25		Jaswal	OK
37	Q2325-01DUP	TP-8DUP	DUP	06/17/25 15:29		Jaswal	OK

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

38	Q2325-01L	TP-8L	SD	06/17/25 15:34		Jaswal	OK
39	CCV03	CCV03	CCV	06/17/25 15:38		Jaswal	OK
40	CCB03	CCB03	CCB	06/17/25 15:42		Jaswal	OK
41	Q2325-01MS	TP-8MS	MS	06/17/25 15:46		Jaswal	OK
42	Q2325-01MSD	TP-8MSD	MSD	06/17/25 15:51		Jaswal	OK
43	Q2325-01A	TP-8A	PS	06/17/25 15:55	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
44	Q2307-01	LINDEN-SAA	SAM	06/17/25 15:59		Jaswal	OK
45	Q2310-01	TP-7	SAM	06/17/25 16:04		Jaswal	OK
46	Q2310-01DUP	TP-7DUP	DUP	06/17/25 16:08		Jaswal	OK
47	Q2310-01L	TP-7L	SD	06/17/25 16:12		Jaswal	OK
48	Q2310-01MS	TP-7MS	MS	06/17/25 16:17		Jaswal	OK
49	Q2310-01MSD	TP-7MSD	MSD	06/17/25 16:21		Jaswal	OK
50	Q2310-01A	TP-7A	PS	06/17/25 16:25	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
51	CCV04	CCV04	CCV	06/17/25 16:30		Jaswal	OK
52	CCB04	CCB04	CCB	06/17/25 16:34		Jaswal	OK
53	PB168444BL	PB168444BL	MB	06/17/25 16:40		Jaswal	OK
54	PB168444BS	PB168444BS	LCS	06/17/25 16:49		Jaswal	OK
55	PB168489BL	PB168489BL	MB	06/17/25 17:00		Jaswal	OK
56	PB168489BS	PB168489BS	LCS	06/17/25 17:05		Jaswal	OK

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

57	PB168475BL	PB168475BL	MB	06/17/25 17:10		Jaswal	OK
58	PB168475BS	PB168475BS	LCS	06/17/25 17:14		Jaswal	OK
59	PB168490BL	PB168490BL	MB	06/17/25 17:19		Jaswal	OK
60	PB168490BS	PB168490BS	LCS	06/17/25 17:23		Jaswal	OK
61	Q2311-08	TP04-MH4-WC	SAM	06/17/25 17:27		Jaswal	OK
62	Q2311-04	TP03-MH2MH3-WC	SAM	06/17/25 17:32		Jaswal	OK
63	CCV05	CCV05	CCV	06/17/25 17:37		Jaswal	OK
64	CCB05	CCB05	CCB	06/17/25 17:41		Jaswal	OK
65	Q2334-01	MW3	SAM	06/17/25 17:50		Jaswal	OK
66	Q2334-01DUP	MW3DUP	DUP	06/17/25 17:54		Jaswal	OK
67	Q2334-01L	MW3L	SD	06/17/25 17:59		Jaswal	OK
68	Q2334-01MS	MW3MS	MS	06/17/25 18:03		Jaswal	OK
69	Q2334-01MSD	MW3MSD	MSD	06/17/25 18:07		Jaswal	OK
70	Q2334-02	MW4	SAM	06/17/25 18:16		Jaswal	OK
71	Q2334-01A	MW3A	PS	06/17/25 18:20	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
72	Q2334-03DL	GBTW1DL	SAM	06/17/25 18:25	Straight 5X	Jaswal	OK
73	Q2296-13	WC-4	SAM	06/17/25 18:29		Jaswal	OK
74	Q2296-17	WC-5	SAM	06/17/25 18:33		Jaswal	OK
75	CCV06	CCV06	CCV	06/17/25 18:38		Jaswal	OK

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

76	CCB06	CCB06	CCB	06/17/25 18:42		Jaswal	OK
77	Q2311-01	TP03-MH2MH3-WC	SAM	06/17/25 18:47		Jaswal	OK
78	Q2311-05	TP04-MH4-WC	SAM	06/17/25 18:51		Jaswal	OK
79	Q2296-01	WC-1	SAM	06/17/25 18:55		Jaswal	OK
80	Q2296-01DUP	WC-1DUP	DUP	06/17/25 19:00		Jaswal	OK
81	Q2296-01L	WC-1L	SD	06/17/25 19:04		Jaswal	OK
82	Q2296-01MS	WC-1MS	MS	06/17/25 19:08		Jaswal	OK
83	Q2296-01MSD	WC-1MSD	MSD	06/17/25 19:12		Jaswal	OK
84	Q2296-01A	WC-1A	PS	06/17/25 19:17	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
85	Q2296-09	WC-3	SAM	06/17/25 19:21		Jaswal	OK
86	CCV07	CCV07	CCV	06/17/25 19:25		Jaswal	OK
87	CCB07	CCB07	CCB	06/17/25 19:30		Jaswal	OK
88	Q2296-21	WC-6	SAM	06/17/25 19:34		Jaswal	OK
89	Q2297-01	TP-3	SAM	06/17/25 19:38		Jaswal	OK
90	Q2307-03DL	LINDEN-SAA-WATER	SAM	06/17/25 19:43		Jaswal	OK
91	Q2316-01	RW8-SP100-2025061	SAM	06/17/25 19:47		Jaswal	OK
92	Q2316-02	RW8-SP303-2025061	SAM	06/17/25 19:51		Jaswal	OK
93	Q2316-02DUP	RW8-SP303-2025061	DUP	06/17/25 19:56		Jaswal	OK
94	Q2316-02L	RW8-SP303-2025061	SD	06/17/25 20:00		Jaswal	OK

Instrument ID: P5

Daily Analysis Runlog For Sequence/QC Batch ID # LB136187

Review By	jaswal	Review On	6/19/2025 12:06:04 PM
Supervise By	MOHAN	Supervise On	6/19/2025 12:50:23 PM
STD. NAME	STD REF.#		
ICAL Standard	MP85867,MP85897,MP85871,MP85870,MP85869,MP85868		
ICV Standard	MP85872,MP85897		
CCV Standard	MP85875		
ICSA Standard	MP85873,MP85874		
CRI Standard	MP85897		
LCS Standard			
Chk Standard	MP85876,MP85877		

95	Q2316-02MS	RW8-SP303-2025061	MS	06/17/25 20:04		Jaswal	OK
96	Q2316-02MSD	RW8-SP303-2025061	MSD	06/17/25 20:09		Jaswal	OK
97	Q2316-02A	RW8-SP303-2025061	PS	06/17/25 20:13	0.1ML M6004,M6013-10ML SAMPLE	Jaswal	OK
98	CCV08	CCV08	CCV	06/17/25 20:17		Jaswal	OK
99	CCB08	CCB08	CCB	06/17/25 20:22		Jaswal	OK

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #2 2. N/A

Start Digest Date: 06/16/2025 Time : 10:15 Temp : 96 °C

End Digest Date: 06/16/2025 Time : 13:25 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: SPS.

Supervisor Signature: JSP

Temp : 1. 96°C 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6007
LFS-2	0.25	M6016
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M6158
1:1 HCL	5.00	MP85156
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK#1 CELL#50 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/16/25 14:25	SPS-met dis	JSP / Met lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB168490BL	PBW490	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	1
PB168490BS	LCS490	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6016	2
Q2334-01MS	MW3MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6016	5
Q2334-01MSD	MW3MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6016	6
Q2334-01DUP	MW3DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
Q2334-01	MW3	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3
Q2334-02	MW4	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	7
Q2334-03	GBTW1	<2	50	25	Brown	Colorless	Cloudy	Clear	N/A	8



SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25 13:45
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW3	SDG No.:	Q2334
Lab Sample ID:	Q2334-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Alkalinity	122		1	1.00	2.00	mg/L		06/19/25 12:24	SM 2320 B-21
Nitrate	0.18	J	1	0.095	0.50	mg/L		06/13/25 17:54	300.0
Sulfate	4.70		1	0.46	3.00	mg/L		06/13/25 17:54	300.0
COD	14.4		1	1.50	10.0	mg/L		06/19/25 13:32	SM 5220 D-11

Comments: The alkalinity to pH 4.31=122 mg CaCO₃/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25 12:45
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	MW4	SDG No.:	Q2334
Lab Sample ID:	Q2334-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Alkalinity	104		1	1.00	2.00	mg/L		06/19/25 12:34	SM 2320 B-21
Nitrate	0.43	J	1	0.095	0.50	mg/L		06/13/25 18:58	300.0
Sulfate	16.2		1	0.46	3.00	mg/L		06/13/25 18:58	300.0
COD	15.4		1	1.50	10.0	mg/L		06/19/25 13:34	SM 5220 D-11

Comments: The alkalinity to pH 4.30=104 mg CaCO₃/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	G Environmental	Date Collected:	06/12/25 13:00
Project:	Buff	Date Received:	06/13/25
Client Sample ID:	GBTW1	SDG No.:	Q2334
Lab Sample ID:	Q2334-03	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Alkalinity	84.9		1	1.00	2.00	mg/L		06/19/25 12:38	SM 2320 B-21
Nitrate	0.095	U	1	0.095	0.50	mg/L		06/13/25 19:20	300.0
Sulfate	19.4		1	0.46	3.00	mg/L		06/13/25 19:20	300.0
COD	53.0		1	1.50	10.0	mg/L		06/19/25 13:35	SM 5220 D-11

Comments: The alkalinity to pH 4.33=84.9 mg CaCO3/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: G Environmental

SDG No.: Q2334

Project: Buff

RunNo.: LB136158

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV1						
Bromide	mg/L	10.2	10	102	90-110	05/22/2025
Chloride	mg/L	3.1	3	103	90-110	05/22/2025
Fluoride	mg/L	2.1	2	105	90-110	05/22/2025
Nitrite	mg/L	3.1	3	103	90-110	05/22/2025
Nitrate	mg/L	2.6	2.5	104	90-110	05/22/2025
Sulfate	mg/L	15.1	15	101	90-110	05/22/2025
Orthophosphate as P	mg/L	5.3	5	106	90-110	05/22/2025
Sample ID: CCV1						
Bromide	mg/L	9.9	10	99	90-110	06/13/2025
Chloride	mg/L	3	3	100	90-110	06/13/2025
Fluoride	mg/L	0.81	2	40	90-110	06/13/2025
Nitrite	mg/L	3	3	100	90-110	06/13/2025
Nitrate	mg/L	2.5	2.5	100	90-110	06/13/2025
Sulfate	mg/L	14.6	15	97	90-110	06/13/2025
Orthophosphate as P	mg/L	4.5	5	90	90-110	06/13/2025
Sample ID: CCV2						
Bromide	mg/L	10	10	100	90-110	06/13/2025
Chloride	mg/L	3	3	100	90-110	06/13/2025
Fluoride	mg/L	2	2	100	90-110	06/13/2025
Nitrite	mg/L	3	3	100	90-110	06/13/2025
Nitrate	mg/L	2.5	2.5	100	90-110	06/13/2025
Sulfate	mg/L	14.8	15	99	90-110	06/13/2025
Orthophosphate as P	mg/L	5	5	100	90-110	06/13/2025

Initial and Continuing Calibration Verification

Client: G Environmental

SDG No.: Q2334

Project: Buff

RunNo.: LB136206

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV COD	mg/L	50.962	50	102	95-105	05/28/2025
Sample ID: CCV1 COD	mg/L	47.915	50	96	95-105	06/19/2025
Sample ID: CCV2 COD	mg/L	48.931	50	98	95-105	06/19/2025

Initial and Continuing Calibration Blank Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

RunNo.: LB136158

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB1							
Bromide	mg/L	< 1.0000	1.0000	U	0.37	2	05/22/2025
Chloride	mg/L	< 0.3000	0.3000	U	0.19	0.6	05/22/2025
Fluoride	mg/L	< 0.2000	0.2000	U	0.11	0.4	05/22/2025
Nitrite	mg/L	< 0.3000	0.3000	U	0.074	0.6	05/22/2025
Nitrate	mg/L	< 0.2500	0.2500	U	0.095	0.5	05/22/2025
Sulfate	mg/L	< 1.5000	1.5000	U	0.46	3	05/22/2025
Orthophosphate as P	mg/L	< 0.5000	0.5000	U	0.34	1	05/22/2025
Sample ID: CCB1							
Bromide	mg/L	< 1.0000	1.0000	U	0.37	2	06/13/2025
Chloride	mg/L	< 0.3000	0.3000	U	0.19	0.6	06/13/2025
Fluoride	mg/L	< 0.2000	0.2000	U	0.11	0.4	06/13/2025
Nitrite	mg/L	< 0.3000	0.3000	U	0.074	0.6	06/13/2025
Nitrate	mg/L	< 0.2500	0.2500	U	0.095	0.5	06/13/2025
Sulfate	mg/L	< 1.5000	1.5000	U	0.46	3	06/13/2025
Orthophosphate as P	mg/L	< 0.5000	0.5000	U	0.34	1	06/13/2025
Sample ID: CCB2							
Bromide	mg/L	< 1.0000	1.0000	U	0.37	2	06/13/2025
Chloride	mg/L	< 0.3000	0.3000	U	0.19	0.6	06/13/2025
Fluoride	mg/L	< 0.2000	0.2000	U	0.11	0.4	06/13/2025
Nitrite	mg/L	< 0.3000	0.3000	U	0.074	0.6	06/13/2025
Nitrate	mg/L	< 0.2500	0.2500	U	0.095	0.5	06/13/2025
Sulfate	mg/L	< 1.5000	1.5000	U	0.46	3	06/13/2025
Orthophosphate as P	mg/L	< 0.5000	0.5000	U	0.34	1	06/13/2025

Initial and Continuing Calibration Blank Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

RunNo.: LB136206

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB COD	mg/L	< 5.0000	5.0000	U	1.50	10	05/28/2025
Sample ID: CCB1 COD	mg/L	< 5.0000	5.0000	U	1.50	10	06/19/2025
Sample ID: CCB2 COD	mg/L	< 5.0000	5.0000	U	1.50	10	06/19/2025

Preparation Blank Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB136158BLW							
Bromide	mg/L	< 1.0000	1.0000	U	0.37	2	06/13/2025
Chloride	mg/L	< 0.3000	0.3000	U	0.19	0.6	06/13/2025
Fluoride	mg/L	< 0.2000	0.2000	U	0.11	0.4	06/13/2025
Nitrite	mg/L	< 0.3000	0.3000	U	0.074	0.6	06/13/2025
Nitrate	mg/L	< 0.2500	0.2500	U	0.095	0.5	06/13/2025
Sulfate	mg/L	< 1.5000	1.5000	U	0.46	3	06/13/2025
Orthophosphate as P	mg/L	< 0.5000	0.5000	U	0.34	1	06/13/2025
Sample ID: LB136205BLW							
Alkalinity	mg/L	< 1.0000	1.0000	U	1	2	06/19/2025
Sample ID: LB136206BL							
COD	mg/L	< 5.0000	5.0000	U	1.5	10.0	06/19/2025

Matrix Spike Summary

Client:	G Environmental	SDG No.:	Q2334
Project:	Buff	Sample ID:	Q2334-01
Client ID:	MW3MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Bromide	mg/L	80-120	10.1		0.37	U	10	1	101		06/13/2025
COD	mg/L	75-125	61.1		14.4		50.0	1	93		06/19/2025
Chloride	mg/L	80-120	4.20		1.20		3	1	100		06/13/2025
Fluoride	mg/L	80-120	2.10		0.11	U	2	1	105		06/13/2025
Nitrite	mg/L	80-120	3.00		0.074	U	3	1	100		06/13/2025
Nitrate	mg/L	80-120	2.60		0.18	J	2.5	1	97		06/13/2025
Sulfate	mg/L	80-120	19.2		4.70		15	1	97		06/13/2025
Orthophosphate as P	mg/L	80-120	5.30		0.34	U	5	1	106		06/13/2025

Matrix Spike Summary

Client:	G Environmental	SDG No.:	Q2334
Project:	Buff	Sample ID:	Q2334-01
Client ID:	MW3MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Bromide	mg/L	80-120	10.1		0.37	U	10	1	101		06/13/2025
COD	mg/L	75-125	60.1		14.4		50.0	1	91		06/19/2025
Chloride	mg/L	80-120	4.20		1.20		3	1	100		06/13/2025
Fluoride	mg/L	80-120	2.10		0.11	U	2	1	105		06/13/2025
Nitrite	mg/L	80-120	3.00		0.074	U	3	1	100		06/13/2025
Nitrate	mg/L	80-120	2.60		0.18	J	2.5	1	97		06/13/2025
Sulfate	mg/L	80-120	19.2		4.70		15	1	97		06/13/2025
Orthophosphate as P	mg/L	80-120	5.00		0.34	U	5	1	100		06/13/2025

Duplicate Sample Summary

Client:	G Environmental	SDG No.:	Q2334
Project:	Buff	Sample ID:	Q2334-01
Client ID:	MW3DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Alkalinity	mg/L	+/-20	122		121		1	1		06/19/2025
COD	mg/L	+/-20	14.4		15.4		1	6.71		06/19/2025

Duplicate Sample Summary

Client:	G Environmental	SDG No.:	Q2334
Project:	Buff	Sample ID:	Q2334-01
Client ID:	MW3MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Bromide	mg/L	+/-20	10.1		10.1		1	0		06/13/2025
Chloride	mg/L	+/-20	4.20		4.20		1	0		06/13/2025
Fluoride	mg/L	+/-20	2.10		2.10		1	0		06/13/2025
Nitrate	mg/L	+/-20	2.60		2.60		1	0		06/13/2025
Nitrite	mg/L	+/-20	3.00		3.00		1	0		06/13/2025
Sulfate	mg/L	+/-20	19.2		19.2		1	0		06/13/2025
Orthophosphate as P	mg/L	+/-20	5.30		5.00		1	6		06/13/2025
COD	mg/L	+/-20	61.1		60.1		1	1.65		06/19/2025

Laboratory Control Sample Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

Run No.: LB136158

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136158BSW							
Bromide	mg/L	10	10.0		100	1	90-110	06/13/2025
Chloride	mg/L	3	3.00		100	1	90-110	06/13/2025
Fluoride	mg/L	2	2.00		100	1	90-110	06/13/2025
Nitrite	mg/L	3	3.00		100	1	90-110	06/13/2025
Nitrate	mg/L	2.5	2.50		100	1	90-110	06/13/2025
Sulfate	mg/L	15	15.0		100	1	90-110	06/13/2025
Orthophosphate as P	mg/L	5	4.90		98	1	90-110	06/13/2025

Laboratory Control Sample Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

Run No.: LB136205

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136205BSW							
Alkalinity	mg/L	50	47.5		95	1	80-120	06/19/2025

Laboratory Control Sample Summary

Client: G Environmental

SDG No.: Q2334

Project: Buff

Run No.: LB136206

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136206BS							
COD	mg/L	50	51.0		102	1	90-110	06/19/2025

Instrument ID: IC-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136158

Review By	Iwona	Review On	6/16/2025 1:26:39 PM
Supervise By	Sohil	Supervise On	6/16/2025 1:28:02 PM
SubDirectory	LB136158	Test	Anions
STD. NAME	STD REF.#		
ICAL Standard	WP113186,WP113187,WP113188,WP113189,WP113190,WP113191,WP113192		
ICV Standard	WP113193		
CCV Standard	WP113532		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113533		
Chk Standard	WP113194,WP113195		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	STD1	STD1	CAL1	05/22/25 11:09	All standards, samples, and	NF/IZ	OK
2	STD2	STD2	CAL2	05/22/25 11:30	QC are filtered through	NF/IZ	OK
3	STD3	STD3	CAL3	05/22/25 11:52	0.45um, filter lot W3160	NF/IZ	OK
4	STD4	STD4	CAL4	05/22/25 12:13		NF/IZ	OK
5	STD5	STD5	CAL5	05/22/25 12:35		NF/IZ	OK
6	STD6	STD6	CAL6	05/22/25 12:56		NF/IZ	OK
7	STD7	STD7	CAL7	05/22/25 13:17		NF/IZ	OK
8	ICV1	ICV1	ICV	05/22/25 13:39		NF/IZ	OK
9	ICB1	ICB1	ICB	05/22/25 14:22		NF/IZ	OK
10	CCV1	CCV1	CCV	06/13/25 16:28		NF/IZ	OK
11	CCB1	CCB1	CCB	06/13/25 16:49		NF/IZ	OK
12	LB136158BLW	LB136158BLW	MB	06/13/25 17:11		NF/IZ	OK
13	LB136158BSW	LB136158BSW	LCS	06/13/25 17:32		NF/IZ	OK
14	Q2334-01	MW3	SAM	06/13/25 17:54		NF/IZ	OK
15	Q2334-01MS	MW3MS	MS	06/13/25 18:15	9.5ml of sample, 0.5mL W3092	NF/IZ	OK
16	Q2334-01MSD	MW3MSD	MSD	06/13/25 18:37	9.5ml of sample, 0.5mL W3092	NF/IZ	OK
17	Q2334-02	MW4	SAM	06/13/25 18:58		NF/IZ	OK
18	Q2334-03	GBTW1	SAM	06/13/25 19:20		NF/IZ	OK

Instrument ID: IC-1

Daily Analysis Runlog For Sequence/QC Batch ID # LB136158

Review By	Iwona	Review On	6/16/2025 1:26:39 PM
Supervise By	Sohil	Supervise On	6/16/2025 1:28:02 PM
SubDirectory	LB136158	Test	Anions
STD. NAME	STD REF.#		
ICAL Standard	WP113186,WP113187,WP113188,WP113189,WP113190,WP113191,WP113192		
ICV Standard	WP113193		
CCV Standard	WP113532		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113533		
Chk Standard	WP113194,WP113195		

19	CCV2	CCV2	CCV	06/13/25 19:42		NF/IZ	OK
20	CCB2	CCB2	CCB	06/13/25 20:03		NF/IZ	OK

Instrument ID: TITRATOR

Daily Analysis Runlog For Sequence/QC Batch ID # LB136205

Review By	Iwona	Review On	6/20/2025 4:04:31 PM
Supervise By	Sohil	Supervise On	6/20/2025 4:09:21 PM
SubDirectory	LB136205	Test	Alkalinity
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113583		
Chk Standard	W3071,W3178,W3150		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136205BLW	LB136205BLW	MB	06/19/25 12:15	pH=3.98	Iwona	OK
2	LB136205BSW	LB136205BSW	LCS	06/19/25 12:18	pH=4.38	Iwona	OK
3	Q2334-01	MW3	SAM	06/19/25 12:24	pH=4.31	Iwona	OK
4	Q2334-01DUP	MW3DUP	DUP	06/19/25 12:29	pH=4.35	Iwona	OK
5	Q2334-02	MW4	SAM	06/19/25 12:34	pH=4.30	Iwona	OK
6	Q2334-03	GBTW1	SAM	06/19/25 12:38	pH=4.33	Iwona	OK
7	Q2344-01	MW-1	SAM	06/19/25 12:43	pH=4.31	Iwona	OK
8	Q2344-03	MW-3	SAM	06/19/25 12:49	pH=4.40	Iwona	OK
9	Q2344-05	MW-4	SAM	06/19/25 12:55	pH=4.37	Iwona	OK
10	Q2344-07	MW-2	SAM	06/19/25 13:02	pH=4.32	Iwona	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB136206

Review By	Iwona	Review On	6/19/2025 2:30:45 PM
Supervise By	Sohil	Supervise On	6/19/2025 2:34:44 PM
SubDirectory	LB136206	Test	COD
STD. NAME	STD REF.#		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP113238,WP113237,WP113235,WP113234,WP113233,WP113240,WP113236,W3129,WP113586,WP113587,WP1		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	CAL1	CAL1	CAL	05/28/25 13:10		Iwona	OK
2	CAL2	CAL2	CAL	05/28/25 13:10		Iwona	OK
3	CAL3	CAL3	CAL	05/28/25 13:11		Iwona	OK
4	CAL4	CAL4	CAL	05/28/25 13:11		Iwona	OK
5	CAL5	CAL5	CAL	05/28/25 13:12		Iwona	OK
6	CAL6	CAL6	CAL	05/28/25 13:12		Iwona	OK
7	ICV	ICV	ICV	05/28/25 13:13		Iwona	OK
8	ICB	ICB	ICB	05/28/25 13:13		Iwona	OK
9	CCV1	CCV1	CCV	06/19/25 13:30		Iwona	OK
10	CCB1	CCB1	CCB	06/19/25 13:30		Iwona	OK
11	RL Check	RL Check	RL	06/19/25 13:31		Iwona	OK
12	LB136206BL	LB136206BL	MB	06/19/25 13:31		Iwona	OK
13	LB136206BS	LB136206BS	LCS	06/19/25 13:32		Iwona	OK
14	Q2334-01	MW3	SAM	06/19/25 13:32		Iwona	OK
15	Q2334-01DUP	MW3DUP	DUP	06/19/25 13:33		Iwona	OK
16	Q2334-01MS	MW3MS	MS	06/19/25 13:33		Iwona	OK
17	Q2334-01MSD	MW3MSD	MSD	06/19/25 13:34		Iwona	OK
18	Q2334-02	MW4	SAM	06/19/25 13:34		Iwona	OK

Instrument ID: SPECTROPHOTOMETER-2

Daily Analysis Runlog For Sequence/QC Batch ID # LB136206

Review By	Iwona	Review On	6/19/2025 2:30:45 PM
Supervise By	Sohil	Supervise On	6/19/2025 2:34:44 PM
SubDirectory	LB136206	Test	COD

STD. NAME	STD REF.#
ICAL Standard	N/A
ICV Standard	N/A
CCV Standard	N/A
ICSA Standard	N/A
CRI Standard	N/A
LCS Standard	N/A
Chk Standard	WP113238,WP113237,WP113235,WP113234,WP113233,WP113240,WP113236,W3129,WP113586,WP113587,WP1

19	Q2334-03	GBTW1	SAM	06/19/25 13:35		Iwona	OK
20	CCV2	CCV2	CCV	06/19/25 13:35		Iwona	OK
21	CCB2	CCB2	CCB	06/19/25 13:36		Iwona	OK

LAB CHRONICLE

OrderID:	Q2334	OrderDate:	6/13/2025 3:40:07 PM
Client:	G Environmental	Project:	Buff
Contact:	Gary Landis	Location:	D52,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2334-01	MW3	WATER			06/12/25 13:45			06/13/25
			Alkalinity	SM2320 B			06/19/25 12:24	
			Anions Group1	300.0			06/13/25 17:54	
			COD	SM5220 D			06/19/25 13:32	
Q2334-02	MW4	WATER			06/12/25 12:45			06/13/25
			Alkalinity	SM2320 B			06/19/25 12:34	
			Anions Group1	300.0			06/13/25 18:58	
			COD	SM5220 D			06/19/25 13:34	
Q2334-03	GBTW1	WATER			06/12/25 13:00			06/13/25
			Alkalinity	SM2320 B			06/19/25 12:38	
			Anions Group1	300.0			06/13/25 19:20	
			COD	SM5220 D			06/19/25 13:35	