

Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	06/17/25	
Project:	Transfer Station-SPDES		Date Received:	06/18/25	
Client Sample ID:	001-WILLETS-PT-BLVD(JUNE)DL		SDG No.:	Q2349	
Lab Sample ID:	Q2349-01DL		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VN087174.D	20		06/25/25 13:54	VN062525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	9.00	UD	9.00	100	ug/L
108-88-3	Toluene	840	D	9.20	100	ug/L
100-41-4	Ethyl Benzene	11.2	UD	11.2	100	ug/L
179601-23-1	m/p-Xylenes	26.0	UD	26.0	200	ug/L
95-47-6	o-Xylene	13.4	UD	13.4	100	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	28.1		91 - 110	94%	SPK: 30
2037-26-5	Toluene-d8	29.0		91 - 112	97%	SPK: 30
460-00-4	4-Bromofluorobenzene	28.8		63 - 112	96%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	36300	7.824			
540-36-3	1,4-Difluorobenzene	194000	9.106			
3114-55-4	Chlorobenzene-d5	178000	11.865			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products