



# SHIPPING DOCUMENTS

Client Contact Information						Bottle Order ID : <b>B2506027</b>				Courier :				1 of 1 COCs															
Client ID : <b>WATE03</b> Project ID : <b>Air - TO-15</b>						Sampler Name(s) :				Analysis				Matrix															
Customer Name : <b>Water Resource Technologies, Inc.</b> Address : <b>2 Kanouse Road</b> City : <b>Newfoundland</b> State : <b>NJ</b> Zip Code : <b>07435</b> Country :						Project Manager : <b>Bob okken</b>				<b>AIR ANALYSIS CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>																			
						Phone Number : <b>973-697-4700</b>																							
						Fax Number : <b>9736973220</b>																							
						Site Details:																							
Analysis Turnaround Time						Standard : <b>10 business days</b> <b>OR</b>				Data Package Type :																			
Rush (Specify): <b>Days</b>						EDD Type :																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SS-1	6/17	12:20	1:23	30	9	65	67	-30	-8.4	10181	10280	6 L	100	VL042491.D															
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <span style="float: right; border: 1px solid black; padding: 5px;">[Signature]</span>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions.  Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :  Suspected Contamination:      High      Medium      Low      PID Readings:  Sampling site (State):																													
Quick Connector required : <i>NO</i>																													
Canisters Shipped by: <i>Seam</i>				Date/Time: <i>06/13/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>6/13/25</i>				<b>B2506027 - 1</b>													
Samples Relinquished by: <i>[Signature]</i>				Date/Time: <i>6-18-25</i>				Received by: <i>[Signature]</i>				Date/Time: <i>6-18-25 1414</i>																	
Relinquished by: <i>[Signature]</i>				Date/Time: <i>6-18-25 1630</i>				Received by: <i>[Signature]</i>				Date/Time:																	

### Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## Internal Chain of Custody

**Instructions:** Use 1 form for each 20 samples of aliquot

### Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~NOGE~~

Title: Sample Custodian

Field Sample Seal No. Q2359



Date Broken 6/19/2025

Military Time Seal Broken: 02:14:00  
~~00:00:00~~

Case No.: Air - TO-15

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2359-01	SS-1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
6/19	0845	Signature 	Signature 	
		Printed Name <u>George N.</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy