

Analytical Sequence

Client: G Environmental

SDG No.: Q2364

Project: Ave B

Instrument ID: ECD_P

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 06/17/2025 06/17/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	06/17/2025	09:47	PP072990.D	10.19	4.49
AR1660ICC1000	AR1660ICC1000	06/17/2025	10:04	PP072991.D	10.19	4.49
AR1660ICC750	AR1660ICC750	06/17/2025	10:20	PP072992.D	10.19	4.49
AR1660ICC500	AR1660ICC500	06/17/2025	10:37	PP072993.D	10.19	4.49
AR1660ICC250	AR1660ICC250	06/17/2025	10:53	PP072994.D	10.19	4.49
AR1660ICC050	AR1660ICC050	06/17/2025	11:43	PP072995.D	10.19	4.50
AR1221ICC500	AR1221ICC500	06/17/2025	12:00	PP072996.D	10.18	4.49
AR1232ICC500	AR1232ICC500	06/17/2025	12:16	PP072997.D	10.19	4.50
AR1242ICC1000	AR1242ICC1000	06/17/2025	14:27	PP072998.D	10.19	4.49
AR1242ICC750	AR1242ICC750	06/17/2025	14:43	PP072999.D	10.19	4.49
AR1242ICC500	AR1242ICC500	06/17/2025	15:00	PP073000.D	10.19	4.49
AR1242ICC250	AR1242ICC250	06/17/2025	15:16	PP073001.D	10.19	4.49
AR1242ICC050	AR1242ICC050	06/17/2025	15:32	PP073002.D	10.18	4.49
AR1248ICC1000	AR1248ICC1000	06/17/2025	15:49	PP073003.D	10.19	4.49
AR1248ICC750	AR1248ICC750	06/17/2025	16:21	PP073004.D	10.19	4.49
AR1248ICC500	AR1248ICC500	06/17/2025	16:37	PP073005.D	10.19	4.49
AR1248ICC250	AR1248ICC250	06/17/2025	16:54	PP073006.D	10.19	4.49
AR1248ICC050	AR1248ICC050	06/17/2025	17:10	PP073007.D	10.18	4.49
AR1254ICC1000	AR1254ICC1000	06/17/2025	17:26	PP073008.D	10.19	4.49
AR1254ICC750	AR1254ICC750	06/17/2025	17:43	PP073009.D	10.19	4.49
AR1254ICC500	AR1254ICC500	06/17/2025	17:59	PP073010.D	10.19	4.49
AR1254ICC250	AR1254ICC250	06/17/2025	18:15	PP073011.D	10.19	4.49
AR1254ICC050	AR1254ICC050	06/17/2025	18:32	PP073012.D	10.19	4.49
AR1262ICC500	AR1262ICC500	06/17/2025	18:48	PP073013.D	10.19	4.49
AR1268ICC1000	AR1268ICC1000	06/17/2025	19:04	PP073014.D	10.19	4.49
AR1268ICC750	AR1268ICC750	06/17/2025	19:21	PP073015.D	10.18	4.49
AR1268ICC500	AR1268ICC500	06/17/2025	19:37	PP073016.D	10.18	4.49
AR1268ICC250	AR1268ICC250	06/17/2025	19:53	PP073017.D	10.19	4.50
AR1268ICC050	AR1268ICC050	06/17/2025	20:10	PP073018.D	10.18	4.49
AR1660CCC500	AR1660CCC500	06/20/2025	09:16	PP073117.D	10.18	4.49
IBLK	IBLK	06/20/2025	10:22	PP073121.D	10.18	4.49
PB168558BL	PB168558BL	06/20/2025	12:08	PP073123.D	10.19	4.49
PB168558BS	PB168558BS	06/20/2025	12:24	PP073124.D	10.18	4.49
TP-11MS	Q2362-01MS	06/20/2025	12:56	PP073126.D	10.18	4.49
TP-11MSD	Q2362-01MSD	06/20/2025	13:13	PP073127.D	10.19	4.49
GAV1A	Q2364-01	06/20/2025	13:45	PP073129.D	10.18	4.49
GAV1B	Q2364-02	06/20/2025	14:01	PP073130.D	10.19	4.49
GAV2A	Q2364-03	06/20/2025	14:18	PP073131.D	10.19	4.49
AR1660CCC500	AR1660CCC500	06/20/2025	15:23	PP073132.D	10.19	4.49
IBLK	IBLK	06/20/2025	16:29	PP073136.D	10.18	4.49
GAV2B	Q2364-04	06/20/2025	17:34	PP073140.D	10.19	4.49
AR1660CCC500	AR1660CCC500	06/20/2025	20:33	PP073147.D	10.18	4.49

Analytical Sequence

1.BLK	1.BLK	06/20/2025	21:55	PP073151.D	10.18	4.49
-------	-------	------------	-------	------------	-------	------

Analytical Sequence

Client: G Environmental

SDG No.: Q2364

Project: Ave B

Instrument ID: ECD_P

GC Column: ZB-MR2

ID: 0.32 (mm)

Inst. Calib. Date(s): 06/17/2025 06/17/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	06/17/2025	09:47	PP072990.D	8.80	3.79
AR1660ICC1000	AR1660ICC1000	06/17/2025	10:04	PP072991.D	8.80	3.79
AR1660ICC750	AR1660ICC750	06/17/2025	10:20	PP072992.D	8.80	3.79
AR1660ICC500	AR1660ICC500	06/17/2025	10:37	PP072993.D	8.80	3.79
AR1660ICC250	AR1660ICC250	06/17/2025	10:53	PP072994.D	8.80	3.79
AR1660ICC050	AR1660ICC050	06/17/2025	11:43	PP072995.D	8.80	3.79
AR1221ICC500	AR1221ICC500	06/17/2025	12:00	PP072996.D	8.80	3.79
AR1232ICC500	AR1232ICC500	06/17/2025	12:16	PP072997.D	8.80	3.79
AR1242ICC1000	AR1242ICC1000	06/17/2025	14:27	PP072998.D	8.80	3.79
AR1242ICC750	AR1242ICC750	06/17/2025	14:43	PP072999.D	8.80	3.79
AR1242ICC500	AR1242ICC500	06/17/2025	15:00	PP073000.D	8.80	3.79
AR1242ICC250	AR1242ICC250	06/17/2025	15:16	PP073001.D	8.80	3.79
AR1242ICC050	AR1242ICC050	06/17/2025	15:32	PP073002.D	8.80	3.79
AR1248ICC1000	AR1248ICC1000	06/17/2025	15:49	PP073003.D	8.80	3.79
AR1248ICC750	AR1248ICC750	06/17/2025	16:21	PP073004.D	8.80	3.79
AR1248ICC500	AR1248ICC500	06/17/2025	16:37	PP073005.D	8.80	3.79
AR1248ICC250	AR1248ICC250	06/17/2025	16:54	PP073006.D	8.80	3.79
AR1248ICC050	AR1248ICC050	06/17/2025	17:10	PP073007.D	8.80	3.79
AR1254ICC1000	AR1254ICC1000	06/17/2025	17:26	PP073008.D	8.80	3.79
AR1254ICC750	AR1254ICC750	06/17/2025	17:43	PP073009.D	8.80	3.79
AR1254ICC500	AR1254ICC500	06/17/2025	17:59	PP073010.D	8.80	3.79
AR1254ICC250	AR1254ICC250	06/17/2025	18:15	PP073011.D	8.80	3.79
AR1254ICC050	AR1254ICC050	06/17/2025	18:32	PP073012.D	8.80	3.79
AR1262ICC500	AR1262ICC500	06/17/2025	18:48	PP073013.D	8.80	3.79
AR1268ICC1000	AR1268ICC1000	06/17/2025	19:04	PP073014.D	8.80	3.79
AR1268ICC750	AR1268ICC750	06/17/2025	19:21	PP073015.D	8.80	3.79
AR1268ICC500	AR1268ICC500	06/17/2025	19:37	PP073016.D	8.80	3.79
AR1268ICC250	AR1268ICC250	06/17/2025	19:53	PP073017.D	8.80	3.79
AR1268ICC050	AR1268ICC050	06/17/2025	20:10	PP073018.D	8.80	3.79
AR1660CCC500	AR1660CCC500	06/20/2025	09:16	PP073117.D	8.80	3.79
IBLK	IBLK	06/20/2025	10:22	PP073121.D	8.79	3.79
PB168558BL	PB168558BL	06/20/2025	12:08	PP073123.D	8.80	3.79
PB168558BS	PB168558BS	06/20/2025	12:24	PP073124.D	8.80	3.79
TP-11MS	Q2362-01MS	06/20/2025	12:56	PP073126.D	8.79	3.78
TP-11MSD	Q2362-01MSD	06/20/2025	13:13	PP073127.D	8.80	3.79
GAV1A	Q2364-01	06/20/2025	13:45	PP073129.D	8.80	3.79
GAV1B	Q2364-02	06/20/2025	14:01	PP073130.D	8.80	3.79
GAV2A	Q2364-03	06/20/2025	14:18	PP073131.D	8.80	3.79
AR1660CCC500	AR1660CCC500	06/20/2025	15:23	PP073132.D	8.79	3.79
IBLK	IBLK	06/20/2025	16:29	PP073136.D	8.80	3.79
GAV2B	Q2364-04	06/20/2025	17:34	PP073140.D	8.80	3.79
AR1660CCC500	AR1660CCC500	06/20/2025	20:33	PP073147.D	8.80	3.79

Analytical Sequence

1.BLK	1.BLK	06/20/2025	21:55	PP073151.D	8.80	3.79
-------	-------	------------	-------	------------	------	------