

## **DATA PACKAGE**

VOLATILE ORGANICS

**PROJECT NAME : 1426 OGDEN AVE, BRONX NY**

**GFE LLC**

**58 Nokomis Ave**

**Lake Hiawatha, NJ - 07034**

**Phone No: 646-542-3465**

**ORDER ID : Q2368**

**ATTENTION : Frank Galdun**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	14
6.1) CHAIN OF CUSTODY	15
6.2) Lab Certificate	17
6.3) Internal COC	18

1
2
3
4
5
6

## Cover Page

**Order ID :** Q2368

**Project ID :** 1426 Ogden Ave, Bronx NY

**Client :** GFE LLC

**Lab Sample Number**

Q2368-01  
Q2368-02

**Client Sample Number**

SV1  
IA1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 6/25/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **GFE LLC**

**Project Name: 1426 Ogden Ave, Bronx NY**

**Project # N/A**

**Order ID # Q2368**

**Test Name: VOCMS Group2**

### **A. Number of Samples and Date of Receipt:**

2 Air samples were received on 06/19/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax, Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, Sample SV1 was initially diluted.

Sample IA1 was diluted due to high concentration.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

**E. Additional Comments:**

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ul>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2368

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 06/25/2025

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2368  
**Client:** GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID:</b>	<b>SV1</b>							
Q2368-01	SV1	Air	Heptane	80.7		6.97	20.5	ug/m3
Q2368-01	SV1	Air	Benzene	6.39	J	2.52	16.0	ug/m3
Q2368-01	SV1	Air	Toluene	104		6.03	18.8	ug/m3
Q2368-01	SV1	Air	Tetrachloroethene	9.49		1.02	2.03	ug/m3
Q2368-01	SV1	Air	Ethyl Benzene	25.2		8.25	21.7	ug/m3
Q2368-01	SV1	Air	m/p-Xylene	185		17.8	43.4	ug/m3
Q2368-01	SV1	Air	o-Xylene	73.0		9.12	21.7	ug/m3
Q2368-01	SV1	Air	1,2,4-Trimethylbenzene	35.9		8.85	24.6	ug/m3
Q2368-01	SV1	Air	Hexane	239		5.64	17.6	ug/m3
			<b>Total Voc :</b>		759			
			<b>Total Concentration:</b>		759			
<b>Client ID:</b>	<b>IA1</b>							
Q2368-02	IA1	Air	Vinyl Chloride	0.10		0.080	0.080	ug/m3
Q2368-02	IA1	Air	Heptane	12.3		0.70	2.05	ug/m3
Q2368-02	IA1	Air	Cyclohexane	6.88		0.76	1.72	ug/m3
Q2368-02	IA1	Air	cis-1,2-Dichloroethene	1.19	J	0.40	1.98	ug/m3
Q2368-02	IA1	Air	2,2,4-Trimethylpentane	18.7		0.65	2.34	ug/m3
Q2368-02	IA1	Air	Benzene	16.0		0.26	1.60	ug/m3
Q2368-02	IA1	Air	Trichloroethene	1.24		0.11	0.16	ug/m3
Q2368-02	IA1	Air	Toluene	84.8	E	0.60	1.88	ug/m3
Q2368-02	IA1	Air	Tetrachloroethene	1080	E	0.14	0.20	ug/m3
Q2368-02	IA1	Air	Ethyl Benzene	25.2		0.83	2.17	ug/m3
Q2368-02	IA1	Air	m/p-Xylene	91.2		1.78	4.34	ug/m3
Q2368-02	IA1	Air	o-Xylene	35.2		0.91	2.17	ug/m3
Q2368-02	IA1	Air	1,3,5-Trimethylbenzene	5.90		0.88	2.46	ug/m3
Q2368-02	IA1	Air	1,2,4-Trimethylbenzene	19.2		0.88	2.46	ug/m3
Q2368-02	IA1	Air	Naphthalene	1.26		0.050	0.52	ug/m3
Q2368-02	IA1	Air	Hexane	30.0		0.56	1.76	ug/m3
			<b>Total Voc :</b>		1430			
			<b>Total Concentration:</b>		1430			
<b>Client ID:</b>	<b>IA1DL</b>							
Q2368-02DL	IA1DL	Air	Benzene	13.4	JD	10.2	63.9	ug/m3
Q2368-02DL	IA1DL	Air	Toluene	60.7	JD	24.1	75.4	ug/m3
Q2368-02DL	IA1DL	Air	Tetrachloroethene	1490	D	4.07	8.14	ug/m3
Q2368-02DL	IA1DL	Air	Hexane	22.6	JD	22.6	70.5	ug/m3
			<b>Total Voc :</b>		1590			
			<b>Total Concentration:</b>		1590			





# SAMPLE DATA

## Report of Analysis

Client:	GFE LLC	Date Collected:	06/18/25
Project:	1426 Ogden Ave, Bronx NY	Date Received:	06/19/25
Client Sample ID:	SV1	SDG No.:	Q2368
Lab Sample ID:	Q2368-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042655.D	10		06/19/25 15:09	VL061925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>							
75-01-4	Vinyl Chloride	0.25	0.64	U	0.64	0.77	ug/m3
142-82-5	Heptane	19.7	80.7		6.97	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.50	5.95	U	5.95	19.8	ug/m3
110-82-7	Cyclohexane	2.20	7.57	U	7.57	17.2	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	U	3.93	19.8	ug/m3
71-55-6	1,1,1-Trichloroethane	0.16	0.87	U	0.87	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.40	6.54	U	6.54	23.4	ug/m3
71-43-2	Benzene	2.00	6.39	J	2.52	16.0	ug/m3
79-01-6	Trichloroethene	0.24	1.29	U	1.29	1.61	ug/m3
108-88-3	Toluene	27.6	104		6.03	18.8	ug/m3
127-18-4	Tetrachloroethene	1.40	9.49		1.02	2.03	ug/m3
100-41-4	Ethyl Benzene	5.80	25.2		8.25	21.7	ug/m3
179601-23-1	m/p-Xylene	42.5	185		17.8	43.4	ug/m3
95-47-6	o-Xylene	16.8	73.0		9.12	21.7	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	U	8.85	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	7.30	35.9		8.85	24.6	ug/m3
91-20-3	Naphthalene	0.13	0.68	U	0.68	5.24	ug/m3
110-54-3	Hexane	67.9	239		5.64	17.6	ug/m3
<b>SURROGATES</b>							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102%	SPK: 10
<b>INTERNAL STANDARDS</b>							
74-97-5	Bromochloromethane	108000			2.797		
540-36-3	1,4-Difluorobenzene	293000			3.975		
3114-55-4	Chlorobenzene-d5	269000			8.898		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

## Report of Analysis

Client:	GFE LLC	Date Collected:	06/18/25
Project:	1426 Ogden Ave, Bronx NY	Date Received:	06/19/25
Client Sample ID:	IA1	SDG No.:	Q2368
Lab Sample ID:	Q2368-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042654.D	1		06/19/25 14:36	VL061925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>							
75-01-4	Vinyl Chloride	0.040	0.10		0.080	0.080	ug/m3
142-82-5	Heptane	3.00	12.3		0.70	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.15	0.59	U	0.59	1.98	ug/m3
110-82-7	Cyclohexane	2.00	6.88		0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.30	1.19	J	0.40	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	4.00	18.7		0.65	2.34	ug/m3
71-43-2	Benzene	5.00	16.0		0.26	1.60	ug/m3
79-01-6	Trichloroethene	0.23	1.24		0.11	0.16	ug/m3
108-88-3	Toluene	22.5	84.8	E	0.60	1.88	ug/m3
127-18-4	Tetrachloroethene	160	1080	E	0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	5.80	25.2		0.83	2.17	ug/m3
179601-23-1	m/p-Xylene	21.0	91.2		1.78	4.34	ug/m3
95-47-6	o-Xylene	8.10	35.2		0.91	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.20	5.90		0.88	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	3.90	19.2		0.88	2.46	ug/m3
91-20-3	Naphthalene	0.24	1.26		0.050	0.52	ug/m3
110-54-3	Hexane	8.50	30.0		0.56	1.76	ug/m3
<b>SURROGATES</b>							
460-00-4	1-Bromo-4-Fluorobenzene	10.6			65 - 135	106%	SPK: 10
<b>INTERNAL STANDARDS</b>							
74-97-5	Bromochloromethane	111000			2.803		
540-36-3	1,4-Difluorobenzene	298000			3.985		
3114-55-4	Chlorobenzene-d5	266000			8.908		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

## Report of Analysis

Client:	GFE LLC	Date Collected:	06/18/25
Project:	1426 Ogden Ave, Bronx NY	Date Received:	06/19/25
Client Sample ID:	IA1DL	SDG No.:	Q2368
Lab Sample ID:	Q2368-02DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042660.D	40		06/19/25 18:00	VL061925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>							
75-01-4	Vinyl Chloride	1.00	2.56	UD	2.56	3.07	ug/m3
142-82-5	Heptane	6.80	27.9	UD	27.9	82.0	ug/m3
75-35-4	1,1-Dichloroethene	6.00	23.8	UD	23.8	79.3	ug/m3
110-82-7	Cyclohexane	8.80	30.3	UD	30.3	68.8	ug/m3
156-59-2	cis-1,2-Dichloroethene	4.00	15.9	UD	15.9	79.3	ug/m3
71-55-6	1,1,1-Trichloroethane	0.64	3.49	UD	3.49	6.55	ug/m3
540-84-1	2,2,4-Trimethylpentane	5.60	26.2	UD	26.2	93.4	ug/m3
71-43-2	Benzene	4.20	13.4	JD	10.2	63.9	ug/m3
79-01-6	Trichloroethene	0.96	5.16	UD	5.16	6.45	ug/m3
108-88-3	Toluene	16.1	60.7	JD	24.1	75.4	ug/m3
127-18-4	Tetrachloroethene	220	1490	D	4.07	8.14	ug/m3
100-41-4	Ethyl Benzene	7.60	33.0	UD	33.0	86.9	ug/m3
179601-23-1	m/p-Xylene	16.4	71.2	UD	71.2	174	ug/m3
95-47-6	o-Xylene	8.40	36.5	UD	36.5	86.9	ug/m3
108-67-8	1,3,5-Trimethylbenzene	7.20	35.4	UD	35.4	98.3	ug/m3
95-63-6	1,2,4-Trimethylbenzene	7.20	35.4	UD	35.4	98.3	ug/m3
91-20-3	Naphthalene	0.52	2.73	UD	2.73	21.0	ug/m3
110-54-3	Hexane	6.40	22.6	JD	22.6	70.5	ug/m3
<b>SURROGATES</b>							
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100%	SPK: 10
<b>INTERNAL STANDARDS</b>							
74-97-5	Bromochloromethane	108000		2.8			
540-36-3	1,4-Difluorobenzene	275000		3.981			
3114-55-4	Chlorobenzene-d5	237000		8.904			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

## LAB CHRONICLE

<b>OrderID:</b>	Q2368	<b>OrderDate:</b>	6/19/2025 1:17:00 PM
<b>Client:</b>	GFE LLC	<b>Project:</b>	1426 Ogden Ave, Bronx NY
<b>Contact:</b>	Frank Galdun	<b>Location:</b>	Air Lab,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2368-01</b>	<b>SV1</b>	<b>Air</b>	VOCMS Group2	TO-15	<b>06/18/25</b>		06/19/25	<b>06/19/25</b>
<b>Q2368-02</b>	<b>IA1</b>	<b>Air</b>	VOCMS Group2	TO-15	<b>06/18/25</b>		06/19/25	<b>06/19/25</b>
<b>Q2368-02DL</b>	<b>IA1DL</b>	<b>Air</b>	VOCMS Group2	TO-15	<b>06/18/25</b>		06/19/25	<b>06/19/25</b>



# SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : <b>B2506029</b>				Courier : <b>FGALDUN</b>				1 of 2 COCs																	
Client ID : <b>GFEL01</b>				Project ID : <b>University of Bronx</b>				Sampler Name(s) : <b>FRANK GALDUN</b>				Analysis		Matrix															
Customer Name : <b>GFE LLC</b>  Address : <b>58 Nokomis Ave</b>  City : <b>Lake Hiawatha</b>  State : <b>NJ</b>  Zip Code : <b>07034</b>  Country :				Project Manager : <b>Frank galdun</b>				<b>AIR ANALYSIS</b> <b>CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>																					
				Phone Number : <b>646-542-3465</b>																									
				Fax Number : <b>973-334-1692</b>																									
				Site Details: <b>1426 OGDEN AVE BRONX, NY</b>																									
				Analysis Turnaround Time <b>5 DAY</b>				Data Package Type : <b>Result Only</b>																					
				Standard : <b>10 business days</b> OR				EDD Type :																					
Country :				Rush (Specify): <b>S</b> Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<b>SV1</b>	<b>6/18/25</b>	<b>10:52</b>	<b>12:52</b>	<b>30</b>	<b>0</b>	<b>79</b>	<b>75</b>	<b>-30</b>	<b>-4.7</b>	<b>10649</b>	<b>10606</b>	<b>6 L</b>	<b>50</b>	<b>VL042491.D</b>	<b>1</b>		<b>1</b>												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <b>[Signature]</b>							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. <b>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</b> Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium <b>Low</b> PID Readings: <b>0.3</b>																													
Sampling site (State):																													
Quick Connector required : <b>No</b>																													
Canisters Shipped by: <b>Sam</b>				Date/Time: <b>6/19/25</b>				Canisters Received by:				Date/Time:																	
Samples Relinquished by: <b>[Signature]</b>				Date/Time: <b>6/19/25</b>				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by: <b>[Signature]</b>				Date/Time: <b>6/19/25 1237</b>																	

B2506029 - 4

Client Contact Information				Bottle Order ID : <b>B2506029</b>				Courier : <b>FGALDUN</b>				2 of 2 EOCs			
Client ID : <b>GFEL01</b>				Project ID : <b>University Ave Bronx</b>				Sampler Name(s) : <b>FRANK GALDUN</b>				Analysis		Matrix	
Customer Name : <b>GFE LLC</b>  Address : <b>58 Nokomis Ave</b>  City : <b>Lake Hiawatha</b>  State : <b>NJ</b>  Zip Code : <b>07034</b>  Country :				Project Manager : <b>Frank galdun</b>				<b>AIR ANALYSIS CHAIN-OF-CUSTODY</b>  <b>Batch Certified</b>							
				Phone Number : <b>646-542-3465</b>											
				Fax Number : <b>973-334-1692</b>											
				Site Details: <b>1426 OGDEN AVE. BRONX, NY</b>											
				Analysis Turnaround Time <b>5 DAY</b>				Data Package Type : <b>RESULTS ONLY</b>							
				Standard : <b>10 business days</b> OR				EDD Type : <b>PDF</b>							
Rush (Specify): <b>5 Days</b>															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1	6/18/25	10:44	12:44	0.5	4.5	75	75	-30	-5.9	10511	10321	6 L	50	VL042490.D	1	1	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) <span style="float: right; border: 1px solid black; padding: 5px;">[Signature]</span>
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					<p>** Submittal of this COC indicates approval of the analysis based on existing conditions.</p> <p><b>REPORT ONLY THOSE ANALYTES ON THE ATTACHED LIST</b></p> <p>Please follow the instructions on the back of this COC.</p>
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination:      High      Medium      Low      PID Readings: QO

Sampling site (State):

Quick Connector required : NO

Canisters Shipped by: <u>[Signature]</u>	Date/Time: <u>6/13/25</u>	Canisters Received by:	Date/Time:
Samples Relinquished by: <u>[Signature]</u>	Date/Time: <u>6/19/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by: <u>CP</u>	Date/Time: <u>6/19/25 1237</u>

B2506029 - 2



### Laboratory Certification



Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

# Internal Chain of Custody

**Instructions:** Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
<u>QA/QC:</u>		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q2368</u>		Date Broken <u>6/19/2025</u> Military Time Seal Broken: <u>12:37:00</u>	
Case No.: <u>1426 Ogden Ave, Bronx NY</u>		Analytical Parameter/Fraction <u>VOCMS Group2</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2368-01	SV1		
Q2368-02	IA1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
6/19/25	14:47	Signature 	Signature 	
		Printed Name <u>Cassanova</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)      Yellow - Contractor Archive      Pink - Sample Custodian - Interim Copy