

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	1426 Ogden Ave, Bronx NY	Date Received:	
Client Sample ID:	VL0619ABS01	SDG No.:	Q2368
Lab Sample ID:	VL0619ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042649.D	1		06/19/25 10:26	VL061925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	9.30	23.8		0.080	0.080	ug/m3
142-82-5	Heptane	9.50	38.9		0.70	2.05	ug/m3
75-35-4	1,1-Dichloroethene	10.9	43.2		0.59	1.98	ug/m3
110-82-7	Cyclohexane	9.10	31.3		0.76	1.72	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.70	38.5		0.40	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	10.0	54.6		0.11	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	11.1	51.9		0.65	2.34	ug/m3
71-43-2	Benzene	10.8	34.5		0.26	1.60	ug/m3
79-01-6	Trichloroethene	10.2	54.8		0.11	0.16	ug/m3
108-88-3	Toluene	10.5	39.6		0.60	1.88	ug/m3
127-18-4	Tetrachloroethene	9.80	66.5		0.14	0.20	ug/m3
100-41-4	Ethyl Benzene	11.1	48.2		0.83	2.17	ug/m3
179601-23-1	m/p-Xylene	23.2	101		1.78	4.34	ug/m3
95-47-6	o-Xylene	11.7	50.8		0.91	2.17	ug/m3
108-67-8	1,3,5-Trimethylbenzene	11.5	56.5		0.88	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	11.6	57.0		0.88	2.46	ug/m3
91-20-3	Naphthalene	11.8	61.9		0.050	0.52	ug/m3
110-54-3	Hexane	9.40	33.1		0.56	1.76	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.6			65 - 135	106%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	108000		2.8			
540-36-3	1,4-Difluorobenzene	277000		3.975			
3114-55-4	Chlorobenzene-d5	244000		8.901			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements