

Report of Analysis

Client:	GFE LLC	Date Collected:	06/18/25
Project:	1438 University Ave, Bronx NY	Date Received:	06/19/25
Client Sample ID:	SV1	SDG No.:	Q2369
Lab Sample ID:	Q2369-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042657.D	10		06/19/25 16:17	VL061925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.25	0.64	U	0.64	0.77	ug/m3
142-82-5	Heptane	4.60	18.9	J	6.97	20.5	ug/m3
75-35-4	1,1-Dichloroethene	1.50	5.95	U	5.95	19.8	ug/m3
110-82-7	Cyclohexane	2.70	9.29	J	7.57	17.2	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.99	3.93	U	3.93	19.8	ug/m3
71-55-6	1,1,1-Trichloroethane	0.16	0.87	U	0.87	1.64	ug/m3
540-84-1	2,2,4-Trimethylpentane	4.40	20.6	J	6.54	23.4	ug/m3
71-43-2	Benzene	6.00	19.2		2.52	16.0	ug/m3
79-01-6	Trichloroethene	0.24	1.29	U	1.29	1.61	ug/m3
108-88-3	Toluene	23.9	90.1		6.03	18.8	ug/m3
127-18-4	Tetrachloroethene	290	1970	E	1.02	2.03	ug/m3
100-41-4	Ethyl Benzene	5.00	21.7		8.25	21.7	ug/m3
179601-23-1	m/p-Xylene	20.4	88.6		17.8	43.4	ug/m3
95-47-6	o-Xylene	7.70	33.5		9.12	21.7	ug/m3
108-67-8	1,3,5-Trimethylbenzene	1.80	8.85	U	8.85	24.6	ug/m3
95-63-6	1,2,4-Trimethylbenzene	4.00	19.7	J	8.85	24.6	ug/m3
91-20-3	Naphthalene	0.13	0.68	U	0.68	5.24	ug/m3
110-54-3	Hexane	17.5	61.7		5.64	17.6	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.4			65 - 135	104%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	113000		2.8			
540-36-3	1,4-Difluorobenzene	304000		3.982			
3114-55-4	Chlorobenzene-d5	268000		8.905			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements