

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: 8270E

DataFile: BF142836.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168592BS	Benzaldehyde	50	38.2	ug/L	76				20 (10)	160 (162)	
	bis(2-Chloroethyl)ether	50	43.2	ug/L	86				70 (62)	130 (103)	
	2,2-oxybis(1-Chloropropane)	50	41.2	ug/L	82				70 (65)	130 (100)	
	Acetophenone	50	44.5	ug/L	89				70 (60)	130 (104)	
	N-Nitroso-di-n-propylamine	50	41.5	ug/L	83				70 (57)	130 (107)	
	Hexachloroethane	50	42.8	ug/L	86				20 (76)	160 (118)	
	Nitrobenzene	50	44.0	ug/L	88				70 (58)	130 (106)	
	Isophorone	50	43.8	ug/L	88				70 (61)	130 (102)	
	bis(2-Chloroethoxy)methane	50	43.7	ug/L	87				70 (58)	130 (109)	
	Naphthalene	50	43.6	ug/L	87				70 (64)	130 (107)	
	4-Chloroaniline	50	23.4	ug/L	47		*		70 (10)	130 (85)	
	Hexachlorobutadiene	50	44.5	ug/L	89				70 (69)	130 (101)	
	Caprolactam	50	47.5	ug/L	95				20 (58)	160 (128)	
	2-Methylnaphthalene	50	43.2	ug/L	86				70 (64)	130 (107)	
	Hexachlorocyclopentadiene	100	93.9	ug/L	94				20 (36)	160 (160)	
	1,1-Biphenyl	50	44.3	ug/L	89				70 (72)	130 (98)	
	2-Chloronaphthalene	50	43.9	ug/L	88				70 (59)	130 (106)	
	2-Nitroaniline	50	42.9	ug/L	86				70 (73)	130 (114)	
	Dimethylphthalate	50	44.4	ug/L	89				70 (64)	130 (103)	
	Acenaphthylene	50	43.7	ug/L	87				70 (79)	130 (103)	
	2,6-Dinitrotoluene	50	44.2	ug/L	88				70 (64)	130 (110)	
	3-Nitroaniline	50	24.7	ug/L	49		*		70 (28)	130 (100)	
	Acenaphthene	50	48.3	ug/L	97				70 (59)	130 (113)	
	Dibenzofuran	50	43.1	ug/L	86				70 (65)	130 (106)	
	2,4-Dinitrotoluene	50	46.0	ug/L	92				70 (60)	130 (115)	
	Diethylphthalate	50	45.5	ug/L	91				70 (63)	130 (105)	
	4-Chlorophenyl-phenylether	50	43.5	ug/L	87				70 (61)	130 (104)	
	Fluorene	50	43.0	ug/L	86				70 (64)	130 (107)	
	4-Nitroaniline	50	44.2	ug/L	88				70 (55)	130 (125)	
	N-Nitrosodiphenylamine	50	44.2	ug/L	88				70 (61)	130 (109)	
	4-Bromophenyl-phenylether	50	45.6	ug/L	91				70 (73)	130 (103)	
	Hexachlorobenzene	50	44.3	ug/L	89				70 (73)	130 (106)	
	Atrazine	50	51.6	ug/L	103				70 (76)	130 (120)	
	Phenanthrene	50	44.4	ug/L	89				70 (62)	130 (109)	
	Anthracene	50	44.6	ug/L	89				70 (65)	130 (110)	
	Carbazole	50	45.5	ug/L	91				70 (62)	130 (106)	
	Di-n-butylphthalate	50	51.4	ug/L	103				70 (64)	130 (106)	
	Fluoranthene	50	46.9	ug/L	94				70 (64)	130 (110)	
	Pyrene	50	35.7	ug/L	71				70 (71)	130 (103)	
	Butylbenzylphthalate	50	50.2	ug/L	100				70 (61)	130 (105)	
	3,3-Dichlorobenzidine	50	19.3	ug/L	39		*		70 (43)	130 (108)	
	Benzo(a)anthracene	50	43.6	ug/L	87				70 (62)	130 (107)	
	Chrysene	50	45.6	ug/L	91				70 (61)	130 (108)	
	bis(2-Ethylhexyl)phthalate	50	51.1	ug/L	102				70 (59)	130 (110)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: 8270E DataFile: BF142836.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits	
								Qual	Low	High	RPD
PB168592BS	Di-n-octyl phthalate	50	47.0	ug/L	94				70 (52)	130 (139)	
	Benzo(b)fluoranthene	50	45.2	ug/L	90				70 (77)	130 (113)	
	Benzo(k)fluoranthene	50	48.9	ug/L	98				70 (77)	130 (105)	
	Benzo(a)pyrene	50	45.8	ug/L	92				70 (72)	130 (131)	
	Indeno(1,2,3-cd)pyrene	50	40.8	ug/L	82				70 (72)	130 (105)	
	Dibenz(a,h)anthracene	50	40.8	ug/L	82				70 (78)	130 (115)	
	Benzo(g,h,i)perylene	50	40.8	ug/L	82				70 (75)	130 (118)	
	1,2,4,5-Tetrachlorobenzene	50	44.5	ug/L	89				70 (72)	130 (101)	
	1,4-Dioxane	50	35.1	ug/L	70				20 (38)	160 (125)	