

Hit Summary Sheet
SW-846

SDG No.: Q2372
Client: G Environmental

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2372-01	GAV1W GAV1W	Water	Acetone	110		1.50	5.00	ug/L
			Total Voc :	110				
			Total Concentration:	110				
Client ID: Q2372-02	GAV2W GAV2W	Water	Acetone	3.30	J	1.50	5.00	ug/L
			Total Voc :	3.30				
			Total Concentration:	3.30				



SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	06/19/25
Project:	Ave B	Date Received:	06/19/25
Client Sample ID:	GAV1W	SDG No.:	Q2372
Lab Sample ID:	Q2372-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046773.D	1		06/19/25 16:27	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	110		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	06/19/25	
Project:	Ave B		Date Received:	06/19/25	
Client Sample ID:	GAV1W		SDG No.:	Q2372	
Lab Sample ID:	Q2372-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046773.D	1		06/19/25 16:27	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.8		70 (74) - 130 (125)	98%	SPK: 50
1868-53-7	Dibromofluoromethane	48.9		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	50.3		70 (86) - 130 (113)	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.6		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	140000	5.562			
540-36-3	1,4-Difluorobenzene	239000	6.769			
3114-55-4	Chlorobenzene-d5	217000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	109000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	06/19/25	
Project:	Ave B		Date Received:	06/19/25	
Client Sample ID:	GAV1W		SDG No.:	Q2372	
Lab Sample ID:	Q2372-01		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046773.D	1		06/19/25 16:27	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental	Date Collected:	06/19/25
Project:	Ave B	Date Received:	06/19/25
Client Sample ID:	GAV2W	SDG No.:	Q2372
Lab Sample ID:	Q2372-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046772.D	1		06/19/25 16:06	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	3.30	J	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	06/19/25	
Project:	Ave B		Date Received:	06/19/25	
Client Sample ID:	GAV2W		SDG No.:	Q2372	
Lab Sample ID:	Q2372-02		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046772.D	1		06/19/25 16:06	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.7		70 (74) - 130 (125)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	48.6		70 (75) - 130 (124)	97%	SPK: 50
2037-26-5	Toluene-d8	49.8		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.4		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	169000	5.562			
540-36-3	1,4-Difluorobenzene	291000	6.769			
3114-55-4	Chlorobenzene-d5	261000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	131000	12.018			

Report of Analysis

Client:	G Environmental	Date Collected:	06/19/25
Project:	Ave B	Date Received:	06/19/25
Client Sample ID:	GAV2W	SDG No.:	Q2372
Lab Sample ID:	Q2372-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW
		Final Vol:	5000
		Test:	VOCMS Group1

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046772.D	1		06/19/25 16:06	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



QC SUMMARY

Surrogate Summary

SDG No.: **Q2372**

Client: **G Environmental**

Analytical Method: **SW8260-Low**

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q2372-01	GAV1W	1,2-Dichloroethane-d4	50	48.8	98	70 (74)	130 (125)
		Dibromofluoromethane	50	48.9	98	70 (75)	130 (124)
		Toluene-d8	50	50.3	101	70 (86)	130 (113)
		4-Bromofluorobenzene	50	51.6	103	70 (77)	130 (121)
Q2372-02	GAV2W	1,2-Dichloroethane-d4	50	48.7	97	70 (74)	130 (125)
		Dibromofluoromethane	50	48.6	97	70 (75)	130 (124)
		Toluene-d8	50	49.8	100	70 (86)	130 (113)
		4-Bromofluorobenzene	50	51.4	103	70 (77)	130 (121)
VX0619WBL01	VX0619WBL01	1,2-Dichloroethane-d4	50	48.3	97	70 (74)	130 (125)
		Dibromofluoromethane	50	49.0	98	70 (75)	130 (124)
		Toluene-d8	50	50.0	100	70 (86)	130 (113)
		4-Bromofluorobenzene	50	49.4	99	70 (77)	130 (121)
VX0619WBS01	VX0619WBS01	1,2-Dichloroethane-d4	50	49.8	100	70 (74)	130 (125)
		Dibromofluoromethane	50	52.0	104	70 (75)	130 (124)
		Toluene-d8	50	52.3	105	70 (86)	130 (113)
		4-Bromofluorobenzene	50	54.1	108	70 (77)	130 (121)
VX0619WBSD0	VX0619WBSD01	1,2-Dichloroethane-d4	50	51.5	103	70 (74)	130 (125)
		Dibromofluoromethane	50	52.8	106	70 (75)	130 (124)
		Toluene-d8	50	52.7	105	70 (86)	130 (113)
		4-Bromofluorobenzene	50	54.9	110	70 (77)	130 (121)

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046762.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBS01	Dichlorodifluoromethane	20	19.1	ug/L	96			40 (69)	160 (116)	
	Chloromethane	20	18.7	ug/L	94			40 (65)	160 (116)	
	Vinyl chloride	20	18.9	ug/L	95			70 (65)	130 (117)	
	Bromomethane	20	21.2	ug/L	106			40 (58)	160 (125)	
	Chloroethane	20	19.9	ug/L	100			40 (56)	160 (128)	
	Trichlorofluoromethane	20	18.4	ug/L	92			40 (73)	160 (115)	
	1,1,2-Trichlorotrifluoroethane	20	18.5	ug/L	93			70 (80)	130 (112)	
	1,1-Dichloroethene	20	18.6	ug/L	93			70 (74)	130 (110)	
	Acetone	100	74.1	ug/L	74			40 (60)	160 (125)	
	Carbon disulfide	20	17.0	ug/L	85			40 (64)	160 (112)	
	Methyl tert-butyl Ether	20	17.0	ug/L	85			70 (78)	130 (114)	
	Methyl Acetate	20	16.0	ug/L	80			70 (67)	130 (125)	
	Methylene Chloride	20	18.1	ug/L	91			70 (72)	130 (114)	
	trans-1,2-Dichloroethene	20	18.3	ug/L	92			70 (75)	130 (108)	
	1,1-Dichloroethane	20	18.5	ug/L	93			70 (78)	130 (112)	
	Cyclohexane	20	18.8	ug/L	94			70 (75)	130 (110)	
	2-Butanone	100	78.9	ug/L	79			40 (65)	160 (122)	
	Carbon Tetrachloride	20	18.0	ug/L	90			70 (77)	130 (113)	
	cis-1,2-Dichloroethene	20	18.6	ug/L	93			70 (77)	130 (110)	
	Bromochloromethane	20	20.8	ug/L	104			70 (70)	130 (124)	
	Chloroform	20	19.0	ug/L	95			70 (79)	130 (113)	
	1,1,1-Trichloroethane	20	17.7	ug/L	89			70 (80)	130 (108)	
	Methylcyclohexane	20	18.5	ug/L	93			70 (72)	130 (115)	
	Benzene	20	18.9	ug/L	95			70 (82)	130 (109)	
	1,2-Dichloroethane	20	18.5	ug/L	93			70 (80)	130 (115)	
	Trichloroethene	20	18.4	ug/L	92			70 (77)	130 (113)	
	1,2-Dichloropropane	20	18.4	ug/L	92			70 (83)	130 (111)	
	Bromodichloromethane	20	18.9	ug/L	95			70 (83)	130 (110)	
	4-Methyl-2-Pentanone	100	81.6	ug/L	82			40 (74)	160 (118)	
	Toluene	20	19.0	ug/L	95			70 (82)	130 (110)	
	t-1,3-Dichloropropene	20	18.0	ug/L	90			70 (79)	130 (110)	
	cis-1,3-Dichloropropene	20	18.2	ug/L	91			70 (82)	130 (110)	
	1,1,2-Trichloroethane	20	18.5	ug/L	93			70 (83)	130 (112)	
	2-Hexanone	100	78.9	ug/L	79			40 (73)	160 (117)	
	Dibromochloromethane	20	18.4	ug/L	92			70 (82)	130 (110)	
	1,2-Dibromoethane	20	18.0	ug/L	90			70 (81)	130 (110)	
	Tetrachloroethene	20	17.7	ug/L	89			70 (67)	130 (123)	
	Chlorobenzene	20	18.0	ug/L	90			70 (82)	130 (109)	
	Ethyl Benzene	20	18.0	ug/L	90			70 (83)	130 (109)	
	m/p-Xylenes	40	37.2	ug/L	93			70 (82)	130 (110)	
	o-Xylene	20	18.6	ug/L	93			70 (83)	130 (109)	
	Styrene	20	18.3	ug/L	92			70 (80)	130 (111)	
	Bromoform	20	16.7	ug/L	84			70 (79)	130 (109)	
	Isopropylbenzene	20	18.1	ug/L	91			70 (83)	130 (112)	
	1,1,2,2-Tetrachloroethane	20	17.3	ug/L	86			70 (76)	130 (118)	
	1,3-Dichlorobenzene	20	17.8	ug/L	89			70 (82)	130 (108)	
	1,4-Dichlorobenzene	20	17.5	ug/L	88			70 (82)	130 (107)	
	1,2-Dichlorobenzene	20	18.1	ug/L	91			70 (82)	130 (109)	

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046762.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBS01	1,2-Dibromo-3-Chloropropane	20	15.1	ug/L	76			40 (68)	160 (112)	
	1,2,4-Trichlorobenzene	20	17.1	ug/L	86			70 (75)	130 (113)	
	1,2,3-Trichlorobenzene	20	17.6	ug/L	88			70 (76)	130 (114)	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046763.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBSD01	Dichlorodifluoromethane	20	19.8	ug/L	99	3		40 (69)	160 (116)	20 (19)
	Chloromethane	20	19.5	ug/L	98	4		40 (65)	160 (116)	20 (21)
	Vinyl chloride	20	19.7	ug/L	99	4		70 (65)	130 (117)	20 (19)
	Bromomethane	20	22.2	ug/L	111	5		40 (58)	160 (125)	20 (20)
	Chloroethane	20	20.6	ug/L	103	3		40 (56)	160 (128)	20 (20)
	Trichlorofluoromethane	20	19.3	ug/L	97	5		40 (73)	160 (115)	20 (16)
	1,1,2-Trichlorotrifluoroethane	20	19.7	ug/L	99	6		70 (80)	130 (112)	20 (15)
	1,1-Dichloroethene	20	19.5	ug/L	98	5		70 (74)	130 (110)	20 (20)
	Acetone	100	81.5	ug/L	82	10		40 (60)	160 (125)	20 (20)
	Carbon disulfide	20	18.0	ug/L	90	6		40 (64)	160 (112)	20 (20)
	Methyl tert-butyl Ether	20	18.7	ug/L	94	10		70 (78)	130 (114)	20 (20)
	Methyl Acetate	20	17.8	ug/L	89	11		70 (67)	130 (125)	20 (20)
	Methylene Chloride	20	19.3	ug/L	97	6		70 (72)	130 (114)	20 (20)
	trans-1,2-Dichloroethene	20	19.2	ug/L	96	4		70 (75)	130 (108)	20 (16)
	1,1-Dichloroethane	20	19.4	ug/L	97	4		70 (78)	130 (112)	20 (20)
	Cyclohexane	20	19.7	ug/L	99	5		70 (75)	130 (110)	20 (20)
	2-Butanone	100	87.0	ug/L	87	10		40 (65)	160 (122)	20 (26)
	Carbon Tetrachloride	20	19.1	ug/L	96	6		70 (77)	130 (113)	20 (15)
	cis-1,2-Dichloroethene	20	19.4	ug/L	97	4		70 (77)	130 (110)	20 (20)
	Bromochloromethane	20	23.1	ug/L	116	11		70 (70)	130 (124)	20 (20)
	Chloroform	20	20.5	ug/L	103	8		70 (79)	130 (113)	20 (20)
	1,1,1-Trichloroethane	20	19.3	ug/L	97	9		70 (80)	130 (108)	20 (20)
	Methylcyclohexane	20	19.0	ug/L	95	2		70 (72)	130 (115)	20 (20)
	Benzene	20	20.0	ug/L	100	5		70 (82)	130 (109)	20 (15)
	1,2-Dichloroethane	20	20.1	ug/L	101	8		70 (80)	130 (115)	20 (20)
	Trichloroethene	20	19.3	ug/L	97	5		70 (77)	130 (113)	20 (15)
	1,2-Dichloropropane	20	20.3	ug/L	102	10		70 (83)	130 (111)	20 (16)
	Bromodichloromethane	20	20.1	ug/L	101	6		70 (83)	130 (110)	20 (16)
	4-Methyl-2-Pentanone	100	91.8	ug/L	92	11		40 (74)	160 (118)	20 (25)
	Toluene	20	20.3	ug/L	102	7		70 (82)	130 (110)	20 (16)
	t-1,3-Dichloropropene	20	19.5	ug/L	98	9		70 (79)	130 (110)	20 (20)
	cis-1,3-Dichloropropene	20	19.9	ug/L	100	9		70 (82)	130 (110)	20 (16)
	1,1,2-Trichloroethane	20	20.4	ug/L	102	9		70 (83)	130 (112)	20 (20)
	2-Hexanone	100	88.8	ug/L	89	12		40 (73)	160 (117)	20 (25)
	Dibromochloromethane	20	19.9	ug/L	100	8		70 (82)	130 (110)	20 (20)
	1,2-Dibromoethane	20	20.1	ug/L	101	12		70 (81)	130 (110)	20 (20)
	Tetrachloroethene	20	18.8	ug/L	94	5		70 (67)	130 (123)	20 (15)
	Chlorobenzene	20	19.4	ug/L	97	7		70 (82)	130 (109)	20 (15)
	Ethyl Benzene	20	19.1	ug/L	96	6		70 (83)	130 (109)	20 (16)
	m/p-Xylenes	40	38.8	ug/L	97	4		70 (82)	130 (110)	20 (15)
	o-Xylene	20	19.8	ug/L	99	6		70 (83)	130 (109)	20 (20)
	Styrene	20	19.7	ug/L	99	7		70 (80)	130 (111)	20 (17)
	Bromoform	20	18.4	ug/L	92	9		70 (79)	130 (109)	20 (20)
	Isopropylbenzene	20	18.6	ug/L	93	2		70 (83)	130 (112)	20 (29)
	1,1,2,2-Tetrachloroethane	20	18.4	ug/L	92	7		70 (76)	130 (118)	20 (20)
	1,3-Dichlorobenzene	20	18.6	ug/L	93	4		70 (82)	130 (108)	20 (20)
	1,4-Dichlorobenzene	20	17.8	ug/L	89	1		70 (82)	130 (107)	20 (15)
	1,2-Dichlorobenzene	20	19.0	ug/L	95	4		70 (82)	130 (109)	20 (20)

() = LABORATORY INHOUSE LIMIT

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2372

Client: G Environmental

Analytical Method: SW8260-Low

Datafile : VX046763.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VX0619WBSD01	1,2-Dibromo-3-Chloropropane	20	16.1	ug/L	81	6		40 (68)	160 (112)	20 (20)
	1,2,4-Trichlorobenzene	20	18.3	ug/L	92	7		70 (75)	130 (113)	20 (29)
	1,2,3-Trichlorobenzene	20	18.2	ug/L	91	3		70 (76)	130 (114)	20 (29)

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VX0619WBL01

Lab Name: CHEMTECH

Contract: GENV01

Lab Code: CHEM Case No.: Q2372

SAS No.: Q2372 SDG NO.: Q2372

Lab File ID: VX046760.D

Lab Sample ID: VX0619WBL01

Date Analyzed: 06/19/2025

Time Analyzed: 10:33

GC Column: DB-624UI ID: 0.18 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_X

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VX0619WBS01	VX0619WBS01	VX046762.D	06/19/2025
VX0619WBSD01	VX0619WBSD01	VX046763.D	06/19/2025
GAV2W	Q2372-02	VX046772.D	06/19/2025
GAV1W	Q2372-01	VX046773.D	06/19/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG NO.: Q2372
Lab File ID: VX046715.D BFB Injection Date: 06/17/2025
Instrument ID: MSVOA_X BFB Injection Time: 08:46
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.7
75	30.0 - 60.0% of mass 95	50.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.5 (0.7) 1
174	50.0 - 100.0% of mass 95	74.8
175	5.0 - 9.0% of mass 174	5.5 (7.4) 1
176	95.0 - 101.0% of mass 174	72 (96.2) 1
177	5.0 - 9.0% of mass 176	4.3 (6) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDIC005	VSTDIC005	VX046718.D	06/17/2025	11:19
VSTDIC020	VSTDIC020	VX046719.D	06/17/2025	13:59
VSTDIC050	VSTDIC050	VX046720.D	06/17/2025	14:20
VSTDIC100	VSTDIC100	VX046721.D	06/17/2025	14:41
VSTDIC150	VSTDIC150	VX046722.D	06/17/2025	15:02
VSTDIC001	VSTDIC001	VX046725.D	06/17/2025	17:18

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG NO.: Q2372
Lab File ID: VX046757.D BFB Injection Date: 06/19/2025
Instrument ID: MSVOA_X BFB Injection Time: 08:42
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	18.8
75	30.0 - 60.0% of mass 95	50.7
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.3
173	Less than 2.0% of mass 174	0.7 (1) 1
174	50.0 - 100.0% of mass 95	72.6
175	5.0 - 9.0% of mass 174	5.7 (7.8) 1
176	95.0 - 101.0% of mass 174	71.1 (97.9) 1
177	5.0 - 9.0% of mass 176	4.5 (6.3) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC050	VSTDCCC050	VX046758.D	06/19/2025	09:43
VX0619WBL01	VX0619WBL01	VX046760.D	06/19/2025	10:33
VX0619WBS01	VX0619WBS01	VX046762.D	06/19/2025	11:24
VX0619WBSD01	VX0619WBSD01	VX046763.D	06/19/2025	11:51
GAV2W	Q2372-02	VX046772.D	06/19/2025	16:06
GAV1W	Q2372-01	VX046773.D	06/19/2025	16:27

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG NO.: Q2372
Lab File ID: VX046758.D Date Analyzed: 06/19/2025
Instrument ID: MSVOA_X Time Analyzed: 09:43
GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	137182	5.56	224265	6.76	197740	10.05
UPPER LIMIT	274364	6.056	448530	7.263	395480	10.549
LOWER LIMIT	68591	5.056	112133	6.263	98870	9.549
EPA SAMPLE NO.						
GAV1W	139696	5.56	239120	6.77	216781	10.06
GAV2W	168816	5.56	291352	6.77	260859	10.05
VX0619WBL01	124937	5.56	212303	6.77	191555	10.06
VX0619WBS01	137936	5.56	227140	6.77	207463	10.06
VX0619WBSD01	120371	5.56	199496	6.76	183807	10.06

IS1 = Pentafluorobenzene
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GENV01
 Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG NO.: Q2372
 Lab File ID: VX046758.D Date Analyzed: 06/19/2025
 Instrument ID: MSVOA_X Time Analyzed: 09:43
 GC Column: DB-624UI ID: 0.18 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	96867	12.018				
UPPER LIMIT	193734	12.518				
LOWER LIMIT	48433.5	11.518				
EPA SAMPLE NO.						
GAV1W	109489	12.02				
GAV2W	131317	12.02				
VX0619WBL01	93040	12.02				
VX0619WBS01	104652	12.02				
VX0619WBSD01	94851	12.02				

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area
 AREA LOWER LIMIT = -50% of internal standard area
 RT UPPER LIMIT = +0.50 minutes of internal standard RT
 RT LOWER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
 * Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Ave B	Date Received:	
Client Sample ID:	VX0619WBL01	SDG No.:	Q2372
Lab Sample ID:	VX0619WBL01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Ave B	Date Received:	
Client Sample ID:	VX0619WBL01	SDG No.:	Q2372
Lab Sample ID:	VX0619WBL01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.3		70 (74) - 130 (125)	97%	SPK: 50
1868-53-7	Dibromofluoromethane	49.0		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	50.0		70 (86) - 130 (113)	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.4		70 (77) - 130 (121)	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	125000	5.562			
540-36-3	1,4-Difluorobenzene	212000	6.769			
3114-55-4	Chlorobenzene-d5	192000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	93000	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Ave B		Date Received:	
Client Sample ID:	VX0619WBL01		SDG No.:	Q2372
Lab Sample ID:	VX0619WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046760.D	1		06/19/25 10:33	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Ave B	Date Received:	
Client Sample ID:	VX0619WBS01	SDG No.:	Q2372
Lab Sample ID:	VX0619WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.1		0.22	1.00	ug/L
74-87-3	Chloromethane	18.7		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	18.9		0.26	1.00	ug/L
74-83-9	Bromomethane	21.2		1.40	5.00	ug/L
75-00-3	Chloroethane	19.9		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	18.4		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	18.5		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	18.6		0.23	1.00	ug/L
67-64-1	Acetone	74.1		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	17.0		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	17.0		0.16	1.00	ug/L
79-20-9	Methyl Acetate	16.0		0.27	1.00	ug/L
75-09-2	Methylene Chloride	18.1		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	18.3		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	18.5		0.23	1.00	ug/L
110-82-7	Cyclohexane	18.8		1.50	5.00	ug/L
78-93-3	2-Butanone	78.9		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	18.0		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	18.6		0.19	1.00	ug/L
74-97-5	Bromochloromethane	20.8		0.22	1.00	ug/L
67-66-3	Chloroform	19.0		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	17.7		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	18.5		0.16	1.00	ug/L
71-43-2	Benzene	18.9		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	18.5		0.22	1.00	ug/L
79-01-6	Trichloroethene	18.4		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	18.4		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	18.9		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	81.6		0.68	5.00	ug/L
108-88-3	Toluene	19.0		0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental			Date Collected:	
Project:	Ave B			Date Received:	
Client Sample ID:	VX0619WBS01			SDG No.:	Q2372
Lab Sample ID:	VX0619WBS01			Matrix:	Water
Analytical Method:	8260D			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID :	0.18	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	18.0		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	18.2		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	18.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	78.9		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	18.4		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.0		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	17.7		0.23	1.00	ug/L
108-90-7	Chlorobenzene	18.0		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	18.0		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	37.2		0.24	2.00	ug/L
95-47-6	o-Xylene	18.6		0.12	1.00	ug/L
100-42-5	Styrene	18.3		0.15	1.00	ug/L
75-25-2	Bromoform	16.7		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	18.1		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	17.3		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	17.8		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.5		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	18.1		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	15.1		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	17.1		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	17.6		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.8		70 (74) - 130 (125)	100%	SPK: 50
1868-53-7	Dibromofluoromethane	52.0		70 (75) - 130 (124)	104%	SPK: 50
2037-26-5	Toluene-d8	52.3		70 (86) - 130 (113)	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.1		70 (77) - 130 (121)	108%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	138000	5.562			
540-36-3	1,4-Difluorobenzene	227000	6.769			
3114-55-4	Chlorobenzene-d5	207000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	105000	12.018			

Report of Analysis

Client:	G Environmental			Date Collected:	
Project:	Ave B			Date Received:	
Client Sample ID:	VX0619WBS01			SDG No.:	Q2372
Lab Sample ID:	VX0619WBS01			Matrix:	Water
Analytical Method:	8260D			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID :	0.18	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046762.D	1		06/19/25 11:24	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Ave B	Date Received:	
Client Sample ID:	VX0619WBSD01	SDG No.:	Q2372
Lab Sample ID:	VX0619WBSD01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	19.8		0.22	1.00	ug/L
74-87-3	Chloromethane	19.5		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	19.7		0.26	1.00	ug/L
74-83-9	Bromomethane	22.2		1.40	5.00	ug/L
75-00-3	Chloroethane	20.6		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.3		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.7		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.5		0.23	1.00	ug/L
67-64-1	Acetone	81.5		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	18.0		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	18.7		0.16	1.00	ug/L
79-20-9	Methyl Acetate	17.8		0.27	1.00	ug/L
75-09-2	Methylene Chloride	19.3		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.2		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	19.4		0.23	1.00	ug/L
110-82-7	Cyclohexane	19.7		1.50	5.00	ug/L
78-93-3	2-Butanone	87.0		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	19.1		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	19.4		0.19	1.00	ug/L
74-97-5	Bromochloromethane	23.1		0.22	1.00	ug/L
67-66-3	Chloroform	20.5		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	19.3		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	19.0		0.16	1.00	ug/L
71-43-2	Benzene	20.0		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.1		0.22	1.00	ug/L
79-01-6	Trichloroethene	19.3		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	20.3		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	20.1		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	91.8		0.68	5.00	ug/L
108-88-3	Toluene	20.3		0.14	1.00	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Ave B		Date Received:	
Client Sample ID:	VX0619WBSD01		SDG No.:	Q2372
Lab Sample ID:	VX0619WBSD01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	19.5		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.9		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	20.4		0.21	1.00	ug/L
591-78-6	2-Hexanone	88.8		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	19.9		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	20.1		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	18.8		0.23	1.00	ug/L
108-90-7	Chlorobenzene	19.4		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.1		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	38.8		0.24	2.00	ug/L
95-47-6	o-Xylene	19.8		0.12	1.00	ug/L
100-42-5	Styrene	19.7		0.15	1.00	ug/L
75-25-2	Bromoform	18.4		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	18.6		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	18.4		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	18.6		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	17.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.0		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	16.1		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	18.3		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	18.2		0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	51.5		70 (74) - 130 (125)	103%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		70 (75) - 130 (124)	106%	SPK: 50
2037-26-5	Toluene-d8	52.7		70 (86) - 130 (113)	105%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.9		70 (77) - 130 (121)	110%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	120000	5.562			
540-36-3	1,4-Difluorobenzene	199000	6.763			
3114-55-4	Chlorobenzene-d5	184000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	94900	12.018			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Ave B		Date Received:	
Client Sample ID:	VX0619WBSD01		SDG No.:	Q2372
Lab Sample ID:	VX0619WBSD01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX046763.D	1		06/19/25 11:51	VX061925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



CALIBRATION SUMMARY

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG No.: Q2372

Instrument ID: MSVOA_X Calibration Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Calibration Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

LAB FILE ID:								
RRF005 = VX046718.D			RRF020 = VX046719.D			RRF050 = VX046720.D		
RRF100 = VX046721.D			RRF150 = VX046722.D			RRF001 = VX046725.D		
COMPOUND	RRF005	RRF020	RRF050	RRF100	RRF150	RRF001	RRF	% RSD
Dichlorodifluoromethane	0.464	0.507	0.583	0.627	0.598	0.425	0.534	15.1
Chloromethane	0.541	0.570	0.593	0.641	0.627	0.485	0.576	10
Vinyl Chloride	0.569	0.632	0.634	0.687	0.644	0.521	0.614	9.7
Bromomethane	0.371	0.367	0.369	0.341	0.280		0.346	11.1
Chloroethane	0.350	0.388	0.377	0.405	0.381	0.332	0.372	7.1
Trichlorofluoromethane	0.897	0.974	0.967	1.030	0.972	0.757	0.933	10.3
1,1,2-Trichlorotrifluoroethane	0.563	0.608	0.576	0.623	0.594	0.470	0.572	9.6
1,1-Dichloroethene	0.527	0.574	0.569	0.609	0.583	0.451	0.552	10.2
Acetone	0.219	0.222	0.220	0.238	0.234	0.251	0.231	5.6
Carbon Disulfide	1.503	1.644	1.599	1.735	1.656	1.869	1.668	7.5
Methyl tert-butyl Ether	1.628	1.803	1.752	1.898	1.808	1.427	1.720	9.8
Methyl Acetate	0.577	0.590	0.581	0.650	0.647	0.470	0.586	11.2
Methylene Chloride	0.655	0.655	0.610	0.666	0.624	0.637	0.641	3.3
trans-1,2-Dichloroethene	0.569	0.627	0.589	0.637	0.595	0.529	0.591	6.7
1,1-Dichloroethane	1.054	1.153	1.088	1.170	1.114	0.972	1.092	6.6
Cyclohexane	0.983	1.086	1.013	1.074	1.021		1.036	4.2
2-Butanone	0.319	0.325	0.338	0.371	0.353	0.251	0.326	12.7
Carbon Tetrachloride	0.509	0.537	0.515	0.548	0.531	0.470	0.518	5.4
cis-1,2-Dichloroethene	0.681	0.731	0.686	0.741	0.704	0.623	0.694	6.1
Bromochloromethane	0.527	0.459	0.485	0.519	0.500	0.480	0.495	5.2
Chloroform	1.102	1.190	1.114	1.181	1.109	0.857	1.092	11.1
1,1,1-Trichloroethane	0.931	1.012	0.956	1.046	0.990	0.812	0.958	8.6
Methylcyclohexane	0.631	0.642	0.629	0.672	0.647	0.550	0.628	6.6
Benzene	1.431	1.477	1.417	1.509	1.427	1.218	1.413	7.2
1,2-Dichloroethane	0.508	0.523	0.495	0.528	0.497	0.429	0.497	7.2
Trichloroethene	0.355	0.374	0.356	0.389	0.366	0.320	0.360	6.5
1,2-Dichloropropane	0.347	0.372	0.346	0.374	0.357	0.305	0.350	7.2
Bromodichloromethane	0.510	0.545	0.522	0.562	0.540	0.404	0.514	11.1
4-Methyl-2-Pentanone	0.408	0.414	0.426	0.460	0.439	0.322	0.411	11.6
Toluene	0.884	0.927	0.888	0.927	0.881	0.750	0.876	7.4

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: GENV01
Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG No.: Q2372
Instrument ID: MSVOA_X Calibration Date(s): 06/17/2025 06/17/2025
Heated Purge: (Y/N) N Calibration Time(s): 11:19 17:18
GC Column: DB-624UI ID: 0.18 (mm)

LAB FILE ID:								
RRF005 = VX046718.D			RRF020 = VX046719.D			RRF050 = VX046720.D		
RRF100 = VX046721.D			RRF150 = VX046722.D			RRF001 = VX046725.D		
COMPOUND	RRF005	RRF020	RRF050	RRF100	RRF150	RRF001	RRF	% RSD
t-1,3-Dichloropropene	0.438	0.484	0.488	0.555	0.540	0.355	0.477	15.3
cis-1,3-Dichloropropene	0.516	0.555	0.548	0.603	0.589	0.436	0.541	11.1
1,1,2-Trichloroethane	0.330	0.341	0.326	0.347	0.329	0.287	0.327	6.4
2-Hexanone	0.285	0.285	0.297	0.320	0.305	0.214	0.284	13
Dibromochloromethane	0.380	0.402	0.388	0.419	0.402	0.318	0.385	9.3
1,2-Dibromoethane	0.333	0.348	0.335	0.363	0.346	0.267	0.332	10.1
Tetrachloroethene	0.345	0.353	0.340	0.360	0.339	0.341	0.346	2.4
Chlorobenzene	1.114	1.148	1.091	1.165	1.100	1.005	1.104	5.1
Ethyl Benzene	1.905	2.030	1.933	2.062	1.945	1.696	1.929	6.7
m/p-Xylenes	0.705	0.764	0.724	0.765	0.718	0.635	0.719	6.7
o-Xylene	0.686	0.729	0.692	0.739	0.698	0.498	0.673	13.1
Styrene	1.144	1.256	1.208	1.267	1.203	0.993	1.179	8.6
Bromoform	0.268	0.295	0.287	0.315	0.304	0.226	0.282	11.3
Isopropylbenzene	3.593	3.914	3.723	4.004	3.814	3.048	3.682	9.3
1,1,2,2-Tetrachloroethane	1.037	1.075	1.044	1.124	1.074	0.816	1.028	10.6
1,3-Dichlorobenzene	1.703	1.787	1.678	1.786	1.719	1.694	1.728	2.7
1,4-Dichlorobenzene	1.743	1.830	1.653	1.789	1.702	1.932	1.775	5.6
1,2-Dichlorobenzene	1.604	1.701	1.592	1.703	1.628	1.460	1.615	5.5
1,2-Dibromo-3-Chloropropane	0.196	0.205	0.211	0.235	0.237	0.134	0.203	18.6
1,2,4-Trichlorobenzene	1.040	1.138	1.127	1.253	1.160	1.170	1.148	6
1,2,3-Trichlorobenzene	1.062	1.129	1.082	1.207	1.153	0.957	1.098	7.9
1,2-Dichloroethane-d4	0.801	0.567	0.649	0.726	0.714		0.692	12.7
Dibromofluoromethane	0.362	0.267	0.320	0.354	0.351		0.331	11.9
Toluene-d8	1.342	0.973	1.144	1.250	1.234		1.189	11.7
4-Bromofluorobenzene	0.513	0.354	0.426	0.466	0.456		0.443	13.3

* Compounds with required minimum RRF and maximum %RSD values.
All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG No.: Q2372

Instrument ID: MSVOA_X Calibration Date/Time: 06/19/2025 09:43

Lab File ID: VX046758.D Init. Calib. Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	0.534	0.565		5.8	20
Chloromethane	0.576	0.595	0.1	3.3	20
Vinyl Chloride	0.614	0.641		4.4	20
Bromomethane	0.346	0.384		10.98	20
Chloroethane	0.372	0.387		4.03	20
Trichlorofluoromethane	0.933	0.957		2.57	20
1,1,2-Trichlorotrifluoroethane	0.572	0.592		3.5	20
1,1-Dichloroethene	0.552	0.572		3.62	20
Acetone	0.231	0.185		-19.91	20
Carbon Disulfide	1.668	1.595		-4.38	20
Methyl tert-butyl Ether	1.720	1.569		-8.78	20
Methyl Acetate	0.586	0.480		-18.09	20
Methylene Chloride	0.641	0.618		-3.59	20
trans-1,2-Dichloroethene	0.591	0.587		-0.68	20
1,1-Dichloroethane	1.092	1.081	0.1	-1.01	20
Cyclohexane	1.036	1.018		-1.74	20
2-Butanone	0.326	0.263		-19.33	20
Carbon Tetrachloride	0.518	0.515		-0.58	20
cis-1,2-Dichloroethene	0.694	0.686		-1.15	20
Bromochloromethane	0.495	0.476		-3.84	20
Chloroform	1.092	1.093		0.09	20
1,1,1-Trichloroethane	0.958	0.939		-1.98	20
Methylcyclohexane	0.628	0.627		-0.32	20
Benzene	1.413	1.415		0.14	20
1,2-Dichloroethane	0.497	0.481		-3.22	20
Trichloroethene	0.360	0.357		-0.83	20
1,2-Dichloropropane	0.350	0.353		0.86	20
Bromodichloromethane	0.514	0.521		1.36	20
4-Methyl-2-Pentanone	0.411	0.339		-17.52	20
Toluene	0.876	0.877		0.11	20
t-1,3-Dichloropropene	0.477	0.481		0.84	20
cis-1,3-Dichloropropene	0.541	0.545		0.74	20
1,1,2-Trichloroethane	0.327	0.311		-4.89	20
2-Hexanone	0.284	0.229		-19.37	20
Dibromochloromethane	0.385	0.377		-2.08	20
1,2-Dibromoethane	0.332	0.317		-4.52	20
Tetrachloroethene	0.346	0.344		-0.58	20
Chlorobenzene	1.104	1.089	0.3	-1.36	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GENV01

Lab Code: CHEM Case No.: Q2372 SAS No.: Q2372 SDG No.: Q2372

Instrument ID: MSVOA_X Calibration Date/Time: 06/19/2025 09:43

Lab File ID: VX046758.D Init. Calib. Date(s): 06/17/2025 06/17/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 11:19 17:18

GC Column: DB-624UI ID: 0.18 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Ethyl Benzene	1.929	1.918		-0.57	20
m/p-Xylenes	0.719	0.724		0.69	20
o-Xylene	0.673	0.687		2.08	20
Styrene	1.179	1.192		1.1	20
Bromoform	0.282	0.263	0.1	-6.74	20
Isopropylbenzene	3.682	3.747		1.76	20
1,1,2,2-Tetrachloroethane	1.028	0.933	0.3	-9.24	20
1,3-Dichlorobenzene	1.728	1.670		-3.36	20
1,4-Dichlorobenzene	1.775	1.693		-4.62	20
1,2-Dichlorobenzene	1.615	1.598		-1.05	20
1,2-Dibromo-3-Chloropropane	0.203	0.164		-19.21	20
1,2,4-Trichlorobenzene	1.148	1.111		-3.22	20
1,2,3-Trichlorobenzene	1.098	1.064		-3.1	20
1,2-Dichloroethane-d4	0.692	0.639		-7.66	20
Dibromofluoromethane	0.331	0.327		-1.21	20
Toluene-d8	1.189	1.166		-1.93	20
4-Bromofluorobenzene	0.443	0.433		-2.26	20

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.



SAMPLE RAW DATA

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046773.D
 Acq On : 19 Jun 2025 16:27
 Operator : JC/MD
 Sample : Q2372-01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 GAV1W

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:22:11 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.562	168	139696	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	239120	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	216781	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	109489	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	94288	48.797	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	97.600%
35) Dibromofluoromethane	5.397	113	77297	48.857	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.720%
50) Toluene-d8	8.647	98	286020	50.319	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	100.640%
62) 4-Bromofluorobenzene	11.079	95	109386	51.626	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	103.260%
Target Compounds						
16) Acetone	2.386	43	71832	111.479	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046773.D
Acq On : 19 Jun 2025 16:27
Operator : JC/MD
Sample : Q2372-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV1W

Quant Time: Jun 20 05:22:11 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 71
Delta R.T. 0.000 min
Lab File: VX046773.D
Acq: 19 Jun 2025 16:27




Instrument :
MSVOA_X
ClientSampleId :
GAV1W


Tgt Ion:168 Resp: 139696
Ion Ratio Lower Upper
168 100
99 61.1 48.5 72.7



#16
Acetone
Concen: 111.479 ug/l
RT: 2.386 min Scan# 213
Delta R.T. 0.000 min
Lab File: VX046773.D
Acq: 19 Jun 2025 16:27

Tgt Ion: 43 Resp: 71832
Ion Ratio Lower Upper
43 100
58 30.3 24.5 36.7





#33

1,2-Dichloroethane-d4

Concen: 48.797 ug/l

RT: 5.964 min Scan# 800

Delta R.T. 0.000 min

Lab File: VX046773.D

Acq: 19 Jun 2025 16:27

Instrument :

MSVOA_X

ClientSampleId :





GAV1W

Tgt Ion: 65 Resp: 94288

Ion Ratio Lower Upper

65 100

67 51.8 0.0 105.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 932

Delta R.T. 0.000 min

Lab File: VX046773.D

Acq: 19 Jun 2025 16:27




Tgt Ion: 114 Resp: 239120


Ion Ratio Lower Upper

114 100

63 20.7 0.0 44.2

88 16.4 0.0 33.2





#35

Dibromofluoromethane

Concen: 48.857 ug/l

RT: 5.397 min Scan# 707

Delta R.T. 0.000 min

Lab File: VX046773.D


Acq: 19 Jun 2025 16:27

Instrument :

MSVOA_X

ClientSampleId :

GAV1W






Tgt Ion:113 Resp: 77297

Ion Ratio Lower Upper

113 100

111 102.7 82.0 123.0

192 19.2 15.3 22.9



#50

Toluene-d8

Concen: 50.319 ug/l

RT: 8.647 min Scan# 1240

Delta R.T. 0.000 min

Lab File: VX046773.D




Acq: 19 Jun 2025 16:27


Tgt Ion: 98 Resp: 286020

Ion Ratio Lower Upper

98 100

100 66.2 53.0 79.4









#62
4-Bromofluorobenzene
Concen: 51.626 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX046773.D
Acq: 19 Jun 2025 16:27




Instrument :
MSVOA_X
ClientSampleId :
GAV1W


Tgt Ion: 95 Resp: 109386
Ion Ratio Lower Upper
95 100
174 75.6 0.0 150.4
176 72.7 0.0 145.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VX046773.D
Acq: 19 Jun 2025 16:27

Tgt Ion: 117 Resp: 216781
Ion Ratio Lower Upper
117 100
82 55.8 44.6 66.8
119 32.5 25.8 38.8





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX046773.D

Acq: 19 Jun 2025 16:27

Instrument :

MSVOA_X

ClientSampleId :

GAV1W




Tgt Ion:152 Resp: 109489

Ion Ratio Lower Upper

152 100

115 60.4 43.2 129.6

150 157.2 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046773.D
 Acq On : 19 Jun 2025 16:27
 Operator : JC/MD
 Sample : Q2372-01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 GAV1W

A
B
C
D
E
F
G
H
I
J

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046773.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.465	58	62	74	rVB	9269	13158	1.73%	0.312%
2	2.386	207	213	229	rBV	57917	113267	14.89%	2.686%
3	5.397	696	707	724	rBV3	79221	251261	33.04%	5.959%
4	5.562	724	734	760	rVB	135360	417949	54.96%	9.912%
5	5.964	791	800	822	rBV	87943	256422	33.72%	6.081%
6	6.769	921	932	957	rBV	217507	558411	73.42%	13.243%
7	8.647	1234	1240	1263	rVB	462103	760525	100.00%	18.036%
8	10.055	1465	1471	1492	rBV	456002	665976	87.57%	15.794%
9	11.079	1634	1639	1655	rBV	406915	514099	67.60%	12.192%
10	12.018	1788	1793	1808	rBV	545419	665653	87.53%	15.786%




Sum of corrected areas: 4216721

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046773.D
Acq On : 19 Jun 2025 16:27
Operator : JC/MD
Sample : Q2372-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV1W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046773.D
Acq On : 19 Jun 2025 16:27
Operator : JC/MD
Sample : Q2372-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV1W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046773.D
Acq On : 19 Jun 2025 16:27
Operator : JC/MD
Sample : Q2372-01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV1W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:21:50 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.562	168	168816	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	291352	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.049	117	260859	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	131317	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	113764	48.721	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	97.440%
35) Dibromofluoromethane	5.397	113	93762	48.640	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.280%
50) Toluene-d8	8.647	98	344634	49.762	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.520%
62) 4-Bromofluorobenzene	11.079	95	132598	51.362	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	102.720%
Target Compounds						
16) Acetone	2.392	43	2557	3.284	ug/l	# 85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

Quant Time: Jun 20 05:21:50 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 71
Delta R.T. 0.000 min
Lab File: VX046772.D
Acq: 19 Jun 2025 16:06




Instrument :
MSVOA_X
ClientSampleId :
GAV2W


Tgt Ion:168 Resp: 168816
Ion Ratio Lower Upper
168 100
99 60.7 48.5 72.7



#16
Acetone
Concen: 3.284 ug/l
RT: 2.392 min Scan# 214
Delta R.T. 0.006 min
Lab File: VX046772.D
Acq: 19 Jun 2025 16:06

Tgt Ion: 43 Resp: 2557
Ion Ratio Lower Upper
43 100
58 22.2 24.5 36.7#





#33

1,2-Dichloroethane-d4

Concen: 48.721 ug/l

RT: 5.964 min Scan# 800

Delta R.T. 0.000 min

Lab File: VX046772.D

Acq: 19 Jun 2025 16:06

Instrument :

MSVOA_X

ClientSampleId :





GAV2W

Tgt Ion: 65 Resp: 113764

Ion Ratio Lower Upper

65 100

67 52.5 0.0 105.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 932

Delta R.T. 0.000 min

Lab File: VX046772.D

Acq: 19 Jun 2025 16:06




Tgt Ion: 114 Resp: 291352


Ion Ratio Lower Upper

114 100

63 20.3 0.0 44.2

88 16.0 0.0 33.2





#35

Dibromofluoromethane

Concen: 48.640 ug/l

RT: 5.397 min Scan# 707

Delta R.T. 0.000 min

Lab File: VX046772.D


Acq: 19 Jun 2025 16:06

Instrument :

MSVOA_X

ClientSampleId :

GAV2W






Tgt Ion:113 Resp: 93762

Ion Ratio Lower Upper

113 100

111 102.0 82.0 123.0

192 18.6 15.3 22.9



#50

Toluene-d8

Concen: 49.762 ug/l

RT: 8.647 min Scan# 1240

Delta R.T. 0.000 min

Lab File: VX046772.D




Acq: 19 Jun 2025 16:06


Tgt Ion: 98 Resp: 344634

Ion Ratio Lower Upper

98 100

100 66.4 53.0 79.4





#62

4-Bromofluorobenzene

Concen: 51.362 ug/l

RT: 11.079 min Scan# 1

Delta R.T. 0.000 min

Lab File: VX046772.D

Acq: 19 Jun 2025 16:06

Instrument :

MSVOA_X

ClientSampleId :

GAV2W





Tgt Ion: 95 Resp: 132598

Ion Ratio Lower Upper

95 100

174 75.4 0.0 150.4

176 71.3 0.0 145.0



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.049 min Scan# 1470

Delta R.T. -0.006 min

Lab File: VX046772.D

Acq: 19 Jun 2025 16:06




Tgt Ion: 117 Resp: 260859


Ion Ratio Lower Upper

117 100

82 56.8 44.6 66.8

119 32.8 25.8 38.8





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX046772.D


Acq: 19 Jun 2025 16:06

Instrument :

MSVOA_X

ClientSampleId :

GAV2W





Tgt Ion:152 Resp: 131317

Ion Ratio Lower Upper

152 100

115 59.5 43.2 129.6

150 156.6 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

A
B
C
D
E
F
G
H
I
J

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M

Title : SW846 8260

Signal : TIC: VX046772.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.397	696	707	723	rBV3	96478	304344	33.17%	6.170%
2	5.562	723	734	758	rVB	162214	503606	54.88%	10.210%
3	5.964	790	800	823	rBV	107964	311710	33.97%	6.320%
4	6.763	922	931	951	rBV	260741	674410	73.50%	13.673%
5	8.647	1234	1240	1259	rBV	563100	917584	100.00%	18.604%
6	10.049	1465	1470	1485	rBV	566611	803385	87.55%	16.288%
7	11.079	1634	1639	1650	rBV	489888	620409	67.61%	12.579%
8	12.018	1788	1793	1804	rBV	655359	796808	86.84%	16.155%


Sum of corrected areas: 4932256

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046772.D
Acq On : 19 Jun 2025 16:06
Operator : JC/MD
Sample : Q2372-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GAV2W

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------

A
B
C
D
E
F
G
H
I
J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046760.D
 Acq On : 19 Jun 2025 10:33
 Operator : JC/MD
 Sample : VX0619WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBL01

A
B
C
D
E
F
G
H
I
J

Quant Time: Jun 20 05:15:59 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	124937	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	212303	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	191555	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	93040	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	83430	48.278	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	96.560%
35) Dibromofluoromethane	5.397	113	68758	48.950	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	97.900%
50) Toluene-d8	8.647	98	252224	49.979	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.960%
62) 4-Bromofluorobenzene	11.079	95	92918	49.393	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	98.780%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Time: Jun 20 05:15:59 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 734
Delta R.T. 0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33




Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01


Tgt Ion:168 Resp: 124937
Ion Ratio Lower Upper
168 100
99 60.2 48.5 72.7



#33
1,2-Dichloroethane-d4
Concen: 48.278 ug/l
RT: 5.964 min Scan# 800
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33

Tgt Ion: 65 Resp: 83430
Ion Ratio Lower Upper
65 100
67 52.4 0.0 105.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.769 min Scan# 91

Delta R.T. 0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33

Instrument :

MSVOA_X

ClientSampleId :

VX0619WBL01





Tgt Ion:114 Resp: 212303

Ion Ratio Lower Upper

114 100

63 21.2 0.0 44.2

88 16.0 0.0 33.2



#35

Dibromofluoromethane

Concen: 48.950 ug/l

RT: 5.397 min Scan# 707

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33




Tgt Ion:113 Resp: 68758


Ion Ratio Lower Upper

113 100

111 103.2 82.0 123.0

192 19.4 15.3 22.9









#50
Toluene-d8
Concen: 49.979 ug/l
RT: 8.647 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33




Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01


Tgt Ion: 98 Resp: 252224
Ion Ratio Lower Upper
98 100
100 66.3 53.0 79.4



#62
4-Bromofluorobenzene
Concen: 49.393 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.000 min
Lab File: VX046760.D
Acq: 19 Jun 2025 10:33

Tgt Ion: 95 Resp: 92918
Ion Ratio Lower Upper
95 100
174 75.8 0.0 150.4
176 71.2 0.0 145.0





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.055 min Scan# 1471

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33

Instrument :

MSVOA_X

ClientSampleId :

VX0619WBL01





Tgt Ion:117 Resp: 191555

Ion Ratio Lower Upper

117 100

82 55.3 44.6 66.8

119 31.4 25.8 38.8



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 1793

Delta R.T. -0.000 min

Lab File: VX046760.D

Acq: 19 Jun 2025 10:33




Tgt Ion:152 Resp: 93040

Ion Ratio Lower Upper

152 100

115 60.1 43.2 129.6

150 157.7 0.0 346.8



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Integration Parameters: RTEINT.P
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Title : SW846 8260

Signal : TIC: VX046760.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.397	694	707	724	rBV2	71138	226401	33.63%	6.316%
2	5.562	724	734	757	rVB2	118344	370009	54.96%	10.322%
3	5.964	791	800	818	rBV	78654	226828	33.69%	6.328%
4	6.769	923	932	954	rBV	190158	495034	73.53%	13.809%
5	8.647	1234	1240	1259	rBV	401216	673238	100.00%	18.781%
6	10.055	1465	1471	1483	rBV	404279	586443	87.11%	16.359%
7	11.079	1634	1639	1654	rBV	342631	438043	65.07%	12.220%
8	12.018	1788	1793	1808	rBV	460324	568770	84.48%	15.866%




Sum of corrected areas: 3584766

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

A

B

C

D

E

F

G

H

I

J

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046760.D
Acq On : 19 Jun 2025 10:33
Operator : JC/MD
Sample : VX0619WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBL01

A

B

C

D

E

F

G

H

I

J

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046762.D
 Acq On : 19 Jun 2025 11:24
 Operator : JC/MD
 Sample : VX0619WBS01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBS01

Manual Integrations APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:16:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	137936	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	227140	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	207463	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	104652	50.000	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	5.964	65	94946	49.765	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	99.520%
35) Dibromofluoromethane	5.397	113	78196	52.032	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	104.060%
50) Toluene-d8	8.647	98	282602	52.340	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	104.680%
62) 4-Bromofluorobenzene	11.079	95	108869	54.092	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	108.180%

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.185	85	28069	19.060	ug/l	97
3) Chloromethane	1.307	50	29736	18.707	ug/l	99
4) Vinyl Chloride	1.386	62	32033	18.898	ug/l	93
5) Bromomethane	1.630	94	20191	21.172	ug/l	93
6) Chloroethane	1.709	64	20468	19.923	ug/l	98
7) Trichlorofluoromethane	1.910	101	47476	18.446	ug/l	99
8) Diethyl Ether	2.148	74	16252	18.400	ug/l	99
9) 1,1,2-Trichlorotrifluo...	2.349	101	29254	18.528	ug/l	99
10) Methyl Iodide	2.471	142	29614	18.018	ug/l	99
11) Tert butyl alcohol	2.959	59	10810	63.126	ug/l	97
12) 1,1-Dichloroethene	2.337	96	28292	18.570	ug/l	97
13) Acrolein	2.251	56	18186	72.910	ug/l	98
14) Allyl chloride	2.684	41	49324	17.868	ug/l	99
15) Acrylonitrile	3.075	53	62463	81.119	ug/l	98
16) Acetone	2.386	43	47143	74.096	ug/l	96
17) Carbon Disulfide	2.532	76	78405	17.041	ug/l	98
18) Methyl Acetate	2.715	43	25862	16.004	ug/l	98
19) Methyl tert-butyl Ether	3.123	73	80635	16.997	ug/l	98
20) Methylene Chloride	2.806	84	32048	18.113	ug/l	98
21) trans-1,2-Dichloroethene	3.111	96	29757	18.253	ug/l	99
22) Diisopropyl ether	3.769	45	100392	18.921	ug/l	94
23) Vinyl Acetate	3.733	43	365712	86.676	ug/l	100
24) 1,1-Dichloroethane	3.623	63	55663	18.477	ug/l	99
25) 2-Butanone	4.568	43	70964m	78.864	ug/l	
26) 2,2-Dichloropropane	4.489	77	39442	17.951	ug/l	99
27) cis-1,2-Dichloroethene	4.507	96	35547	18.560	ug/l	98
28) Bromochloromethane	4.910	49	28430	20.816	ug/l	99
29) Tetrahydrofuran	5.013	42	44591	76.721	ug/l	99
30) Chloroform	5.105	83	57187	18.982	ug/l	93
31) Cyclohexane	5.483	56	53811	18.836	ug/l	96
32) 1,1,1-Trichloroethane	5.391	97	46675	17.665	ug/l	98
36) 1,1-Dichloropropene	5.702	75	40684	18.754	ug/l	99
37) Ethyl Acetate	4.727	43	31829	15.895	ug/l	98
38) Carbon Tetrachloride	5.690	117	42451	18.031	ug/l	99
39) Methylcyclohexane	7.385	83	52931	18.541	ug/l	99
40) Benzene	6.050	78	121111	18.864	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046762.D
 Acq On : 19 Jun 2025 11:24
 Operator : JC/MD
 Sample : VX0619WBS01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBS01

Quant Time: Jun 20 05:16:39 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
 Supervised By :Mahesh Dadoda 06/21/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	17227	16.137	ug/l	99
42) 1,2-Dichloroethane	6.092	62	41780	18.518	ug/l	100
43) Isopropyl Acetate	6.348	43	51032	16.286	ug/l	99
44) Trichloroethene	7.135	130	30093	18.392	ug/l	99
45) 1,2-Dichloropropane	7.433	63	29323	18.429	ug/l	95
46) Dibromomethane	7.592	93	20791	18.181	ug/l	99
47) Bromodichloromethane	7.824	83	44034	18.870	ug/l	99
48) Methyl methacrylate	7.696	41	25618	16.301	ug/l	98
49) 1,4-Dioxane	7.659	88	6374	299.149	ug/l	94
51) 4-Methyl-2-Pentanone	8.573	43	152568	81.636	ug/l	98
52) Toluene	8.720	92	75814	19.048	ug/l	98
53) t-1,3-Dichloropropene	8.982	75	38942	17.985	ug/l	99
54) cis-1,3-Dichloropropene	8.366	75	44663	18.171	ug/l	98
55) 1,1,2-Trichloroethane	9.153	97	27505	18.544	ug/l	99
56) Ethyl methacrylate	9.116	69	37095	16.942	ug/l	98
57) 1,3-Dichloropropane	9.311	76	47213	18.484	ug/l	100
58) 2-Chloroethyl Vinyl ether	8.244	63	101869	89.565	ug/l	99
59) 2-Hexanone	9.427	43	101986	78.935	ug/l	100
60) Dibromochloromethane	9.518	129	32154	18.395	ug/l	100
61) 1,2-Dibromoethane	9.610	107	27221	18.042	ug/l	100
64) Tetrachloroethene	9.275	164	25376	17.655	ug/l	95
65) Chlorobenzene	10.079	112	82392	17.991	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.159	131	27463	17.843	ug/l	98
67) Ethyl Benzene	10.195	91	144047	18.002	ug/l	97
68) m/p-Xylenes	10.299	106	111044	37.244	ug/l	100
69) o-Xylene	10.640	106	51894	18.572	ug/l	98
70) Styrene	10.652	104	89289	18.260	ug/l	99
71) Bromoform	10.799	173	19576	16.701	ug/l #	98
73) Isopropylbenzene	10.957	105	139510	18.100	ug/l	99
74) N-amyl acetate	10.841	43	46412	15.893	ug/l	99
75) 1,1,2,2-Tetrachloroethane	11.207	83	37312	17.337	ug/l	100
76) 1,2,3-Trichloropropane	11.238	75	29393m	15.335	ug/l	
77) Bromobenzene	11.195	156	33896	18.275	ug/l	99
78) n-propylbenzene	11.299	91	168589	18.415	ug/l	99
79) 2-Chlorotoluene	11.360	91	99687	18.238	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	115409	18.221	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.018	75	10102	14.897	ug/l	96
82) 4-Chlorotoluene	11.451	91	116713	18.296	ug/l	99
83) tert-Butylbenzene	11.713	119	118027	18.027	ug/l	99
84) 1,2,4-Trimethylbenzene	11.750	105	116817	18.357	ug/l	99
85) sec-Butylbenzene	11.890	105	153043	18.496	ug/l	100
86) p-Isopropyltoluene	12.006	119	127841	18.312	ug/l	99
87) 1,3-Dichlorobenzene	11.969	146	64330	17.788	ug/l	99
88) 1,4-Dichlorobenzene	12.036	146	64856	17.460	ug/l	99
89) n-Butylbenzene	12.329	91	118756	17.915	ug/l	100
90) Hexachloroethane	12.536	117	20652	16.893	ug/l	98
91) 1,2-Dichlorobenzene	12.335	146	61156	18.096	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	6425	15.122	ug/l	97
93) 1,2,4-Trichlorobenzene	13.585	180	41109	17.110	ug/l	98
94) Hexachlorobutadiene	13.719	225	17833	17.644	ug/l	96
95) Naphthalene	13.774	128	110507	16.144	ug/l	100
96) 1,2,3-Trichlorobenzene	13.957	180	40546	17.639	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046762.D
Acq On : 19 Jun 2025 11:24
Operator : JC/MD
Sample : VX0619WBS01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jun 20 05:16:39 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBS01

Manual Integrations
APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBS01

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025



Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046763.D
 Acq On : 19 Jun 2025 11:51
 Operator : JC/MD
 Sample : VX0619WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBSD01

Manual Integrations
 APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:17:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) Pentafluorobenzene	5.562	168	120371	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	199496	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	183807	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	94851	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.958	65	85794	51.530	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 103.060%			
35) Dibromofluoromethane	5.391	113	69686	52.795	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 105.600%			
50) Toluene-d8	8.647	98	249730	52.661	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 105.320%			
62) 4-Bromofluorobenzene	11.079	95	97074	54.915	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery = 109.820%			
Target Compounds						
					Qvalue	
2) Dichlorodifluoromethane	1.185	85	25471	19.820	ug/l	99
3) Chloromethane	1.307	50	27061	19.509	ug/l	96
4) Vinyl Chloride	1.386	62	29098	19.672	ug/l	95
5) Bromomethane	1.630	94	18436	22.153	ug/l	93
6) Chloroethane	1.703	64	18444	20.573	ug/l	95
7) Trichlorofluoromethane	1.904	101	43435	19.339	ug/l	97
8) Diethyl Ether	2.148	74	15726	20.402	ug/l	99
9) 1,1,2-Trichlorotrifluo...	2.349	101	27115	19.679	ug/l	98
10) Methyl Iodide	2.465	142	30018	20.229	ug/l	98
11) Tert butyl alcohol	2.959	59	10932	73.154	ug/l	96
12) 1,1-Dichloroethene	2.337	96	25867	19.455	ug/l	98
13) Acrolein	2.245	56	18810	86.416	ug/l	97
14) Allyl chloride	2.678	41	45893	19.051	ug/l	100
15) Acrylonitrile	3.068	53	61358	91.312	ug/l	99
16) Acetone	2.386	43	45269	81.534	ug/l	95
17) Carbon Disulfide	2.526	76	72150	17.970	ug/l	99
18) Methyl Acetate	2.709	43	25035	17.753	ug/l	100
19) Methyl tert-butyl Ether	3.117	73	77256	18.661	ug/l	98
20) Methylene Chloride	2.800	84	29836	19.323	ug/l	99
21) trans-1,2-Dichloroethene	3.105	96	27280	19.176	ug/l	97
22) Diisopropyl ether	3.764	45	94092	20.321	ug/l	87
23) Vinyl Acetate	3.733	43	359723	97.697	ug/l	100
24) 1,1-Dichloroethane	3.623	63	50927	19.372	ug/l	100
25) 2-Butanone	4.562	43	68340	87.030	ug/l	97
26) 2,2-Dichloropropane	4.489	77	36206	18.883	ug/l	99
27) cis-1,2-Dichloroethene	4.501	96	32489	19.438	ug/l	100
28) Bromochloromethane	4.910	49	27522	23.092	ug/l	97
29) Tetrahydrofuran	5.013	42	43894	86.542	ug/l	99
30) Chloroform	5.099	83	53771	20.452	ug/l	97
31) Cyclohexane	5.477	56	49014	19.660	ug/l	98
32) 1,1,1-Trichloroethane	5.391	97	44445	19.276	ug/l	99
36) 1,1-Dichloropropene	5.702	75	35819	18.799	ug/l	97
37) Ethyl Acetate	4.721	43	31001	17.627	ug/l	98
38) Carbon Tetrachloride	5.684	117	39531	19.117	ug/l	99
39) Methylcyclohexane	7.385	83	47544	18.962	ug/l	99
40) Benzene	6.044	78	112866	20.015	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046763.D
 Acq On : 19 Jun 2025 11:51
 Operator : JC/MD
 Sample : VX0619WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBSD01

Manual Integrations
 APPROVED

Reviewed By : John Carlone 06/20/2025
 Supervised By : Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:17:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.928	41	17801	18.985	ug/l	96
42) 1,2-Dichloroethane	6.092	62	39829	20.100	ug/l	99
43) Isopropyl Acetate	6.342	43	50813	18.463	ug/l	99
44) Trichloroethene	7.129	130	27765	19.321	ug/l	89
45) 1,2-Dichloropropane	7.427	63	28336	20.276	ug/l	92
46) Dibromomethane	7.580	93	19978	19.891	ug/l	99
47) Bromodichloromethane	7.824	83	41221	20.112	ug/l	99
48) Methyl methacrylate	7.696	41	26092	18.904	ug/l	100
49) 1,4-Dioxane	7.659	88	6068	321.885	ug/l	97
51) 4-Methyl-2-Pentanone	8.574	43	150700	91.811	ug/l	98
52) Toluene	8.720	92	70998	20.310	ug/l	99
53) t-1,3-Dichloropropene	8.976	75	37151	19.536	ug/l	98
54) cis-1,3-Dichloropropene	8.366	75	43044	19.939	ug/l	100
55) 1,1,2-Trichloroethane	9.153	97	26588	20.409	ug/l	98
56) Ethyl methacrylate	9.116	69	35838	18.636	ug/l	97
57) 1,3-Dichloropropane	9.305	76	45490	20.277	ug/l	99
58) 2-Chloroethyl Vinyl ether	8.238	63	100239	100.344	ug/l	99
59) 2-Hexanone	9.427	43	100820	88.846	ug/l	100
60) Dibromochloromethane	9.519	129	30624	19.947	ug/l	99
61) 1,2-Dibromoethane	9.610	107	26614	20.084	ug/l	98
64) Tetrachloroethene	9.275	164	23913	18.778	ug/l	98
65) Chlorobenzene	10.079	112	78801	19.421	ug/l	100
66) 1,1,1,2-Tetrachloroethane	10.159	131	26522	19.449	ug/l	100
67) Ethyl Benzene	10.195	91	135702	19.141	ug/l	99
68) m/p-Xylenes	10.299	106	102519	38.810	ug/l	99
69) o-Xylene	10.640	106	49068	19.820	ug/l	99
70) Styrene	10.653	104	85333	19.696	ug/l	98
71) Bromoform	10.799	173	19127	18.418	ug/l #	98
73) Isopropylbenzene	10.957	105	129881	18.592	ug/l	100
74) N-amyl acetate	10.842	43	45562	17.214	ug/l	99
75) 1,1,2,2-Tetrachloroethane	11.207	83	35939	18.425	ug/l	100
76) 1,2,3-Trichloropropane	11.238	75	29301m	16.867	ug/l	
77) Bromobenzene	11.195	156	31899	18.976	ug/l	98
78) n-propylbenzene	11.299	91	156018	18.803	ug/l	100
79) 2-Chlorotoluene	11.360	91	92310	18.633	ug/l	99
80) 1,3,5-Trimethylbenzene	11.451	105	108639	18.925	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.018	75	9561	15.556	ug/l	95
82) 4-Chlorotoluene	11.451	91	108666	18.795	ug/l	99
83) tert-Butylbenzene	11.713	119	108810	18.337	ug/l	100
84) 1,2,4-Trimethylbenzene	11.750	105	108849	18.872	ug/l	100
85) sec-Butylbenzene	11.890	105	141281	18.839	ug/l	100
86) p-Isopropyltoluene	12.006	119	118528	18.732	ug/l	99
87) 1,3-Dichlorobenzene	11.969	146	60812	18.553	ug/l	99
88) 1,4-Dichlorobenzene	12.036	146	59834	17.772	ug/l	98
89) n-Butylbenzene	12.329	91	111302	18.526	ug/l	99
90) Hexachloroethane	12.536	117	19081	17.220	ug/l	96
91) 1,2-Dichlorobenzene	12.335	146	58188	18.997	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	6206	16.116	ug/l	97
93) 1,2,4-Trichlorobenzene	13.585	180	39871	18.309	ug/l	99
94) Hexachlorobutadiene	13.719	225	17144	18.715	ug/l	96
95) Naphthalene	13.774	128	107578	17.340	ug/l	99
96) 1,2,3-Trichlorobenzene	13.957	180	37893	18.189	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
Data File : VX046763.D
Acq On : 19 Jun 2025 11:51
Operator : JC/MD
Sample : VX0619WBSD01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jun 20 05:17:34 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 18 03:09:16 2025
Response via : Initial Calibration

Instrument :
MSVOA_X
ClientSampleId :
VX0619WBSD01

Manual Integrations
APPROVED

Reviewed By :John Carlone 06/20/2025
Supervised By :Mahesh Dadoda 06/21/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061925\
 Data File : VX046763.D
 Acq On : 19 Jun 2025 11:51
 Operator : JC/MD
 Sample : VX0619WBSD01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VX0619WBSD01

Manual Integrations APPROVED

Reviewed By :John Carlone 06/20/2025
 Supervised By :Mahesh Dadoda 06/21/2025

Quant Time: Jun 20 05:17:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061725W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 18 03:09:16 2025
 Response via : Initial Calibration



Manual Integration Report

Sequence:	vx061725	Instrument	MSVOA_x
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICC005	VX046718.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:26:54 PM	MMDadoda	6/18/2025 6:21:14 PM	Peak Integrated by Software
VSTDICC020	VX046719.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:04 PM	MMDadoda	6/18/2025 6:21:20 PM	Peak Integrated by Software
VSTDICCC050	VX046720.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:12 PM	MMDadoda	6/18/2025 6:21:32 PM	Peak Integrated by Software
VSTDICC100	VX046721.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:20 PM	MMDadoda	6/18/2025 6:21:40 PM	Peak Integrated by Software
VSTDICC150	VX046722.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:27 PM	MMDadoda	6/18/2025 6:21:48 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	1,4-Dichlorobenzene	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	2,2-Dichloropropane	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Chloroform	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Ethyl Acetate	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICC001	VX046725.D	Methacrylonitrile	Sam	6/18/2025 5:27:40 PM	MMDadoda	6/18/2025 6:22:02 PM	Peak Integrated by Software
VSTDICV050	VX046726.D	1,2,3-Trichloropropane	Sam	6/18/2025 5:27:47 PM	MMDadoda	6/18/2025 6:22:09 PM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	vx061725	Instrument	MSVOA_x
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
-----------	---------	-----------	-----------	-----------	---------------	---------------	--------

Manual Integration Report

Sequence:	VX061925	Instrument	MSVOA_x
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VX046758.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:24 AM	MMdadoda	6/21/2025 12:20:44 AM	Peak Integrated by Software
VSTDCCC050	VX046758.D	2-Butanone	JOHN	6/20/2025 8:42:24 AM	MMdadoda	6/21/2025 12:20:44 AM	Peak Integrated by Software
VX0619WBS01	VX046762.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:30 AM	MMdadoda	6/21/2025 12:20:48 AM	Peak Integrated by Software
VX0619WBS01	VX046762.D	2-Butanone	JOHN	6/20/2025 8:42:30 AM	MMdadoda	6/21/2025 12:20:48 AM	Peak Integrated by Software
VX0619WBSD0 1	VX046763.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:34 AM	MMdadoda	6/21/2025 12:20:52 AM	Peak Integrated by Software
VSTDCCC050	VX046775.D	1,2,3-Trichloropropane	JOHN	6/20/2025 8:42:59 AM	MMdadoda	6/21/2025 12:21:03 AM	Peak Integrated by Software

Instrument ID: **MSVOA_X**

Daily Analysis Runlog For Sequence/QC Batch ID # VX061725

Review By	Semsettin Yesilyurt	Review On	6/18/2025 5:28:16 PM
Supervise By	Mahesh Dadoda	Supervise On	6/18/2025 6:22:48 PM
SubDirectory	VX061725	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk	VP134389		
Initial Calibration Stds	VP134390,VP134391,VP134392,VP134393,VP134394,VP134395		
CCC			
Internal Standard/PEM			
ICV/I.BLK	VP134396		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VX046715.D	17 Jun 2025 08:46	JC/MD	Ok
2	VSTDIC001	VX046716.D	17 Jun 2025 10:09	JC/MD	Not Ok
3	VSTDIC001	VX046717.D	17 Jun 2025 10:58	JC/MD	ReRun
4	VSTDIC005	VX046718.D	17 Jun 2025 11:19	JC/MD	Ok,M
5	VSTDIC020	VX046719.D	17 Jun 2025 13:59	JC/MD	Ok,M
6	VSTDIC050	VX046720.D	17 Jun 2025 14:20	JC/MD	Ok,M
7	VSTDIC100	VX046721.D	17 Jun 2025 14:41	JC/MD	Ok,M
8	VSTDIC150	VX046722.D	17 Jun 2025 15:02	JC/MD	Ok,M
9	IBLK	VX046723.D	17 Jun 2025 15:23	JC/MD	Ok
10	VSTDIC001	VX046724.D	17 Jun 2025 16:20	JC/MD	Not Ok
11	VSTDIC001	VX046725.D	17 Jun 2025 17:18	JC/MD	Ok,M
12	VSTDICV050	VX046726.D	17 Jun 2025 18:00	JC/MD	Ok,M

M : Manual Integration

Instrument ID: **MSVOA_X**

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM
Supervise By	Maresh Dadoda	Supervise On	6/21/2025 12:21:16 AM
SubDirectory	VX061925	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134428		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134429,VP134430		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VX046757.D	19 Jun 2025 08:42	JC/MD	Ok
2	VSTDCCC050	VX046758.D	19 Jun 2025 09:43	JC/MD	Ok,M
3	VX0619MBL01	VX046759.D	19 Jun 2025 10:12	JC/MD	Ok
4	VX0619WBL01	VX046760.D	19 Jun 2025 10:33	JC/MD	Ok
5	Q2345-01	VX046761.D	19 Jun 2025 11:03	JC/MD	Ok
6	VX0619WBS01	VX046762.D	19 Jun 2025 11:24	JC/MD	Ok,M
7	VX0619WBSD01	VX046763.D	19 Jun 2025 11:51	JC/MD	Ok,M
8	Q2361-01	VX046764.D	19 Jun 2025 12:12	JC/MD	Ok
9	Q2334-01	VX046765.D	19 Jun 2025 12:33	JC/MD	Ok
10	Q2334-02	VX046766.D	19 Jun 2025 12:54	JC/MD	Ok
11	Q2334-03	VX046767.D	19 Jun 2025 13:15	JC/MD	Ok
12	Q2363-02	VX046768.D	19 Jun 2025 13:36	JC/MD	Dilution
13	IBLK	VX046769.D	19 Jun 2025 13:57	JC/MD	Ok
14	IBLK	VX046770.D	19 Jun 2025 14:18	JC/MD	Ok
15	Q2351-01	VX046771.D	19 Jun 2025 15:45	JC/MD	Ok
16	Q2372-02	VX046772.D	19 Jun 2025 16:06	JC/MD	Ok
17	Q2372-01	VX046773.D	19 Jun 2025 16:27	JC/MD	Ok
18	IBLK	VX046774.D	19 Jun 2025 16:49	JC/MD	Ok
19	VSTDCCC050	VX046775.D	19 Jun 2025 17:10	JC/MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061725

Review By	Semsettin Yesilyurt	Review On	6/18/2025 5:28:16 PM
Supervise By	Mahesh Dadoda	Supervise On	6/18/2025 6:22:48 PM
SubDirectory	VX061725	HP Acquire Method	HP Processing Method 82X061725W.M

STD. NAME	STD REF.#
Tune/Reschk	VP134389
Initial Calibration Stds	VP134390,VP134391,VP134392,VP134393,VP134394,VP134395
CCC	
Internal Standard/PEM	
ICV/I.BLK	VP134396
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VX046715.D	17 Jun 2025 08:46		JC/MD	Ok
2	VSTDICC001	VSTDICC001	VX046716.D	17 Jun 2025 10:09	RRF check	JC/MD	Not Ok
3	VSTDICC001	VSTDICC001	VX046717.D	17 Jun 2025 10:58	low response	JC/MD	ReRun
4	VSTDICC005	VSTDICC005	VX046718.D	17 Jun 2025 11:19		JC/MD	Ok,M
5	VSTDICC020	VSTDICC020	VX046719.D	17 Jun 2025 13:59	LR- 10,49	JC/MD	Ok,M
6	VSTDICCC050	VSTDICCC050	VX046720.D	17 Jun 2025 14:20		JC/MD	Ok,M
7	VSTDICC100	VSTDICC100	VX046721.D	17 Jun 2025 14:41		JC/MD	Ok,M
8	VSTDICC150	VSTDICC150	VX046722.D	17 Jun 2025 15:02		JC/MD	Ok,M
9	IBLK	IBLK	VX046723.D	17 Jun 2025 15:23		JC/MD	Ok
10	VSTDICC001	VSTDICC001	VX046724.D	17 Jun 2025 16:20	spike error	JC/MD	Not Ok
11	VSTDICC001	VSTDICC001	VX046725.D	17 Jun 2025 17:18		JC/MD	Ok,M
12	VSTDICV050	ICVVX061725	VX046726.D	17 Jun 2025 18:00		JC/MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM
Supervise By	Maresh Dadoda	Supervise On	6/21/2025 12:21:16 AM
SubDirectory	VX061925	HP Acquire Method	HP Processing Method 82X061725W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134428		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134429,VP134430		

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VX046757.D	19 Jun 2025 08:42		JC/MD	Ok
2	VSTDCCC050	VSTDCCC050	VX046758.D	19 Jun 2025 09:43	pH#Lot#V12668	JC/MD	Ok,M
3	VX0619MBL01	VX0619MBL01	VX046759.D	19 Jun 2025 10:12		JC/MD	Ok
4	VX0619WBL01	VX0619WBL01	VX046760.D	19 Jun 2025 10:33		JC/MD	Ok
5	Q2345-01	EB02-20250616	VX046761.D	19 Jun 2025 11:03	vial B pH<2 EB	JC/MD	Ok
6	VX0619WBS01	VX0619WBS01	VX046762.D	19 Jun 2025 11:24		JC/MD	Ok,M
7	VX0619WBSD01	VX0619WBSD01	VX046763.D	19 Jun 2025 11:51		JC/MD	Ok,M
8	Q2361-01	TT205S1-20250617	VX046764.D	19 Jun 2025 12:12	vial A pH<2	JC/MD	Ok
9	Q2334-01	MW3	VX046765.D	19 Jun 2025 12:33	vial A pH<2	JC/MD	Ok
10	Q2334-02	MW4	VX046766.D	19 Jun 2025 12:54	vial A pH<2	JC/MD	Ok
11	Q2334-03	GBTW1	VX046767.D	19 Jun 2025 13:15	vial A pH<2	JC/MD	Ok
12	Q2363-02	GCAP1W	VX046768.D	19 Jun 2025 13:36	vial A pH<2 Need 20X	JC/MD	Dilution
13	IBLK	IBLK	VX046769.D	19 Jun 2025 13:57		JC/MD	Ok
14	IBLK	IBLK	VX046770.D	19 Jun 2025 14:18		JC/MD	Ok
15	Q2351-01	FAIRLAWN-SUMP	VX046771.D	19 Jun 2025 15:45	vial A pH<2 oily sample	JC/MD	Ok
16	Q2372-02	GAV2W	VX046772.D	19 Jun 2025 16:06	vial A pH<2	JC/MD	Ok
17	Q2372-01	GAV1W	VX046773.D	19 Jun 2025 16:27	vial A pH<2	JC/MD	Ok
18	IBLK	IBLK	VX046774.D	19 Jun 2025 16:49		JC/MD	Ok

Instrument ID: MSVOA_X

Daily Analysis Runlog For Sequence/QC Batch ID # VX061925

Review By	John Carlone	Review On	6/20/2025 8:46:07 AM				
Supervise By	Mahesh Dadoda	Supervise On	6/21/2025 12:21:16 AM				
SubDirectory	VX061925	HP Acquire Method	HP Processing Method		82X061725W.M		
STD. NAME		STD REF.#					
Tune/Reschk Initial Calibration Stds		VP134428					
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard		VP134429,VP134430					
19	VSTDCCC050	VSTDCCC050EC	VX046775.D	19 Jun 2025 17:10		JC/MD	Ok,M

M : Manual Integration

A
B
C
D
E
F
G
H
I
J

LAB CHRONICLE

OrderID:	Q2372	OrderDate:	6/19/2025 2:53:00 PM
Client:	G Environmental	Project:	Ave B
Contact:	Gary Landis	Location:	D51,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2372-01	GAV1W	Water	VOCMS Group1	8260-Low	06/19/25		06/19/25	06/19/25
Q2372-02	GAV2W	Water	VOCMS Group1	8260-Low	06/19/25		06/19/25	06/19/25