

SOP ID : MSM4500-CN C,E-Cyanide-12

SDG No : N/A

Matrix : WATER

Pippete ID : WC

Balance ID : N/A

Hood ID : HOOD#1

Block ID : MC-1, MC-2

Weigh By : N/A

Start Digest Date: 06/25/2025 Time : 08:45 Temp : 124 °C

End Digest Date: 06/25/2025 Time : 10:15 Temp : 126 °C

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : WC CYANIDE

Prep Technician Signature:

Supervisor Signature:

12

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP112995
MS/MSD SPIKE SOL.	0.40ML	WP113319
PBW	50.ML	W3112
RL CHECK	50.ML	WP113665
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.ML	WP111294
50% v/v H2SO4	5.ML	WP112826
51% w/v MgCL2	2.ML	WP112827
pH Paper 0-14	N/A	W3215
Nitrate/Nitrite Strip	N/A	W3101
Lead Acetate strip	N/A	W3134
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	W3012
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	2.5ML	WP113319
HIGHSTD	HIGHSTD	N/A	N/A
LOWSTD	LOWSTD	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
06/25/2025 10:25		RM (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB168595BL	PBW595	50	50	>12	Negative	Negative	Negative	N/A	N/A
PB168595BS	LCS595	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2376-01DUP	EFFLUENTDUP	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2376-01MS	EFFLUENTMS	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2376-01MSD	EFFLUENTMSD	50	50	>12	Negative	Negative	Negative	N/A	N/A
Q2376-01	EFFLUENT	50	50	>12	Negative	Negative	Negative	N/A	N/A