

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062525\
 Data File : PD089155.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jun 2025 22:40
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 09:26:34 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 18 05:39:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.881	150.7E6	884.2E6	52.831	52.153
28)	SA Decachlor...	9.072	8.071	163.7E6	792.5E6	41.669	40.088
Target Compounds							
2)	A alpha-BHC	3.999	3.393	319.8E6	1401.4E6	54.864	52.297
3)	MA gamma-BHC...	4.330	3.730	303.0E6	1288.6E6	54.291	52.050
4)	MA Heptachlor	4.929	4.082	280.7E6	1264.6E6	51.480	50.506
5)	MB Aldrin	5.271	4.368	265.6E6	1251.9E6	49.999	51.693
6)	B beta-BHC	4.515	4.025	115.5E6	531.1E6	52.336	49.425
7)	B delta-BHC	4.764	4.262	289.4E6	1287.2E6	56.382	51.751
8)	B Heptachlo...	5.690	4.872	236.8E6	1112.5E6	49.079	50.804
9)	A Endosulfan I	6.074	5.246	217.8E6	961.3E6	48.328	46.120
10)	B gamma-Chl...	5.946	5.125	237.5E6	1193.3E6	49.607	49.883
11)	B alpha-Chl...	6.027	5.190	235.3E6	1138.6E6	48.636	49.727
12)	B 4,4'-DDE	6.195	5.375	201.0E6	1135.9E6	46.092	49.568
13)	MA Dieldrin	6.347	5.512	217.8E6	1145.6E6	45.405	49.362
14)	MA Endrin	6.574	5.789	189.6E6	1086.0E6	45.963	50.013
15)	B Endosulfa...	6.785	6.079	184.0E6	960.8E6	45.576	47.574
16)	A 4,4'-DDD	6.704	5.929	156.1E6	940.3E6	45.489	49.154
17)	MA 4,4'-DDT	7.020	6.183	151.8E6	911.7E6	40.063	44.956
18)	B Endrin al...	6.914	6.258	131.8E6	692.7E6	43.021	45.244
19)	B Endosulfa...	7.148	6.481	163.6E6	894.2E6	42.628	45.573
20)	A Methoxychlor	7.493	6.752	75730053	455.6E6	37.478	42.308
21)	B Endrin ke...	7.630	6.990	172.1E6	947.1E6	42.264	43.846
22)	Mirex	8.113	7.184	128.6E6	705.3E6	42.314	42.292
23)	Chlordane-1	0.000	3.898	0	761358	N.D.	0.817 #
24)	Chlordane-2	5.271f	4.508f	265.6E6	112.4E6	1216.792	118.078 #
25)	Chlordane-3	5.946	5.125	237.5E6	1193.3E6	275.397	401.766 #
26)	Chlordane-4	6.027	5.190	235.3E6	1138.6E6	223.970	454.218 #
27)	Chlordane-5	0.000	6.079	0	960.8E6	N.D.	849.050 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062525\
Data File : PD089155.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jun 2025 22:40
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 09:26:34 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
Quant Title : GC Extractables
QLast Update : Wed Jun 18 05:39:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 150735103
Conc: 52.83 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.881 min
Delta R.T.: 0.000 min
Response: 884164853
Conc: 52.15 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 319806289
Conc: 54.86 ng/ml



#2 alpha-BHC


R.T.: 3.393 min
Delta R.T.: 0.000 min
Response: 1401403746
Conc: 52.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 303033169
Conc: 54.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.730 min
Delta R.T.: 0.000 min
Response: 1288605521
Conc: 52.05 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.000 min
Response: 280667725
Conc: 51.48 ng/ml



#4 Heptachlor


R.T.: 4.082 min
Delta R.T.: 0.000 min
Response: 1264577246
Conc: 50.51 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: 0.000 min
Response: 265642442
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.368 min
Delta R.T.: 0.000 min
Response: 1251859345
Conc: 51.69 ng/ml




#6 beta-BHC

R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 115513285
Conc: 52.34 ng/ml



#6 beta-BHC


R.T.: 4.025 min
Delta R.T.: 0.000 min
Response: 531134773
Conc: 49.43 ng/ml



#7 delta-BHC


R.T.: 4.764 min
Delta R.T.: 0.000 min
Response: 289401948
Conc: 56.38 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.262 min
Delta R.T.: 0.000 min
Response: 1287227553
Conc: 51.75 ng/ml




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: 0.000 min
Response: 236753844
Conc: 49.08 ng/ml



#8 Heptachlor epoxide


R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 1112499441
Conc: 50.80 ng/ml



#9 Endosulfan I


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 217835635
Conc: 48.33 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.246 min
Delta R.T.: -0.001 min
Response: 961252858
Conc: 46.12 ng/ml




#10 gamma-Chlordane

R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 237524589
Conc: 49.61 ng/ml



#10 gamma-Chlordane


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 1193325146
Conc: 49.88 ng/ml



#11 alpha-Chlordane


R.T.: 6.027 min
Delta R.T.: 0.000 min
Response: 235327311
Conc: 48.64 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.190 min
Delta R.T.: 0.000 min
Response: 1138597587
Conc: 49.73 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 201007581
Conc: 46.09 ng/ml



#12 4,4'-DDE


R.T.: 5.375 min
Delta R.T.: 0.000 min
Response: 1135902729
Conc: 49.57 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 217828556
Conc: 45.40 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.512 min
Delta R.T.: -0.001 min
Response: 1145614466
Conc: 49.36 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 189622311
Conc: 45.96 ng/ml



#14 Endrin


R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 1085982539
Conc: 50.01 ng/ml



#15 Endosulfan II


R.T.: 6.785 min
Delta R.T.: 0.000 min
Response: 183971956
Conc: 45.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.079 min
Delta R.T.: -0.001 min
Response: 960837183
Conc: 47.57 ng/ml




#16 4,4'-DDD

R.T.: 6.704 min
Delta R.T.: 0.000 min
Response: 156121211
Conc: 45.49 ng/ml



#16 4,4'-DDD


R.T.: 5.929 min
Delta R.T.: -0.001 min
Response: 940280200
Conc: 49.15 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: 0.000 min
Response: 151765429
Conc: 40.06 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.183 min
Delta R.T.: -0.002 min
Response: 911676023
Conc: 44.96 ng/ml




#18 Endrin aldehyde

R.T.: 6.914 min
Delta R.T.: 0.000 min
Response: 131813383
Conc: 43.02 ng/ml



#18 Endrin aldehyde


R.T.: 6.258 min
Delta R.T.: -0.001 min
Response: 692740052
Conc: 45.24 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 163571228
Conc: 42.63 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.481 min
Delta R.T.: -0.002 min
Response: 894197602
Conc: 45.57 ng/ml




#20 Methoxychlor

R.T.: 7.493 min
Delta R.T.: 0.000 min
Response: 75730053
Conc: 37.48 ng/ml



#20 Methoxychlor


R.T.: 6.752 min
Delta R.T.: -0.002 min
Response: 455578004
Conc: 42.31 ng/ml



#21 Endrin ketone


R.T.: 7.630 min
Delta R.T.: 0.000 min
Response: 172144815
Conc: 42.26 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.990 min
Delta R.T.: -0.002 min
Response: 947141063
Conc: 43.85 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: 0.000 min
Response: 128641609
Conc: 42.31 ng/ml



#22 Mirex


R.T.: 7.184 min
Delta R.T.: -0.002 min
Response: 705347168
Conc: 42.29 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.715 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.898 min
Delta R.T.: -0.007 min
Response: 761358
Conc: 0.82 ng/ml




#24 Chlordane-2

R.T.: 5.271 min
Delta R.T.: 0.030 min
Response: 265642442
Conc: 1216.79 ng/ml



#24 Chlordane-2


R.T.: 4.508 min
Delta R.T.: 0.021 min
Response: 112364866
Conc: 118.08 ng/ml



#25 Chlordane-3


R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 237524589
Conc: 275.40 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 1193325146
Conc: 401.77 ng/ml




#26 Chlordane-4

R.T.: 6.027 min
Delta R.T.: -0.005 min
Response: 235327311
Conc: 223.97 ng/ml



#26 Chlordane-4


R.T.: 5.190 min
Delta R.T.: 0.000 min
Response: 1138597587
Conc: 454.22 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.871 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.079 min
Delta R.T.: -0.010 min
Response: 960837183
Conc: 849.05 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.072 min
Delta R.T.: 0.000 min
Response: 163658919
Conc: 41.67 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.071 min
Delta R.T.: -0.002 min
Response: 792533725
Conc: 40.09 ng/ml