

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2393

**Order ID:** Q2393

**Client:** Union Paving & Construction Company

**Project ID:** 190 Park Ave Hanover Twp NJ - PO 24

| Sample ID               | Client ID   | Matrix | Parameter       | Concentration | C  | MDL  | RDL  | Units |
|-------------------------|-------------|--------|-----------------|---------------|----|------|------|-------|
| Client ID : PARK AVE -3 |             |        |                 |               |    |      |      |       |
| Q2393-05                | PARK AVE -3 | SOIL   | 4,4-DDE         | 0.45          | JP | 0.16 | 2.00 | ug/kg |
| Q2393-05                | PARK AVE -3 | SOIL   | 4,4-DDD         | 0.70          | JP | 0.17 | 2.00 | ug/kg |
| Q2393-05                | PARK AVE -3 | SOIL   | 4,4-DDT         | 0.53          | J  | 0.16 | 2.00 | ug/kg |
| Q2393-05                | PARK AVE -3 | SOIL   | alpha-Chlordane | 1.10          | JP | 0.14 | 2.00 | ug/kg |
| Q2393-05                | PARK AVE -3 | SOIL   | gamma-Chlordane | 0.73          | J  | 0.17 | 2.00 | ug/kg |
| Total Concentration:    |             |        |                 | 3.510         |    |      |      |       |
| Client ID : PARK AVE -4 |             |        |                 |               |    |      |      |       |
| Q2393-07                | PARK AVE -4 | SOIL   | 4,4-DDE         | 0.27          | J  | 0.16 | 1.90 | ug/kg |
| Q2393-07                | PARK AVE -4 | SOIL   | 4,4-DDT         | 0.28          | J  | 0.16 | 1.90 | ug/kg |
| Q2393-07                | PARK AVE -4 | SOIL   | alpha-Chlordane | 0.55          | JP | 0.14 | 1.90 | ug/kg |
| Q2393-07                | PARK AVE -4 | SOIL   | gamma-Chlordane | 0.25          | J  | 0.17 | 1.90 | ug/kg |
| Total Concentration:    |             |        |                 | 1.350         |    |      |      |       |
| Client ID : PARK AVE -5 |             |        |                 |               |    |      |      |       |
| Q2393-09                | PARK AVE -5 | SOIL   | Aldrin          | 0.19          | J  | 0.13 | 1.90 | ug/kg |
| Q2393-09                | PARK AVE -5 | SOIL   | 4,4-DDE         | 0.36          | J  | 0.15 | 1.90 | ug/kg |
| Q2393-09                | PARK AVE -5 | SOIL   | 4,4-DDT         | 0.28          | JP | 0.15 | 1.90 | ug/kg |
| Q2393-09                | PARK AVE -5 | SOIL   | alpha-Chlordane | 0.56          | J  | 0.13 | 1.90 | ug/kg |
| Q2393-09                | PARK AVE -5 | SOIL   | gamma-Chlordane | 0.35          | J  | 0.16 | 1.90 | ug/kg |
| Total Concentration:    |             |        |                 | 1.740         |    |      |      |       |
| Client ID : PARK AVE -6 |             |        |                 |               |    |      |      |       |
| Q2393-11                | PARK AVE -6 | SOIL   | 4,4-DDE         | 0.29          | JP | 0.16 | 2.00 | ug/kg |
| Q2393-11                | PARK AVE -6 | SOIL   | 4,4-DDT         | 0.26          | J  | 0.16 | 2.00 | ug/kg |
| Q2393-11                | PARK AVE -6 | SOIL   | alpha-Chlordane | 0.61          | J  | 0.14 | 2.00 | ug/kg |
| Q2393-11                | PARK AVE -6 | SOIL   | gamma-Chlordane | 0.38          | JP | 0.17 | 2.00 | ug/kg |
| Total Concentration:    |             |        |                 | 1.540         |    |      |      |       |



# SAMPLE DATA

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -1                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-01                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 83.3      Decanted: |
| Sample Wt/Vol:     | 30.05      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089140.D        | 1         | 06/25/25 08:45 | 06/25/25 17:54 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.47  | U         | 0.47     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.23  | U         | 0.23     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.35  | U         | 0.35     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.18  | U         | 0.18     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.44  | U         | 0.44     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.23  | U         | 0.23     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.44  | U         | 0.44     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.18  | U         | 0.18     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.50  | U         | 6.50     | 39.5       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 17.6  |           | 20 - 144 | 88%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 18.9  |           | 19 - 148 | 95%        | SPK: 20           |

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -1                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-01                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 83.3      Decanted: |
| Sample Wt/Vol:     | 30.05      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089140.D        | 1         | 06/25/25 08:45 | 06/25/25 17:54 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -2                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-03                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 83.5      Decanted: |
| Sample Wt/Vol:     | 30.02      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089143.D        | 1         | 06/25/25 08:45 | 06/25/25 18:35 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.47  | U         | 0.47     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.23  | U         | 0.23     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.35  | U         | 0.35     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.18  | U         | 0.18     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.44  | U         | 0.44     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.23  | U         | 0.23     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.44  | U         | 0.44     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.18  | U         | 0.18     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.50  | U         | 6.50     | 39.5       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 15.8  |           | 20 - 144 | 79%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 17.5  |           | 19 - 148 | 87%        | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -2                               |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-03                                  |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 83.5          | Decanted: |
| Sample Wt/Vol:     | 30.02                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089143.D        | 1         | 06/25/25 08:45 | 06/25/25 18:35 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -3                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-05                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 86.6      Decanted: |
| Sample Wt/Vol:     | 30.06      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089147.D        | 1         | 06/25/25 08:45 | 06/25/25 19:57 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.15  | U         | 0.15     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.21  | U         | 0.21     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.45  | U         | 0.45     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.45  | JP        | 0.16     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.33  | U         | 0.33     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.70  | JP        | 0.17     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.15  | U         | 0.15     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.53  | J         | 0.16     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.43  | U         | 0.43     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.43  | U         | 0.43     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 1.10  | JP        | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.73  | J         | 0.17     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.20  | U         | 6.20     | 38.0       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 14.5  |           | 20 - 144 | 72%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 15.9  |           | 19 - 148 | 79%        | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -3                               |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-05                                  |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 86.6          | Decanted: |
| Sample Wt/Vol:     | 30.06                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089147.D        | 1         | 06/25/25 08:45 | 06/25/25 19:57 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

### Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -4                               |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-07                                  |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 87.7          | Decanted: |
| Sample Wt/Vol:     | 30.03                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089148.D        | 1         | 06/25/25 08:45 | 06/25/25 20:10 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.21  | U         | 0.21     | 1.90       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.44  | U         | 0.44     | 1.90       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.16  | U         | 0.16     | 1.90       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.14  | U         | 0.14     | 1.90       | ug/kg             |
| 309-00-2          | Aldrin               | 0.14  | U         | 0.14     | 1.90       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.22  | U         | 0.22     | 1.90       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.16  | U         | 0.16     | 1.90       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.16  | U         | 0.16     | 1.90       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.27  | J         | 0.16     | 1.90       | ug/kg             |
| 72-20-8           | Endrin               | 0.16  | U         | 0.16     | 1.90       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.33  | U         | 0.33     | 1.90       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.17  | U         | 0.17     | 1.90       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.28  | J         | 0.16     | 1.90       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.42  | U         | 0.42     | 1.90       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.22  | U         | 0.22     | 1.90       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.42  | U         | 0.42     | 1.90       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.55  | JP        | 0.14     | 1.90       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.25  | J         | 0.17     | 1.90       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.20  | U         | 6.20     | 37.6       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 11.1  |           | 20 - 144 | 56%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 12.5  |           | 19 - 148 | 63%        | SPK: 20           |

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -4                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-07                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 87.7      Decanted: |
| Sample Wt/Vol:     | 30.03      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089148.D        | 1         | 06/25/25 08:45 | 06/25/25 20:10 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -5                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-09                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 91.3      Decanted: |
| Sample Wt/Vol:     | 30.01      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089149.D        | 1         | 06/25/25 08:45 | 06/25/25 20:24 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.14  | U         | 0.14     | 1.90       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.20  | U         | 0.20     | 1.90       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.43  | U         | 0.43     | 1.90       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.13  | U         | 0.13     | 1.90       | ug/kg             |
| 309-00-2          | Aldrin               | 0.19  | J         | 0.13     | 1.90       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.21  | U         | 0.21     | 1.90       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.36  | J         | 0.15     | 1.90       | ug/kg             |
| 72-20-8           | Endrin               | 0.15  | U         | 0.15     | 1.90       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.32  | U         | 0.32     | 1.90       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.16  | U         | 0.16     | 1.90       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.14  | U         | 0.14     | 1.90       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.28  | JP        | 0.15     | 1.90       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.41  | U         | 0.41     | 1.90       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.21  | U         | 0.21     | 1.90       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.41  | U         | 0.41     | 1.90       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.56  | J         | 0.13     | 1.90       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.35  | J         | 0.16     | 1.90       | ug/kg             |
| 8001-35-2         | Toxaphene            | 5.90  | U         | 5.90     | 36.1       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 9.08  |           | 20 - 144 | 45%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 10.7  |           | 19 - 148 | 54%        | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -5                               |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-09                                  |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 91.3          | Decanted: |
| Sample Wt/Vol:     | 30.01                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089149.D        | 1         | 06/25/25 08:45 | 06/25/25 20:24 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -6                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-11                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 86.8      Decanted: |
| Sample Wt/Vol:     | 30.08      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089150.D        | 1         | 06/25/25 08:45 | 06/25/25 20:37 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.15  | U         | 0.15     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.21  | U         | 0.21     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.45  | U         | 0.45     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 0.14  | U         | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.29  | JP        | 0.16     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 0.16  | U         | 0.16     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.33  | U         | 0.33     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.17  | U         | 0.17     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.15  | U         | 0.15     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.26  | J         | 0.16     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.43  | U         | 0.43     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.22  | U         | 0.22     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.43  | U         | 0.43     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.61  | J         | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.38  | JP        | 0.17     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.20  | U         | 6.20     | 37.9       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 10.4  |           | 20 - 144 | 52%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 11.1  |           | 19 - 148 | 55%        | SPK: 20           |

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -6                               | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-11                                  | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 86.8      Decanted: |
| Sample Wt/Vol:     | 30.08      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089150.D        | 1         | 06/25/25 08:45 | 06/25/25 20:37 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



# QC SUMMARY

### Surrogate Summary

SDG No.: Q2393

Client: Union Paving & Construction Company

Analytical Method: 8081B

| Lab Sample ID    | Client ID        | Parameter            | Column | Spike | Result | Rec | Qual | Limits |      |
|------------------|------------------|----------------------|--------|-------|--------|-----|------|--------|------|
|                  |                  |                      |        |       |        |     |      | Low    | High |
| I.BLK-PD088990.D | PIBLK-PD088990.D | Decachlorobiphenyl   | 1      | 20    | 18.2   | 91  |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 16.1   | 80  |      | 61     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 18.6   | 93  |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 17.7   | 88  |      | 61     | 148  |
| I.BLK-PD089133.D | PIBLK-PD089133.D | Decachlorobiphenyl   | 1      | 20    | 19.9   | 100 |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 19.2   | 96  |      | 61     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 20.8   | 104 |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 21.0   | 105 |      | 61     | 148  |
| PB168608BL       | PB168608BL       | Decachlorobiphenyl   | 1      | 20    | 18.8   | 94  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 17.1   | 86  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 19.3   | 96  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 18.8   | 94  |      | 19     | 148  |
| PB168608BS       | PB168608BS       | Decachlorobiphenyl   | 1      | 20    | 23.6   | 118 |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 21.2   | 106 |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 24.3   | 121 |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 23.2   | 116 |      | 19     | 148  |
| Q2393-01         | PARK AVE -1      | Decachlorobiphenyl   | 1      | 20    | 17.6   | 88  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 17.8   | 89  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 16.4   | 82  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 18.9   | 95  |      | 19     | 148  |
| Q2393-01MS       | PARK AVE -1MS    | Decachlorobiphenyl   | 1      | 20    | 16.5   | 82  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 15.3   | 77  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 15.6   | 78  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 17.1   | 86  |      | 19     | 148  |
| Q2393-01MSD      | PARK AVE -1MSD   | Decachlorobiphenyl   | 1      | 20    | 16.4   | 82  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 15.5   | 77  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 16.0   | 80  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 17.2   | 86  |      | 19     | 148  |
| Q2393-03         | PARK AVE -2      | Decachlorobiphenyl   | 1      | 20    | 15.8   | 79  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 16.6   | 83  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 15.8   | 79  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 17.5   | 87  |      | 19     | 148  |
| I.BLK-PD089144.D | PIBLK-PD089144.D | Decachlorobiphenyl   | 1      | 20    | 20.7   | 104 |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 19.6   | 98  |      | 61     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 20.8   | 104 |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 21.0   | 105 |      | 61     | 148  |
| Q2393-05         | PARK AVE -3      | Decachlorobiphenyl   | 1      | 20    | 14.5   | 72  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 15.1   | 76  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 13.2   | 66  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 15.9   | 79  |      | 19     | 148  |
| Q2393-07         | PARK AVE -4      | Decachlorobiphenyl   | 1      | 20    | 11.1   | 56  |      | 20     | 144  |

### Surrogate Summary

SDG No.: Q2393

Client: Union Paving & Construction Company

Analytical Method: 8081B

| Lab Sample ID    | Client ID        | Parameter            | Column | Spike | Result | Rec | Qual | Limits |      |
|------------------|------------------|----------------------|--------|-------|--------|-----|------|--------|------|
|                  |                  |                      |        |       |        |     |      | Low    | High |
| Q2393-07         | PARK AVE -4      | Tetrachloro-m-xylene | 1      | 20    | 11.8   | 59  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 9.59   | 48  |      | 20     | 144  |
| Q2393-09         | PARK AVE -5      | Tetrachloro-m-xylene | 2      | 20    | 12.5   | 63  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 1      | 20    | 9.08   | 45  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 10.2   | 51  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 8.44   | 42  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 10.7   | 54  |      | 19     | 148  |
| Q2393-11         | PARK AVE -6      | Decachlorobiphenyl   | 1      | 20    | 10.4   | 52  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 10.5   | 52  |      | 19     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 8.52   | 43  |      | 20     | 144  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 11.1   | 55  |      | 19     | 148  |
| I.BLK-PD089154.D | PIBLK-PD089154.D | Decachlorobiphenyl   | 1      | 20    | 15.6   | 78  |      | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 1      | 20    | 17.6   | 88  |      | 61     | 148  |
|                  |                  | Decachlorobiphenyl   | 2      | 20    | 10.8   | 54  | *    | 57     | 171  |
|                  |                  | Tetrachloro-m-xylene | 2      | 20    | 21.2   | 106 |      | 61     | 148  |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

|                 |                                                |                           |                   |
|-----------------|------------------------------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2393</u>                                   | <b>Analytical Method:</b> | <u>8081B</u>      |
| <b>Client:</b>  | <u>Union Paving &amp; Construction Company</u> | <b>DataFile :</b>         | <u>PD089141.D</u> |

| Lab Sample ID:                                       | Parameter            | Spike | Sample Result | Result | Units | Rec | Rec Qual | RPD | RPD Qual | Low | Limits High | RPD |
|------------------------------------------------------|----------------------|-------|---------------|--------|-------|-----|----------|-----|----------|-----|-------------|-----|
| <b>Client Sample ID:</b><br>Q2393-01MS<br>(Column 1) | <b>PARK AVE -1MS</b> |       |               |        |       |     |          |     |          |     |             |     |
|                                                      | alpha-BHC            | 19.98 | 0             | 18.0   | ug/kg | 90  |          |     |          | 60  | 144         |     |
|                                                      | beta-BHC             | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 54  | 143         |     |
|                                                      | delta-BHC            | 19.98 | 0             | 18.8   | ug/kg | 94  |          |     |          | 29  | 151         |     |
|                                                      | gamma-BHC (Lindane)  | 19.98 | 0             | 18.0   | ug/kg | 90  |          |     |          | 61  | 140         |     |
|                                                      | Heptachlor           | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 63  | 135         |     |
|                                                      | Aldrin               | 19.98 | 0             | 17.8   | ug/kg | 89  |          |     |          | 49  | 139         |     |
|                                                      | Heptachlor epoxide   | 19.98 | 0             | 17.4   | ug/kg | 87  |          |     |          | 41  | 156         |     |
|                                                      | Endosulfan I         | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 56  | 142         |     |
|                                                      | Dieldrin             | 19.98 | 0             | 17.4   | ug/kg | 87  |          |     |          | 47  | 161         |     |
|                                                      | 4,4'-DDE             | 19.98 | 0             | 17.1   | ug/kg | 86  |          |     |          | 55  | 136         |     |
|                                                      | Endrin               | 19.98 | 0             | 16.6   | ug/kg | 83  |          |     |          | 57  | 139         |     |
|                                                      | Endosulfan II        | 19.98 | 0             | 16.6   | ug/kg | 83  |          |     |          | 40  | 163         |     |
|                                                      | 4,4'-DDD             | 19.98 | 0             | 17.6   | ug/kg | 88  |          |     |          | 47  | 163         |     |
|                                                      | Endosulfan sulfate   | 19.98 | 0             | 16.7   | ug/kg | 84  |          |     |          | 62  | 139         |     |
|                                                      | 4,4'-DDT             | 19.98 | 0             | 15.8   | ug/kg | 79  |          |     |          | 51  | 146         |     |
|                                                      | Methoxychlor         | 19.98 | 0             | 15.6   | ug/kg | 78  |          |     |          | 54  | 136         |     |
|                                                      | Endrin ketone        | 19.98 | 0             | 17.0   | ug/kg | 85  |          |     |          | 60  | 129         |     |
|                                                      | Endrin aldehyde      | 19.98 | 0             | 17.2   | ug/kg | 86  |          |     |          | 59  | 132         |     |
|                                                      | alpha-Chlordane      | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 39  | 166         |     |
|                                                      | gamma-Chlordane      | 19.98 | 0             | 17.1   | ug/kg | 86  |          |     |          | 44  | 175         |     |
| <b>Client Sample ID:</b><br>Q2393-01MS<br>(Column 2) | <b>PARK AVE -1MS</b> |       |               |        |       |     |          |     |          |     |             |     |
|                                                      | alpha-BHC            | 19.98 | 0             | 18.0   | ug/kg | 90  |          |     |          | 60  | 144         |     |
|                                                      | beta-BHC             | 19.98 | 0             | 17.7   | ug/kg | 89  |          |     |          | 54  | 143         |     |
|                                                      | delta-BHC            | 19.98 | 0             | 18.0   | ug/kg | 90  |          |     |          | 29  | 151         |     |
|                                                      | gamma-BHC (Lindane)  | 19.98 | 0             | 18.0   | ug/kg | 90  |          |     |          | 61  | 140         |     |
|                                                      | Heptachlor           | 19.98 | 0             | 17.4   | ug/kg | 87  |          |     |          | 63  | 135         |     |
|                                                      | Aldrin               | 19.98 | 0             | 17.9   | ug/kg | 90  |          |     |          | 49  | 139         |     |
|                                                      | Heptachlor epoxide   | 19.98 | 0             | 17.6   | ug/kg | 88  |          |     |          | 41  | 156         |     |
|                                                      | Endosulfan I         | 19.98 | 0             | 17.6   | ug/kg | 88  |          |     |          | 56  | 142         |     |
|                                                      | Dieldrin             | 19.98 | 0             | 17.5   | ug/kg | 88  |          |     |          | 47  | 161         |     |
|                                                      | 4,4'-DDE             | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 55  | 136         |     |
|                                                      | Endrin               | 19.98 | 0             | 17.4   | ug/kg | 87  |          |     |          | 57  | 139         |     |
|                                                      | Endosulfan II        | 19.98 | 0             | 16.9   | ug/kg | 85  |          |     |          | 40  | 163         |     |
|                                                      | 4,4'-DDD             | 19.98 | 0             | 17.3   | ug/kg | 87  |          |     |          | 47  | 163         |     |
|                                                      | Endosulfan sulfate   | 19.98 | 0             | 16.6   | ug/kg | 83  |          |     |          | 62  | 139         |     |
|                                                      | 4,4'-DDT             | 19.98 | 0             | 16.0   | ug/kg | 80  |          |     |          | 51  | 146         |     |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

|                 |                                                |                           |                   |
|-----------------|------------------------------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2393</u>                                   | <b>Analytical Method:</b> | <u>8081B</u>      |
| <b>Client:</b>  | <u>Union Paving &amp; Construction Company</u> | <b>DataFile :</b>         | <u>PD089141.D</u> |

| Lab Sample ID:           | Parameter       | Spike | Sample |        | Units | Rec | Rec Qual | RPD | RPD Qual | Low | Limits |     |
|--------------------------|-----------------|-------|--------|--------|-------|-----|----------|-----|----------|-----|--------|-----|
|                          |                 |       | Result | Result |       |     |          |     |          |     | High   | RPD |
| Q2393-01MS<br>(Column 2) | Methoxychlor    | 19.98 | 0      | 15.4   | ug/kg | 77  |          |     |          | 54  | 136    |     |
|                          | Endrin ketone   | 19.98 | 0      | 16.4   | ug/kg | 82  |          |     |          | 60  | 129    |     |
|                          | Endrin aldehyde | 19.98 | 0      | 16.8   | ug/kg | 84  |          |     |          | 59  | 132    |     |
|                          | alpha-Chlordane | 19.98 | 0      | 17.6   | ug/kg | 88  |          |     |          | 39  | 166    |     |
|                          | gamma-Chlordane | 19.98 | 0      | 17.6   | ug/kg | 88  |          |     |          | 44  | 175    |     |

**Matrix Spike/Matrix Spike Duplicate Summary**

SW-846

|                 |                                                |                           |                   |
|-----------------|------------------------------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2393</u>                                   | <b>Analytical Method:</b> | <u>8081B</u>      |
| <b>Client:</b>  | <u>Union Paving &amp; Construction Company</u> | <b>DataFile :</b>         | <u>PD089142.D</u> |

| Lab Sample ID:                                        | Parameter             | Spike | Sample Result | Result | Units | Rec | Rec Qual | RPD | RPD Qual | Low | Limits High | RPD |
|-------------------------------------------------------|-----------------------|-------|---------------|--------|-------|-----|----------|-----|----------|-----|-------------|-----|
| <b>Client Sample ID:</b><br>Q2393-01MSD<br>(Column 1) | <b>PARK AVE -1MSD</b> |       |               |        |       |     |          |     |          |     |             |     |
|                                                       | alpha-BHC             | 19.94 | 0             | 17.9   | ug/kg | 90  |          | 0   |          | 60  | 144         | 20  |
|                                                       | beta-BHC              | 19.94 | 0             | 17.5   | ug/kg | 88  |          | 1   |          | 54  | 143         | 20  |
|                                                       | delta-BHC             | 19.94 | 0             | 18.8   | ug/kg | 94  |          | 0   |          | 29  | 151         | 20  |
|                                                       | gamma-BHC (Lindane)   | 19.94 | 0             | 17.9   | ug/kg | 90  |          | 0   |          | 61  | 140         | 20  |
|                                                       | Heptachlor            | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 0   |          | 63  | 135         | 20  |
|                                                       | Aldrin                | 19.94 | 0             | 17.8   | ug/kg | 89  |          | 0   |          | 49  | 139         | 20  |
|                                                       | Heptachlor epoxide    | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 0   |          | 41  | 156         | 20  |
|                                                       | Endosulfan I          | 19.94 | 0             | 17.6   | ug/kg | 88  |          | 1   |          | 56  | 142         | 20  |
|                                                       | Dieldrin              | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 0   |          | 47  | 161         | 20  |
|                                                       | 4,4'-DDE              | 19.94 | 0             | 17.5   | ug/kg | 88  |          | 2   |          | 55  | 136         | 20  |
|                                                       | Endrin                | 19.94 | 0             | 17.2   | ug/kg | 86  |          | 4   |          | 57  | 139         | 20  |
|                                                       | Endosulfan II         | 19.94 | 0             | 16.7   | ug/kg | 84  |          | 1   |          | 40  | 163         | 20  |
|                                                       | 4,4'-DDD              | 19.94 | 0             | 17.8   | ug/kg | 89  |          | 1   |          | 47  | 163         | 20  |
|                                                       | Endosulfan sulfate    | 19.94 | 0             | 16.9   | ug/kg | 85  |          | 1   |          | 62  | 139         | 20  |
|                                                       | 4,4'-DDT              | 19.94 | 0             | 16.1   | ug/kg | 81  |          | 3   |          | 51  | 146         | 20  |
|                                                       | Methoxychlor          | 19.94 | 0             | 15.7   | ug/kg | 79  |          | 1   |          | 54  | 136         | 20  |
|                                                       | Endrin ketone         | 19.94 | 0             | 17.1   | ug/kg | 86  |          | 1   |          | 60  | 129         | 20  |
|                                                       | Endrin aldehyde       | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 1   |          | 59  | 132         | 20  |
|                                                       | alpha-Chlordane       | 19.94 | 0             | 17.5   | ug/kg | 88  |          | 1   |          | 39  | 166         | 20  |
|                                                       | gamma-Chlordane       | 19.94 | 0             | 17.2   | ug/kg | 86  |          | 0   |          | 44  | 175         | 20  |
| <b>Client Sample ID:</b><br>Q2393-01MSD<br>(Column 2) | <b>PARK AVE -1MSD</b> |       |               |        |       |     |          |     |          |     |             |     |
|                                                       | alpha-BHC             | 19.94 | 0             | 18.0   | ug/kg | 90  |          | 0   |          | 60  | 144         | 20  |
|                                                       | beta-BHC              | 19.94 | 0             | 17.8   | ug/kg | 89  |          | 0   |          | 54  | 143         | 20  |
|                                                       | delta-BHC             | 19.94 | 0             | 17.9   | ug/kg | 90  |          | 0   |          | 29  | 151         | 20  |
|                                                       | gamma-BHC (Lindane)   | 19.94 | 0             | 18.0   | ug/kg | 90  |          | 0   |          | 61  | 140         | 20  |
|                                                       | Heptachlor            | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 0   |          | 63  | 135         | 20  |
|                                                       | Aldrin                | 19.94 | 0             | 17.9   | ug/kg | 90  |          | 0   |          | 49  | 139         | 20  |
|                                                       | Heptachlor epoxide    | 19.94 | 0             | 17.7   | ug/kg | 89  |          | 1   |          | 41  | 156         | 20  |
|                                                       | Endosulfan I          | 19.94 | 0             | 17.7   | ug/kg | 89  |          | 1   |          | 56  | 142         | 20  |
|                                                       | Dieldrin              | 19.94 | 0             | 17.5   | ug/kg | 88  |          | 0   |          | 47  | 161         | 20  |
|                                                       | 4,4'-DDE              | 19.94 | 0             | 17.4   | ug/kg | 87  |          | 0   |          | 55  | 136         | 20  |
|                                                       | Endrin                | 19.94 | 0             | 17.0   | ug/kg | 85  |          | 2   |          | 57  | 139         | 20  |
|                                                       | Endosulfan II         | 19.94 | 0             | 17.1   | ug/kg | 86  |          | 1   |          | 40  | 163         | 20  |
|                                                       | 4,4'-DDD              | 19.94 | 0             | 16.7   | ug/kg | 84  |          | 4   |          | 47  | 163         | 20  |
|                                                       | Endosulfan sulfate    | 19.94 | 0             | 16.8   | ug/kg | 84  |          | 1   |          | 62  | 139         | 20  |
|                                                       | 4,4'-DDT              | 19.94 | 0             | 16.3   | ug/kg | 82  |          | 2   |          | 51  | 146         | 20  |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

|                 |                                                |                           |                   |
|-----------------|------------------------------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2393</u>                                   | <b>Analytical Method:</b> | <u>8081B</u>      |
| <b>Client:</b>  | <u>Union Paving &amp; Construction Company</u> | <b>DataFile :</b>         | <u>PD089142.D</u> |

| Lab Sample ID:            | Parameter       | Spike | Sample |        | Units | Rec | Rec  |     | RPD  |     | Limits |     |
|---------------------------|-----------------|-------|--------|--------|-------|-----|------|-----|------|-----|--------|-----|
|                           |                 |       | Result | Result |       |     | Qual | RPD | Qual | Low | High   | RPD |
| Q2393-01MSD<br>(Column 2) | Methoxychlor    | 19.94 | 0      | 15.7   | ug/kg | 79  |      | 3   |      | 54  | 136    | 20  |
|                           | Endrin ketone   | 19.94 | 0      | 16.7   | ug/kg | 84  |      | 2   |      | 60  | 129    | 20  |
|                           | Endrin aldehyde | 19.94 | 0      | 17.1   | ug/kg | 86  |      | 2   |      | 59  | 132    | 20  |
|                           | alpha-Chlordane | 19.94 | 0      | 17.6   | ug/kg | 88  |      | 0   |      | 39  | 166    | 20  |
|                           | gamma-Chlordane | 19.94 | 0      | 17.7   | ug/kg | 89  |      | 1   |      | 44  | 175    | 20  |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

|                 |                                                |                           |                   |
|-----------------|------------------------------------------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2393</u>                                   | <b>Analytical Method:</b> | <u>8081B</u>      |
| <b>Client:</b>  | <u>Union Paving &amp; Construction Company</u> | <b>Datafile :</b>         | <u>PD089137.D</u> |

| Lab Sample ID            | Parameter           | Spike | Result | Units | Rec | RPD | Qual | RPD  |     | Limits |     |
|--------------------------|---------------------|-------|--------|-------|-----|-----|------|------|-----|--------|-----|
|                          |                     |       |        |       |     |     |      | Qual | Low | High   | RPD |
| PB168608BS<br>(Column 1) | alpha-BHC           | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 84  | 123    |     |
|                          | beta-BHC            | 16.65 | 15.5   | ug/kg | 93  |     |      |      | 82  | 123    |     |
|                          | delta-BHC           | 16.65 | 17.0   | ug/kg | 102 |     |      |      | 83  | 126    |     |
|                          | gamma-BHC (Lindane) | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 83  | 125    |     |
|                          | Heptachlor          | 16.65 | 15.8   | ug/kg | 95  |     |      |      | 83  | 122    |     |
|                          | Aldrin              | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 82  | 124    |     |
|                          | Heptachlor epoxide  | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 83  | 120    |     |
|                          | Endosulfan I        | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 81  | 124    |     |
|                          | Dieldrin            | 16.65 | 16.2   | ug/kg | 97  |     |      |      | 85  | 121    |     |
|                          | 4,4'-DDE            | 16.65 | 16.2   | ug/kg | 97  |     |      |      | 81  | 123    |     |
|                          | Endrin              | 16.65 | 15.2   | ug/kg | 91  |     |      |      | 76  | 130    |     |
|                          | Endosulfan II       | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 80  | 125    |     |
|                          | 4,4'-DDD            | 16.65 | 16.6   | ug/kg | 100 |     |      |      | 80  | 131    |     |
|                          | Endosulfan sulfate  | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 81  | 122    |     |
|                          | 4,4'-DDT            | 16.65 | 15.1   | ug/kg | 91  |     |      |      | 70  | 129    |     |
|                          | Methoxychlor        | 16.65 | 14.3   | ug/kg | 86  |     |      |      | 60  | 119    |     |
|                          | Endrin ketone       | 16.65 | 16.4   | ug/kg | 98  |     |      |      | 77  | 132    |     |
|                          | Endrin aldehyde     | 16.65 | 15.9   | ug/kg | 95  |     |      |      | 79  | 124    |     |
|                          | alpha-Chlordane     | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 84  | 120    |     |
|                          | gamma-Chlordane     | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 83  | 122    |     |
| PB168608BS<br>(Column 2) | alpha-BHC           | 16.65 | 16.2   | ug/kg | 97  |     |      |      | 84  | 123    |     |
|                          | beta-BHC            | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 82  | 123    |     |
|                          | delta-BHC           | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 83  | 126    |     |
|                          | gamma-BHC (Lindane) | 16.65 | 16.2   | ug/kg | 97  |     |      |      | 83  | 125    |     |
|                          | Heptachlor          | 16.65 | 15.7   | ug/kg | 94  |     |      |      | 83  | 122    |     |
|                          | Aldrin              | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 82  | 124    |     |
|                          | Heptachlor epoxide  | 16.65 | 16.2   | ug/kg | 97  |     |      |      | 83  | 120    |     |
|                          | Endosulfan I        | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 81  | 124    |     |
|                          | Dieldrin            | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 85  | 121    |     |
|                          | 4,4'-DDE            | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 81  | 123    |     |
|                          | Endrin              | 16.65 | 15.0   | ug/kg | 90  |     |      |      | 76  | 130    |     |
|                          | Endosulfan II       | 16.65 | 16.0   | ug/kg | 96  |     |      |      | 80  | 125    |     |
|                          | 4,4'-DDD            | 16.65 | 16.6   | ug/kg | 100 |     |      |      | 80  | 131    |     |
|                          | Endosulfan sulfate  | 16.65 | 15.9   | ug/kg | 95  |     |      |      | 81  | 122    |     |
|                          | 4,4'-DDT            | 16.65 | 15.0   | ug/kg | 90  |     |      |      | 70  | 129    |     |
|                          | Methoxychlor        | 16.65 | 14.7   | ug/kg | 88  |     |      |      | 60  | 119    |     |
|                          | Endrin ketone       | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 77  | 132    |     |
|                          | Endrin aldehyde     | 16.65 | 15.8   | ug/kg | 95  |     |      |      | 79  | 124    |     |
|                          | alpha-Chlordane     | 16.65 | 16.1   | ug/kg | 97  |     |      |      | 84  | 120    |     |
|                          | gamma-Chlordane     | 16.65 | 16.3   | ug/kg | 98  |     |      |      | 83  | 122    |     |

4C

PESTICIDE METHOD BLANK SUMMARY

EPA SAMPLE NO.

PB168608BL

Lab Name: CHEMTECH

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393

SAS No.: Q2393 SDG NO.: Q2393

Lab Sample ID: PB168608BL

Lab File ID: PD089136.D

Matrix: (soil/water) Solid

Extraction: (Type) SOXH

Sulfur Cleanup: (Y/N) N

Date Extracted: 06/25/2025

Date Analyzed (1): 06/25/2025

Date Analyzed (2): 06/25/2025

Time Analyzed (1): 16:59

Time Analyzed (2): 16:59

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column (1): ZB-MR1 ID: 0.32 (mm)

GC Column (2): ZB-MR2 ID: 0.32 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED 1 | DATE<br>ANALYZED 2 |
|-------------------|------------------|----------------|--------------------|--------------------|
| PB168608BS        | PB168608BS       | PD089137.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -1       | Q2393-01         | PD089140.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -1MS     | Q2393-01MS       | PD089141.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -1MSD    | Q2393-01MSD      | PD089142.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -2       | Q2393-03         | PD089143.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -3       | Q2393-05         | PD089147.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -4       | Q2393-07         | PD089148.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -5       | Q2393-09         | PD089149.D     | 06/25/2025         | 06/25/2025         |
| PARK AVE -6       | Q2393-11         | PD089150.D     | 06/25/2025         | 06/25/2025         |

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_



# QC SAMPLE DATA

## Report of Analysis

|                    |                                           |                    |                    |
|--------------------|-------------------------------------------|--------------------|--------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    |                    |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     |                    |
| Client Sample ID:  | PB168608BL                                | SDG No.:           | Q2393              |
| Lab Sample ID:     | PB168608BL                                | Matrix:            | SOIL               |
| Analytical Method: | 8081B                                     | % Solid:           | 100      Decanted: |
| Sample Wt/Vol:     | 30.01      Units:    g                    | Final Vol:         | 10000      uL      |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL      |
| Extraction Type:   |                                           | Injection Volume : |                    |
| GPC Factor :       | 1.0      PH :                             |                    |                    |
| Prep Method :      | SW3541B                                   |                    |                    |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089136.D        | 1         | 06/25/25 08:45 | 06/25/25 16:59 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 0.13  | U         | 0.13     | 1.70       | ug/kg             |
| 319-85-7          | beta-BHC             | 0.18  | U         | 0.18     | 1.70       | ug/kg             |
| 319-86-8          | delta-BHC            | 0.39  | U         | 0.39     | 1.70       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 76-44-8           | Heptachlor           | 0.12  | U         | 0.12     | 1.70       | ug/kg             |
| 309-00-2          | Aldrin               | 0.12  | U         | 0.12     | 1.70       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 0.19  | U         | 0.19     | 1.70       | ug/kg             |
| 959-98-8          | Endosulfan I         | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 60-57-1           | Dieldrin             | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 72-20-8           | Endrin               | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 0.29  | U         | 0.29     | 1.70       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 0.15  | U         | 0.15     | 1.70       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 0.13  | U         | 0.13     | 1.70       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 0.14  | U         | 0.14     | 1.70       | ug/kg             |
| 72-43-5           | Methoxychlor         | 0.37  | U         | 0.37     | 1.70       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 0.19  | U         | 0.19     | 1.70       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 0.37  | U         | 0.37     | 1.70       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 0.12  | U         | 0.12     | 1.70       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 0.15  | U         | 0.15     | 1.70       | ug/kg             |
| 8001-35-2         | Toxaphene            | 5.40  | U         | 5.40     | 33.0       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 19.3  |           | 20 - 144 | 96%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 18.8  |           | 19 - 148 | 94%        | SPK: 20           |

## Report of Analysis

|                    |                                           |                    |                    |
|--------------------|-------------------------------------------|--------------------|--------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    |                    |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     |                    |
| Client Sample ID:  | PB168608BL                                | SDG No.:           | Q2393              |
| Lab Sample ID:     | PB168608BL                                | Matrix:            | SOIL               |
| Analytical Method: | 8081B                                     | % Solid:           | 100      Decanted: |
| Sample Wt/Vol:     | 30.01      Units:    g                    | Final Vol:         | 10000      uL      |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL      |
| Extraction Type:   |                                           | Injection Volume : |                    |
| GPC Factor :       | 1.0      PH :                             |                    |                    |
| Prep Method :      | SW3541B                                   |                    |                    |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089136.D        | 1         | 06/25/25 08:45 | 06/25/25 16:59 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/17/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/17/25      |           |
| Client Sample ID:  | PIBLK-PD088990.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD088990.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD088990.D        | 1         |           | 06/17/25      | PD061825      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 18.6   |           | 57 - 171 | 93%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 17.7   |           | 61 - 148 | 88%        | SPK: 20 |

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/17/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/17/25      |           |
| Client Sample ID:  | PIBLK-PD088990.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD088990.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD088990.D        | 1         |           | 06/17/25      | PD061825      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089133.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089133.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089133.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 20.8   |           | 57 - 171 | 104%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.0   |           | 61 - 148 | 105%       | SPK: 20 |

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089133.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089133.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089133.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089144.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089144.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089144.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 20.8   |           | 57 - 171 | 104%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.0   |           | 61 - 148 | 105%       | SPK: 20 |

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089144.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089144.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089144.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089154.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089154.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089154.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 15.6   |           | 57 - 171 | 78%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.2   |           | 61 - 148 | 106%       | SPK: 20 |

## Report of Analysis

|                    |                                           |           |                    |               |           |
|--------------------|-------------------------------------------|-----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |           | Date Collected:    | 06/25/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |           | Date Received:     | 06/25/25      |           |
| Client Sample ID:  | PIBLK-PD089154.D                          |           | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | I.BLK-PD089154.D                          |           | Matrix:            | WATER         |           |
| Analytical Method: | 8081B                                     |           | % Solid:           | 0             | Decanted: |
| Sample Wt/Vol:     | 1000                                      | Units: mL | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL        | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |           | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :      |                    |               |           |
| Prep Method :      | 3510C                                     |           |                    |               |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PD089154.D        | 1         |           | 06/25/25      | pd062525      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                    |
|--------------------|-------------------------------------------|--------------------|--------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    |                    |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     |                    |
| Client Sample ID:  | PB168608BS                                | SDG No.:           | Q2393              |
| Lab Sample ID:     | PB168608BS                                | Matrix:            | SOIL               |
| Analytical Method: | 8081B                                     | % Solid:           | 100      Decanted: |
| Sample Wt/Vol:     | 30.03      Units:    g                    | Final Vol:         | 10000      uL      |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL      |
| Extraction Type:   |                                           | Injection Volume : |                    |
| GPC Factor :       | 1.0      PH :                             |                    |                    |
| Prep Method :      | SW3541B                                   |                    |                    |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089137.D        | 1         | 06/25/25 08:45 | 06/25/25 17:13 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 16.2  |           | 0.13     | 1.70       | ug/kg             |
| 319-85-7          | beta-BHC             | 16.0  |           | 0.18     | 1.70       | ug/kg             |
| 319-86-8          | delta-BHC            | 17.0  |           | 0.39     | 1.70       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 16.2  |           | 0.14     | 1.70       | ug/kg             |
| 76-44-8           | Heptachlor           | 15.8  |           | 0.12     | 1.70       | ug/kg             |
| 309-00-2          | Aldrin               | 16.3  |           | 0.12     | 1.70       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 16.2  |           | 0.19     | 1.70       | ug/kg             |
| 959-98-8          | Endosulfan I         | 16.3  |           | 0.14     | 1.70       | ug/kg             |
| 60-57-1           | Dieldrin             | 16.2  |           | 0.14     | 1.70       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 16.2  |           | 0.14     | 1.70       | ug/kg             |
| 72-20-8           | Endrin               | 15.2  |           | 0.14     | 1.70       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 16.3  |           | 0.29     | 1.70       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 16.6  |           | 0.15     | 1.70       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 16.0  |           | 0.13     | 1.70       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 15.1  |           | 0.14     | 1.70       | ug/kg             |
| 72-43-5           | Methoxychlor         | 14.7  |           | 0.37     | 1.70       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 16.4  |           | 0.19     | 1.70       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 15.9  |           | 0.37     | 1.70       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 16.1  |           | 0.12     | 1.70       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 16.3  |           | 0.15     | 1.70       | ug/kg             |
| 8001-35-2         | Toxaphene            | 5.40  | U         | 5.40     | 33.0       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 24.3  |           | 20 - 144 | 121%       | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 23.2  |           | 19 - 148 | 116%       | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    |               |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     |               |           |
| Client Sample ID:  | PB168608BS                                |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | PB168608BS                                |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 100           | Decanted: |
| Sample Wt/Vol:     | 30.03                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089137.D        | 1         | 06/25/25 08:45 | 06/25/25 17:13 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                           |                    |                     |
|--------------------|-------------------------------------------|--------------------|---------------------|
| Client:            | Union Paving & Construction Company       | Date Collected:    | 06/23/25            |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 | Date Received:     | 06/23/25            |
| Client Sample ID:  | PARK AVE -1MS                             | SDG No.:           | Q2393               |
| Lab Sample ID:     | Q2393-01MS                                | Matrix:            | SOIL                |
| Analytical Method: | 8081B                                     | % Solid:           | 83.3      Decanted: |
| Sample Wt/Vol:     | 30.04      Units:    g                    | Final Vol:         | 10000      uL       |
| Soil Aliquot Vol:  | uL                                        | Test:              | Pesticide-TCL       |
| Extraction Type:   |                                           | Injection Volume : |                     |
| GPC Factor :       | 1.0      PH :                             |                    |                     |
| Prep Method :      | SW3541B                                   |                    |                     |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089141.D        | 1         | 06/25/25 08:45 | 06/25/25 18:07 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 18.0  |           | 0.16     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 17.7  |           | 0.22     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 18.8  |           | 0.47     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 18.0  |           | 0.17     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 17.4  |           | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 17.9  |           | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 17.6  |           | 0.23     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 17.6  |           | 0.17     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 17.5  |           | 0.17     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 17.3  |           | 0.17     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 17.4  |           | 0.17     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 16.9  |           | 0.35     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 17.6  |           | 0.18     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 16.7  |           | 0.16     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 16.0  |           | 0.17     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 15.6  |           | 0.44     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 17.0  |           | 0.23     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 17.2  |           | 0.44     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 17.6  |           | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 17.6  |           | 0.18     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.50  | U         | 6.50     | 39.6       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 16.5  |           | 20 - 144 | 82%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 17.1  |           | 19 - 148 | 86%        | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -1MS                             |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-01MS                                |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 83.3          | Decanted: |
| Sample Wt/Vol:     | 30.04                                     | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089141.D        | 1         | 06/25/25 08:45 | 06/25/25 18:07 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

### Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -1MSD                            |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-01MSD                               |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 83.3          | Decanted: |
| Sample Wt/Vol:     | 30.1                                      | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089142.D        | 1         | 06/25/25 08:45 | 06/25/25 18:21 | PB168608      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|----------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |          |            |                   |
| 319-84-6          | alpha-BHC            | 18.0  |           | 0.16     | 2.00       | ug/kg             |
| 319-85-7          | beta-BHC             | 17.8  |           | 0.22     | 2.00       | ug/kg             |
| 319-86-8          | delta-BHC            | 18.8  |           | 0.47     | 2.00       | ug/kg             |
| 58-89-9           | gamma-BHC (Lindane)  | 18.0  |           | 0.17     | 2.00       | ug/kg             |
| 76-44-8           | Heptachlor           | 17.4  |           | 0.14     | 2.00       | ug/kg             |
| 309-00-2          | Aldrin               | 17.9  |           | 0.14     | 2.00       | ug/kg             |
| 1024-57-3         | Heptachlor epoxide   | 17.7  |           | 0.23     | 2.00       | ug/kg             |
| 959-98-8          | Endosulfan I         | 17.7  |           | 0.17     | 2.00       | ug/kg             |
| 60-57-1           | Dieldrin             | 17.5  |           | 0.17     | 2.00       | ug/kg             |
| 72-55-9           | 4,4-DDE              | 17.5  |           | 0.17     | 2.00       | ug/kg             |
| 72-20-8           | Endrin               | 17.2  |           | 0.17     | 2.00       | ug/kg             |
| 33213-65-9        | Endosulfan II        | 17.1  |           | 0.35     | 2.00       | ug/kg             |
| 72-54-8           | 4,4-DDD              | 17.8  |           | 0.18     | 2.00       | ug/kg             |
| 1031-07-8         | Endosulfan Sulfate   | 16.9  |           | 0.16     | 2.00       | ug/kg             |
| 50-29-3           | 4,4-DDT              | 16.3  |           | 0.17     | 2.00       | ug/kg             |
| 72-43-5           | Methoxychlor         | 15.7  |           | 0.44     | 2.00       | ug/kg             |
| 53494-70-5        | Endrin ketone        | 17.1  |           | 0.23     | 2.00       | ug/kg             |
| 7421-93-4         | Endrin aldehyde      | 17.4  |           | 0.44     | 2.00       | ug/kg             |
| 5103-71-9         | alpha-Chlordane      | 17.6  |           | 0.14     | 2.00       | ug/kg             |
| 5103-74-2         | gamma-Chlordane      | 17.7  |           | 0.18     | 2.00       | ug/kg             |
| 8001-35-2         | Toxaphene            | 6.50  | U         | 6.50     | 39.5       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |          |            |                   |
| 2051-24-3         | Decachlorobiphenyl   | 16.4  |           | 20 - 144 | 82%        | SPK: 20           |
| 877-09-8          | Tetrachloro-m-xylene | 17.2  |           | 19 - 148 | 86%        | SPK: 20           |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

|                    |                                           |          |                    |               |           |
|--------------------|-------------------------------------------|----------|--------------------|---------------|-----------|
| Client:            | Union Paving & Construction Company       |          | Date Collected:    | 06/23/25      |           |
| Project:           | 190 Park Ave Hanover Twp NJ - PO 2556-001 |          | Date Received:     | 06/23/25      |           |
| Client Sample ID:  | PARK AVE -1MSD                            |          | SDG No.:           | Q2393         |           |
| Lab Sample ID:     | Q2393-01MSD                               |          | Matrix:            | SOIL          |           |
| Analytical Method: | 8081B                                     |          | % Solid:           | 83.3          | Decanted: |
| Sample Wt/Vol:     | 30.1                                      | Units: g | Final Vol:         | 10000         | uL        |
| Soil Aliquot Vol:  |                                           | uL       | Test:              | Pesticide-TCL |           |
| Extraction Type:   |                                           |          | Injection Volume : |               |           |
| GPC Factor :       | 1.0                                       | PH :     |                    |               |           |
| Prep Method :      | SW3541B                                   |          |                    |               |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PD089142.D        | 1         | 06/25/25 08:45 | 06/25/25 18:21 | PB168608      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



# CALIBRATION SUMMARY



|                |               |                      |              |                   |                   |          |              |
|----------------|---------------|----------------------|--------------|-------------------|-------------------|----------|--------------|
| Contract:      | <u>UNIO02</u> |                      |              |                   |                   |          |              |
| Lab Code:      | <u>CHEM</u>   | Case No.:            | <u>Q2393</u> | SAS No.:          | <u>Q2393</u>      | SDG NO.: | <u>Q2393</u> |
| Instrument ID: | <u>ECD_D</u>  | Calibration Date(s): |              | <u>06/17/2025</u> | <u>06/17/2025</u> |          |              |
|                |               | Calibration Times:   |              | <u>15:52</u>      | <u>16:47</u>      |          |              |

|                     |          |                   |          |                   |
|---------------------|----------|-------------------|----------|-------------------|
| LAB FILE ID:        | RT 100 = | <u>PD088993.D</u> | RT 075 = | <u>PD088994.D</u> |
| RT 050 = PD088995.D | RT 025 = | PD088996.D        | RT 005 = | PD088997.D        |

[illegible]



|                |               |                      |              |                   |                   |          |              |
|----------------|---------------|----------------------|--------------|-------------------|-------------------|----------|--------------|
| Contract:      | <u>UNIO02</u> |                      |              |                   |                   |          |              |
| Lab Code:      | <u>CHEM</u>   | Case No.:            | <u>Q2393</u> | SAS No.:          | <u>Q2393</u>      | SDG NO.: | <u>Q2393</u> |
| Instrument ID: | <u>ECD_D</u>  | Calibration Date(s): |              | <u>06/17/2025</u> | <u>06/17/2025</u> |          |              |
|                |               | Calibration Times:   |              | <u>15:52</u>      | <u>16:47</u>      |          |              |

|                     |          |                   |          |                   |
|---------------------|----------|-------------------|----------|-------------------|
| <b>LAB FILE ID:</b> | RT 100 = | <u>PD088993.D</u> | RT 075 = | <u>PD088994.D</u> |
| RT 050 = PD088995.D | RT 025 = | PD088996.D        | RT 005 = | PD088997.D        |

[illegible]

**CALIBRATION FACTOR OF INITIAL CALIBRATION**

**Contract:** UNIO02

**Lab Code:** CHEM **Case No.:** Q2393 **SAS No.:** Q2393 **SDG NO.:** Q2393

**Instrument ID:** ECD\_D **Calibration Date(s):** 06/17/2025 06/17/2025  
**Calibration Times:** 15:52 16:47

**GC Column:** ZB-MR1 **ID:** 0.32 (mm)

| <b>LAB FILE ID:</b>               |            | <b>CF 100 =</b> <u>PD088993.D</u> |            | <b>CF 075 =</b> <u>PD088994.D</u> |            |            |       |
|-----------------------------------|------------|-----------------------------------|------------|-----------------------------------|------------|------------|-------|
| <b>CF 050 =</b> <u>PD088995.D</u> |            | <b>CF 025 =</b> <u>PD088996.D</u> |            | <b>CF 005 =</b> <u>PD088997.D</u> |            |            |       |
| COMPOUND                          | CF 100     | CF 075                            | CF 050     | CF 025                            | CF 005     | CF         | % RSD |
| 4,4'-DDD                          | 3557450000 | 3439230000                        | 3414120000 | 3228670000                        | 3520780000 | 3432050000 | 4     |
| 4,4'-DDE                          | 4564130000 | 4401240000                        | 4312380000 | 4092310000                        | 4435110000 | 4361030000 | 4     |
| 4,4'-DDT                          | 3928430000 | 3802000000                        | 3763430000 | 3580670000                        | 3866490000 | 3788210000 | 3     |
| Aldrin                            | 5504150000 | 5312640000                        | 5254800000 | 4989300000                        | 5504000000 | 5312980000 | 4     |
| alpha-BHC                         | 6295370000 | 6031790000                        | 5874750000 | 5417910000                        | 5525530000 | 5829070000 | 6     |
| alpha-Chlordane                   | 4885060000 | 4758900000                        | 4734630000 | 4584390000                        | 5229700000 | 4838540000 | 5     |
| beta-BHC                          | 2136750000 | 2100860000                        | 2137680000 | 2144670000                        | 2515730000 | 2207140000 | 8     |
| Decachlorobiphenyl                | 3598890000 | 3628150000                        | 3773200000 | 3897960000                        | 4739940000 | 3927630000 | 12    |
| delta-BHC                         | 5546280000 | 5292010000                        | 5182350000 | 4751190000                        | 4892690000 | 5132900000 | 6     |
| Dieldrin                          | 4933650000 | 4797080000                        | 4750270000 | 4527510000                        | 4978810000 | 4797470000 | 4     |
| Endosulfan I                      | 4511200000 | 4405770000                        | 4412600000 | 4289200000                        | 4918470000 | 4507450000 | 5     |
| Endosulfan II                     | 3829260000 | 3982180000                        | 4002080000 | 3816490000                        | 4553000000 | 4036600000 | 7     |
| Endosulfan sulfate                | 3786900000 | 3718160000                        | 3741600000 | 3667440000                        | 4271990000 | 3837220000 | 6     |
| Endrin                            | 4238140000 | 4109540000                        | 4096430000 | 3878120000                        | 4305700000 | 4125590000 | 4     |
| Endrin aldehyde                   | 2964260000 | 2935670000                        | 2964230000 | 2966830000                        | 3488720000 | 3063940000 | 8     |
| Endrin ketone                     | 4050100000 | 3970810000                        | 4004900000 | 3895960000                        | 4443590000 | 4073070000 | 5     |
| gamma-BHC (Lindane)               | 5900830000 | 5686510000                        | 5566590000 | 5221690000                        | 5532800000 | 5581680000 | 4     |
| gamma-Chlordane                   | 4869330000 | 4801300000                        | 4716110000 | 4508810000                        | 5045020000 | 4788110000 | 4     |
| Heptachlor                        | 5621840000 | 5429540000                        | 5358570000 | 5116310000                        | 5733550000 | 5451960000 | 4     |
| Heptachlor epoxide                | 4794850000 | 4673610000                        | 4749650000 | 4554690000                        | 5346870000 | 4823940000 | 6     |
| Methoxychlor                      | 1926110000 | 1918890000                        | 1971480000 | 1982080000                        | 2304580000 | 2020630000 | 8     |
| Tetrachloro-m-xylene              | 2812300000 | 2762040000                        | 2767280000 | 2751820000                        | 3172230000 | 2853130000 | 6     |

**CALIBRATION FACTOR OF INITIAL CALIBRATION**

**Contract:** UNIO02

**Lab Code:** CHEM **Case No.:** Q2393 **SAS No.:** Q2393 **SDG NO.:** Q2393

**Instrument ID:** ECD\_D **Calibration Date(s):** 06/17/2025 06/17/2025  
**Calibration Times:** 15:52 16:47

**GC Column:** ZB-MR2 **ID:** 0.32 (mm)

| <b>LAB FILE ID:</b>               |             | <b>CF 100 =</b> <u>PD088993.D</u> |             | <b>CF 075 =</b> <u>PD088994.D</u> |             |             |       |
|-----------------------------------|-------------|-----------------------------------|-------------|-----------------------------------|-------------|-------------|-------|
| <b>CF 050 =</b> <u>PD088995.D</u> |             | <b>CF 025 =</b> <u>PD088996.D</u> |             | <b>CF 005 =</b> <u>PD088997.D</u> |             |             |       |
| COMPOUND                          | CF 100      | CF 075                            | CF 050      | CF 025                            | CF 005      | CF          | % RSD |
| 4,4'-DDD                          | 17754100000 | 17899700000                       | 18191100000 | 18805800000                       | 22996200000 | 19129400000 | 11    |
| 4,4'-DDE                          | 21343500000 | 21440200000                       | 21823600000 | 22564100000                       | 27409000000 | 22916100000 | 11    |
| 4,4'-DDT                          | 19391000000 | 19327800000                       | 19594100000 | 20005200000                       | 23078500000 | 20279300000 | 8     |
| Aldrin                            | 22719200000 | 22747700000                       | 23159400000 | 23852800000                       | 28607200000 | 24217300000 | 10    |
| alpha-BHC                         | 25649000000 | 25438700000                       | 25849200000 | 26153100000                       | 30895500000 | 26797100000 | 9     |
| alpha-Chlordane                   | 21191300000 | 21145300000                       | 21570900000 | 22517200000                       | 28059300000 | 22896800000 | 13    |
| beta-BHC                          | 9903630000  | 9918550000                        | 10198200000 | 10624100000                       | 13086800000 | 10746200000 | 12    |
| Decachlorobiphenyl                | 17946500000 | 17939700000                       | 18428600000 | 19427500000                       | 25107500000 | 19770000000 | 15    |
| delta-BHC                         | 23614400000 | 23533700000                       | 23918700000 | 24298300000                       | 29003000000 | 24873600000 | 9     |
| Dieldrin                          | 21438700000 | 21622000000                       | 22120600000 | 22941800000                       | 27919200000 | 23208500000 | 12    |
| Endosulfan I                      | 19170300000 | 19201000000                       | 19315500000 | 20752900000                       | 25772600000 | 20842500000 | 14    |
| Endosulfan II                     | 18473200000 | 18573800000                       | 19087100000 | 20002300000                       | 24846800000 | 20196600000 | 13    |
| Endosulfan sulfate                | 17925600000 | 18043500000                       | 18492500000 | 19409200000                       | 24234500000 | 19621100000 | 13    |
| Endrin                            | 20535400000 | 19906600000                       | 20644700000 | 21276500000                       | 26206500000 | 21713900000 | 12    |
| Endrin aldehyde                   | 13773600000 | 13920200000                       | 14379400000 | 15195500000                       | 19287900000 | 15311300000 | 15    |
| Endrin ketone                     | 19587400000 | 19824900000                       | 20446500000 | 21535300000                       | 26614600000 | 21601700000 | 13    |
| gamma-BHC (Lindane)               | 23622800000 | 23442000000                       | 23749900000 | 24221500000                       | 28748400000 | 24756900000 | 9     |
| gamma-Chlordane                   | 22229100000 | 22022500000                       | 22519500000 | 23493700000                       | 29348800000 | 23922700000 | 13    |
| Heptachlor                        | 23291600000 | 23365200000                       | 23922200000 | 24716000000                       | 29896800000 | 25038400000 | 11    |
| Heptachlor epoxide                | 20080600000 | 20251900000                       | 20827300000 | 21695300000                       | 26635200000 | 21898100000 | 12    |
| Methoxychlor                      | 9712450000  | 9897880000                        | 10259100000 | 10830900000                       | 13140100000 | 10768100000 | 13    |
| Tetrachloro-m-xylene              | 15879800000 | 15866400000                       | 15978000000 | 16730900000                       | 20310700000 | 16953200000 | 11    |

INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Instrument ID: ECD\_D Date(s) Analyzed: 06/17/2025 06/17/2025

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND  | AMOUNT<br>(ng) | PEAK | RT   | RT WINDOW |      | CALIBRATION<br>FACTOR |
|-----------|----------------|------|------|-----------|------|-----------------------|
|           |                |      |      | FROM      | TO   |                       |
| Toxaphene | 500            | 1    | 6.24 | 6.14      | 6.34 | 33601800              |
|           |                | 2    | 6.44 | 6.34      | 6.54 | 47528600              |
|           |                | 3    | 7.15 | 7.05      | 7.25 | 87292700              |
|           |                | 4    | 7.56 | 7.46      | 7.66 | 111357000             |
|           |                | 5    | 7.93 | 7.83      | 8.03 | 63112600              |

**INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES**

**Contract:** UNIO02

**Lab Code:** CHEM **Case No.:** Q2393 **SAS No.:** Q2393 **SDG NO.:** Q2393

**Instrument ID:** ECD\_D **Date(s) Analyzed:** 06/17/2025 06/17/2025

**GC Column:** ZB-MR2 **ID:** 0.32 (mm)

| COMPOUND  | AMOUNT<br>(ng) | PEAK | RT   | RT WINDOW |      | CALIBRATION<br>FACTOR |
|-----------|----------------|------|------|-----------|------|-----------------------|
|           |                |      |      | FROM      | TO   |                       |
| Toxaphene | 500            | 1    | 5.47 | 5.37      | 5.57 | 158160000             |
|           |                | 2    | 5.65 | 5.55      | 5.75 | 108820000             |
|           |                | 3    | 6.76 | 6.66      | 6.86 | 511856000             |
|           |                | 4    | 7.20 | 7.10      | 7.30 | 350145000             |
|           |                | 5    | 7.33 | 7.23      | 7.43 | 253920000             |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 16:12 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 9.07       | 9.07      | 8.97      | 9.17 | 0.00       |
| Tetrachloro-m-xylene | 3.55       | 3.55      | 3.45      | 3.65 | 0.00       |
| alpha-BHC            | 4.00       | 4.00      | 3.90      | 4.10 | 0.00       |
| beta-BHC             | 4.52       | 4.52      | 4.42      | 4.62 | 0.01       |
| delta-BHC            | 4.76       | 4.76      | 4.66      | 4.86 | 0.00       |
| gamma-BHC (Lindane)  | 4.33       | 4.33      | 4.23      | 4.43 | 0.00       |
| Heptachlor           | 4.93       | 4.93      | 4.83      | 5.03 | 0.00       |
| Aldrin               | 5.27       | 5.27      | 5.17      | 5.37 | 0.00       |
| Heptachlor epoxide   | 5.69       | 5.69      | 5.59      | 5.79 | 0.00       |
| Endosulfan I         | 6.07       | 6.08      | 5.98      | 6.18 | 0.01       |
| Dieldrin             | 6.35       | 6.35      | 6.25      | 6.45 | 0.00       |
| 4,4'-DDE             | 6.20       | 6.20      | 6.10      | 6.30 | 0.00       |
| Endrin               | 6.58       | 6.58      | 6.48      | 6.68 | 0.01       |
| Endosulfan II        | 6.79       | 6.79      | 6.69      | 6.89 | 0.00       |
| 4,4'-DDD             | 6.71       | 6.71      | 6.61      | 6.81 | 0.01       |
| Endosulfan sulfate   | 7.15       | 7.15      | 7.05      | 7.25 | 0.00       |
| 4,4'-DDT             | 7.02       | 7.02      | 6.92      | 7.12 | 0.00       |
| Methoxychlor         | 7.49       | 7.49      | 7.39      | 7.59 | 0.00       |
| Endrin ketone        | 7.63       | 7.63      | 7.53      | 7.73 | 0.00       |
| Endrin aldehyde      | 6.92       | 6.92      | 6.82      | 7.02 | 0.01       |
| alpha-Chlordane      | 6.03       | 6.03      | 5.93      | 6.13 | 0.00       |
| gamma-Chlordane      | 5.95       | 5.95      | 5.85      | 6.05 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 16:12 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 8.07       | 8.07      | 7.97      | 8.17 | 0.00       |
| Tetrachloro-m-xylene | 2.88       | 2.88      | 2.78      | 2.98 | 0.00       |
| alpha-BHC            | 3.39       | 3.39      | 3.29      | 3.49 | 0.00       |
| beta-BHC             | 4.03       | 4.03      | 3.93      | 4.13 | 0.00       |
| delta-BHC            | 4.26       | 4.26      | 4.16      | 4.36 | 0.00       |
| gamma-BHC (Lindane)  | 3.73       | 3.73      | 3.63      | 3.83 | 0.00       |
| Heptachlor           | 4.08       | 4.08      | 3.98      | 4.18 | 0.00       |
| Aldrin               | 4.37       | 4.37      | 4.27      | 4.47 | 0.00       |
| Heptachlor epoxide   | 4.87       | 4.87      | 4.77      | 4.97 | 0.00       |
| Endosulfan I         | 5.25       | 5.25      | 5.15      | 5.35 | 0.00       |
| Dieldrin             | 5.51       | 5.51      | 5.41      | 5.61 | 0.00       |
| 4,4'-DDE             | 5.38       | 5.38      | 5.28      | 5.48 | 0.00       |
| Endrin               | 5.79       | 5.79      | 5.69      | 5.89 | 0.00       |
| Endosulfan II        | 6.08       | 6.08      | 5.98      | 6.18 | 0.00       |
| 4,4'-DDD             | 5.93       | 5.93      | 5.83      | 6.03 | 0.00       |
| Endosulfan sulfate   | 6.48       | 6.48      | 6.38      | 6.58 | 0.00       |
| 4,4'-DDT             | 6.18       | 6.18      | 6.08      | 6.28 | 0.00       |
| Methoxychlor         | 6.75       | 6.76      | 6.66      | 6.86 | 0.01       |
| Endrin ketone        | 6.99       | 6.99      | 6.89      | 7.09 | 0.00       |
| Endrin aldehyde      | 6.26       | 6.26      | 6.16      | 6.36 | 0.00       |
| alpha-Chlordane      | 5.19       | 5.19      | 5.09      | 5.29 | 0.00       |
| gamma-Chlordane      | 5.13       | 5.13      | 5.03      | 5.23 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL01 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089134.D Time Analyzed: 16:12

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| 4,4'-DDD             | 6.705 | 6.605     | 6.805 | 52.370             | 50.000            | 4.7  |
| 4,4'-DDE             | 6.195 | 6.096     | 6.296 | 50.910             | 50.000            | 1.8  |
| 4,4'-DDT             | 7.021 | 6.921     | 7.121 | 48.180             | 50.000            | -3.6 |
| Aldrin               | 5.271 | 5.171     | 5.371 | 52.530             | 50.000            | 5.1  |
| alpha-BHC            | 3.999 | 3.899     | 4.099 | 53.570             | 50.000            | 7.1  |
| alpha-Chlordane      | 6.027 | 5.927     | 6.127 | 51.430             | 50.000            | 2.9  |
| beta-BHC             | 4.515 | 4.415     | 4.615 | 51.190             | 50.000            | 2.4  |
| Decachlorobiphenyl   | 9.073 | 8.972     | 9.172 | 48.720             | 50.000            | -2.6 |
| delta-BHC            | 4.764 | 4.664     | 4.864 | 55.600             | 50.000            | 11.2 |
| Dieldrin             | 6.347 | 6.247     | 6.447 | 51.740             | 50.000            | 3.5  |
| Endosulfan I         | 6.074 | 5.975     | 6.175 | 51.320             | 50.000            | 2.6  |
| Endosulfan II        | 6.786 | 6.686     | 6.886 | 51.720             | 50.000            | 3.4  |
| Endosulfan sulfate   | 7.149 | 7.049     | 7.249 | 50.030             | 50.000            | 0.1  |
| Endrin               | 6.575 | 6.475     | 6.675 | 50.280             | 50.000            | 0.6  |
| Endrin aldehyde      | 6.915 | 6.815     | 7.015 | 49.430             | 50.000            | -1.1 |
| Endrin ketone        | 7.630 | 7.530     | 7.730 | 50.650             | 50.000            | 1.3  |
| gamma-BHC (Lindane)  | 4.330 | 4.230     | 4.430 | 53.110             | 50.000            | 6.2  |
| gamma-Chlordane      | 5.945 | 5.846     | 6.046 | 51.930             | 50.000            | 3.9  |
| Heptachlor           | 4.929 | 4.829     | 5.029 | 51.830             | 50.000            | 3.7  |
| Heptachlor epoxide   | 5.691 | 5.591     | 5.791 | 50.860             | 50.000            | 1.7  |
| Methoxychlor         | 7.493 | 7.393     | 7.593 | 45.860             | 50.000            | -8.3 |
| Tetrachloro-m-xylene | 3.550 | 3.450     | 3.650 | 51.690             | 50.000            | 3.4  |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL01 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089134.D Time Analyzed: 16:12

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| 4,4'-DDD             | 5.929 | 5.830     | 6.030 | 50.660             | 50.000            | 1.3  |
| 4,4'-DDE             | 5.375 | 5.275     | 5.475 | 50.160             | 50.000            | 0.3  |
| 4,4'-DDT             | 6.183 | 6.084     | 6.284 | 47.880             | 50.000            | -4.2 |
| Aldrin               | 4.368 | 4.269     | 4.469 | 51.110             | 50.000            | 2.2  |
| alpha-BHC            | 3.393 | 3.293     | 3.493 | 51.690             | 50.000            | 3.4  |
| alpha-Chlordane      | 5.190 | 5.091     | 5.291 | 50.080             | 50.000            | 0.2  |
| beta-BHC             | 4.025 | 3.926     | 4.126 | 50.170             | 50.000            | 0.3  |
| Decachlorobiphenyl   | 8.072 | 7.972     | 8.172 | 49.080             | 50.000            | -1.8 |
| delta-BHC            | 4.261 | 4.162     | 4.362 | 51.300             | 50.000            | 2.6  |
| Dieldrin             | 5.512 | 5.413     | 5.613 | 50.380             | 50.000            | 0.8  |
| Endosulfan I         | 5.246 | 5.147     | 5.347 | 48.960             | 50.000            | -2.1 |
| Endosulfan II        | 6.080 | 5.981     | 6.181 | 49.710             | 50.000            | -0.6 |
| Endosulfan sulfate   | 6.481 | 6.383     | 6.583 | 49.190             | 50.000            | -1.6 |
| Endrin               | 5.789 | 5.689     | 5.889 | 49.670             | 50.000            | -0.7 |
| Endrin aldehyde      | 6.258 | 6.159     | 6.359 | 48.480             | 50.000            | -3.0 |
| Endrin ketone        | 6.991 | 6.892     | 7.092 | 49.700             | 50.000            | -0.6 |
| gamma-BHC (Lindane)  | 3.729 | 3.630     | 3.830 | 51.520             | 50.000            | 3.0  |
| gamma-Chlordane      | 5.125 | 5.026     | 5.226 | 50.180             | 50.000            | 0.4  |
| Heptachlor           | 4.083 | 3.983     | 4.183 | 49.870             | 50.000            | -0.3 |
| Heptachlor epoxide   | 4.872 | 4.773     | 4.973 | 50.580             | 50.000            | 1.2  |
| Methoxychlor         | 6.754 | 6.655     | 6.855 | 46.450             | 50.000            | -7.1 |
| Tetrachloro-m-xylene | 2.881 | 2.780     | 2.980 | 51.570             | 50.000            | 3.1  |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 19:15 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 9.07       | 9.07      | 8.97      | 9.17 | 0.00       |
| Tetrachloro-m-xylene | 3.55       | 3.55      | 3.45      | 3.65 | 0.00       |
| alpha-BHC            | 4.00       | 4.00      | 3.90      | 4.10 | 0.00       |
| beta-BHC             | 4.52       | 4.52      | 4.42      | 4.62 | 0.01       |
| delta-BHC            | 4.76       | 4.76      | 4.66      | 4.86 | 0.00       |
| gamma-BHC (Lindane)  | 4.33       | 4.33      | 4.23      | 4.43 | 0.00       |
| Heptachlor           | 4.93       | 4.93      | 4.83      | 5.03 | 0.00       |
| Aldrin               | 5.27       | 5.27      | 5.17      | 5.37 | 0.00       |
| Heptachlor epoxide   | 5.69       | 5.69      | 5.59      | 5.79 | 0.00       |
| Endosulfan I         | 6.07       | 6.08      | 5.98      | 6.18 | 0.01       |
| Dieldrin             | 6.35       | 6.35      | 6.25      | 6.45 | 0.00       |
| 4,4'-DDE             | 6.20       | 6.20      | 6.10      | 6.30 | 0.00       |
| Endrin               | 6.57       | 6.58      | 6.48      | 6.68 | 0.01       |
| Endosulfan II        | 6.79       | 6.79      | 6.69      | 6.89 | 0.00       |
| 4,4'-DDD             | 6.71       | 6.71      | 6.61      | 6.81 | 0.01       |
| Endosulfan sulfate   | 7.15       | 7.15      | 7.05      | 7.25 | 0.00       |
| 4,4'-DDT             | 7.02       | 7.02      | 6.92      | 7.12 | 0.00       |
| Methoxychlor         | 7.49       | 7.49      | 7.39      | 7.59 | 0.00       |
| Endrin ketone        | 7.63       | 7.63      | 7.53      | 7.73 | 0.00       |
| Endrin aldehyde      | 6.92       | 6.92      | 6.82      | 7.02 | 0.01       |
| alpha-Chlordane      | 6.03       | 6.03      | 5.93      | 6.13 | 0.00       |
| gamma-Chlordane      | 5.95       | 5.95      | 5.85      | 6.05 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 19:15 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 8.07       | 8.07      | 7.97      | 8.17 | 0.00       |
| Tetrachloro-m-xylene | 2.88       | 2.88      | 2.78      | 2.98 | 0.00       |
| alpha-BHC            | 3.39       | 3.39      | 3.29      | 3.49 | 0.00       |
| beta-BHC             | 4.03       | 4.03      | 3.93      | 4.13 | 0.00       |
| delta-BHC            | 4.26       | 4.26      | 4.16      | 4.36 | 0.00       |
| gamma-BHC (Lindane)  | 3.73       | 3.73      | 3.63      | 3.83 | 0.00       |
| Heptachlor           | 4.08       | 4.08      | 3.98      | 4.18 | 0.00       |
| Aldrin               | 4.37       | 4.37      | 4.27      | 4.47 | 0.00       |
| Heptachlor epoxide   | 4.87       | 4.87      | 4.77      | 4.97 | 0.00       |
| Endosulfan I         | 5.25       | 5.25      | 5.15      | 5.35 | 0.00       |
| Dieldrin             | 5.51       | 5.51      | 5.41      | 5.61 | 0.00       |
| 4,4'-DDE             | 5.38       | 5.38      | 5.28      | 5.48 | 0.00       |
| Endrin               | 5.79       | 5.79      | 5.69      | 5.89 | 0.00       |
| Endosulfan II        | 6.08       | 6.08      | 5.98      | 6.18 | 0.00       |
| 4,4'-DDD             | 5.93       | 5.93      | 5.83      | 6.03 | 0.00       |
| Endosulfan sulfate   | 6.48       | 6.48      | 6.38      | 6.58 | 0.00       |
| 4,4'-DDT             | 6.18       | 6.18      | 6.08      | 6.28 | 0.00       |
| Methoxychlor         | 6.75       | 6.76      | 6.66      | 6.86 | 0.01       |
| Endrin ketone        | 6.99       | 6.99      | 6.89      | 7.09 | 0.00       |
| Endrin aldehyde      | 6.26       | 6.26      | 6.16      | 6.36 | 0.00       |
| alpha-Chlordane      | 5.19       | 5.19      | 5.09      | 5.29 | 0.00       |
| gamma-Chlordane      | 5.13       | 5.13      | 5.03      | 5.23 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL02 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089146.D Time Analyzed: 19:15

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| 4,4'-DDD             | 6.705 | 6.605     | 6.805 | 52.530             | 50.000            | 5.1  |
| 4,4'-DDE             | 6.196 | 6.096     | 6.296 | 51.170             | 50.000            | 2.3  |
| 4,4'-DDT             | 7.021 | 6.921     | 7.121 | 48.420             | 50.000            | -3.2 |
| Aldrin               | 5.271 | 5.171     | 5.371 | 52.830             | 50.000            | 5.7  |
| alpha-BHC            | 3.999 | 3.899     | 4.099 | 54.380             | 50.000            | 8.8  |
| alpha-Chlordane      | 6.026 | 5.927     | 6.127 | 51.910             | 50.000            | 3.8  |
| beta-BHC             | 4.515 | 4.415     | 4.615 | 51.800             | 50.000            | 3.6  |
| Decachlorobiphenyl   | 9.073 | 8.972     | 9.172 | 48.940             | 50.000            | -2.1 |
| delta-BHC            | 4.764 | 4.664     | 4.864 | 56.290             | 50.000            | 12.6 |
| Dieldrin             | 6.346 | 6.247     | 6.447 | 51.830             | 50.000            | 3.7  |
| Endosulfan I         | 6.074 | 5.975     | 6.175 | 51.790             | 50.000            | 3.6  |
| Endosulfan II        | 6.786 | 6.686     | 6.886 | 51.980             | 50.000            | 4.0  |
| Endosulfan sulfate   | 7.149 | 7.049     | 7.249 | 50.040             | 50.000            | 0.1  |
| Endrin               | 6.574 | 6.475     | 6.675 | 50.290             | 50.000            | 0.6  |
| Endrin aldehyde      | 6.915 | 6.815     | 7.015 | 49.890             | 50.000            | -0.2 |
| Endrin ketone        | 7.630 | 7.530     | 7.730 | 50.970             | 50.000            | 1.9  |
| gamma-BHC (Lindane)  | 4.330 | 4.230     | 4.430 | 53.840             | 50.000            | 7.7  |
| gamma-Chlordane      | 5.945 | 5.846     | 6.046 | 52.630             | 50.000            | 5.3  |
| Heptachlor           | 4.929 | 4.829     | 5.029 | 52.360             | 50.000            | 4.7  |
| Heptachlor epoxide   | 5.690 | 5.591     | 5.791 | 51.690             | 50.000            | 3.4  |
| Methoxychlor         | 7.493 | 7.393     | 7.593 | 45.660             | 50.000            | -8.7 |
| Tetrachloro-m-xylene | 3.550 | 3.450     | 3.650 | 52.350             | 50.000            | 4.7  |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL02 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089146.D Time Analyzed: 19:15

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| 4,4'-DDD             | 5.929 | 5.830     | 6.030 | 51.340             | 50.000            | 2.7  |
| 4,4'-DDE             | 5.375 | 5.275     | 5.475 | 50.750             | 50.000            | 1.5  |
| 4,4'-DDT             | 6.183 | 6.084     | 6.284 | 48.290             | 50.000            | -3.4 |
| Aldrin               | 4.369 | 4.269     | 4.469 | 51.750             | 50.000            | 3.5  |
| alpha-BHC            | 3.393 | 3.293     | 3.493 | 52.130             | 50.000            | 4.3  |
| alpha-Chlordane      | 5.190 | 5.091     | 5.291 | 50.620             | 50.000            | 1.2  |
| beta-BHC             | 4.025 | 3.926     | 4.126 | 50.200             | 50.000            | 0.4  |
| Decachlorobiphenyl   | 8.071 | 7.972     | 8.172 | 48.540             | 50.000            | -2.9 |
| delta-BHC            | 4.262 | 4.162     | 4.362 | 51.710             | 50.000            | 3.4  |
| Dieldrin             | 5.513 | 5.413     | 5.613 | 50.760             | 50.000            | 1.5  |
| Endosulfan I         | 5.246 | 5.147     | 5.347 | 48.710             | 50.000            | -2.6 |
| Endosulfan II        | 6.080 | 5.981     | 6.181 | 50.180             | 50.000            | 0.4  |
| Endosulfan sulfate   | 6.482 | 6.383     | 6.583 | 49.170             | 50.000            | -1.7 |
| Endrin               | 5.789 | 5.689     | 5.889 | 50.400             | 50.000            | 0.8  |
| Endrin aldehyde      | 6.258 | 6.159     | 6.359 | 48.810             | 50.000            | -2.4 |
| Endrin ketone        | 6.991 | 6.892     | 7.092 | 49.570             | 50.000            | -0.9 |
| gamma-BHC (Lindane)  | 3.729 | 3.630     | 3.830 | 51.880             | 50.000            | 3.8  |
| gamma-Chlordane      | 5.125 | 5.026     | 5.226 | 50.860             | 50.000            | 1.7  |
| Heptachlor           | 4.083 | 3.983     | 4.183 | 50.530             | 50.000            | 1.1  |
| Heptachlor epoxide   | 4.872 | 4.773     | 4.973 | 51.260             | 50.000            | 2.5  |
| Methoxychlor         | 6.754 | 6.655     | 6.855 | 46.630             | 50.000            | -6.7 |
| Tetrachloro-m-xylene | 2.881 | 2.780     | 2.980 | 51.950             | 50.000            | 3.9  |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 22:40 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 9.07       | 9.07      | 8.97      | 9.17 | 0.00       |
| Tetrachloro-m-xylene | 3.55       | 3.55      | 3.45      | 3.65 | 0.00       |
| alpha-BHC            | 4.00       | 4.00      | 3.90      | 4.10 | 0.00       |
| beta-BHC             | 4.52       | 4.52      | 4.42      | 4.62 | 0.01       |
| delta-BHC            | 4.76       | 4.76      | 4.66      | 4.86 | 0.00       |
| gamma-BHC (Lindane)  | 4.33       | 4.33      | 4.23      | 4.43 | 0.00       |
| Heptachlor           | 4.93       | 4.93      | 4.83      | 5.03 | 0.00       |
| Aldrin               | 5.27       | 5.27      | 5.17      | 5.37 | 0.00       |
| Heptachlor epoxide   | 5.69       | 5.69      | 5.59      | 5.79 | 0.00       |
| Endosulfan I         | 6.07       | 6.08      | 5.98      | 6.18 | 0.01       |
| Dieldrin             | 6.35       | 6.35      | 6.25      | 6.45 | 0.00       |
| 4,4'-DDE             | 6.20       | 6.20      | 6.10      | 6.30 | 0.00       |
| Endrin               | 6.57       | 6.58      | 6.48      | 6.68 | 0.01       |
| Endosulfan II        | 6.79       | 6.79      | 6.69      | 6.89 | 0.01       |
| 4,4'-DDD             | 6.70       | 6.71      | 6.61      | 6.81 | 0.01       |
| Endosulfan sulfate   | 7.15       | 7.15      | 7.05      | 7.25 | 0.00       |
| 4,4'-DDT             | 7.02       | 7.02      | 6.92      | 7.12 | 0.00       |
| Methoxychlor         | 7.49       | 7.49      | 7.39      | 7.59 | 0.00       |
| Endrin ketone        | 7.63       | 7.63      | 7.53      | 7.73 | 0.00       |
| Endrin aldehyde      | 6.91       | 6.92      | 6.82      | 7.02 | 0.01       |
| alpha-Chlordane      | 6.03       | 6.03      | 5.93      | 6.13 | 0.00       |
| gamma-Chlordane      | 5.95       | 5.95      | 5.85      | 6.05 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Continuing Calib Date: 06/25/2025 Initial Calibration Date(s): 06/17/2025 06/17/2025

Continuing Calib Time: 22:40 Initial Calibration Time(s): 15:52 16:47

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|------------|-----------|-----------|------|------------|
|                      |            |           | FROM      | TO   |            |
| Decachlorobiphenyl   | 8.07       | 8.07      | 7.97      | 8.17 | 0.00       |
| Tetrachloro-m-xylene | 2.88       | 2.88      | 2.78      | 2.98 | 0.00       |
| alpha-BHC            | 3.39       | 3.39      | 3.29      | 3.49 | 0.00       |
| beta-BHC             | 4.03       | 4.03      | 3.93      | 4.13 | 0.00       |
| delta-BHC            | 4.26       | 4.26      | 4.16      | 4.36 | 0.00       |
| gamma-BHC (Lindane)  | 3.73       | 3.73      | 3.63      | 3.83 | 0.00       |
| Heptachlor           | 4.08       | 4.08      | 3.98      | 4.18 | 0.00       |
| Aldrin               | 4.37       | 4.37      | 4.27      | 4.47 | 0.00       |
| Heptachlor epoxide   | 4.87       | 4.87      | 4.77      | 4.97 | 0.00       |
| Endosulfan I         | 5.25       | 5.25      | 5.15      | 5.35 | 0.00       |
| Dieldrin             | 5.51       | 5.51      | 5.41      | 5.61 | 0.00       |
| 4,4'-DDE             | 5.38       | 5.38      | 5.28      | 5.48 | 0.00       |
| Endrin               | 5.79       | 5.79      | 5.69      | 5.89 | 0.00       |
| Endosulfan II        | 6.08       | 6.08      | 5.98      | 6.18 | 0.00       |
| 4,4'-DDD             | 5.93       | 5.93      | 5.83      | 6.03 | 0.00       |
| Endosulfan sulfate   | 6.48       | 6.48      | 6.38      | 6.58 | 0.00       |
| 4,4'-DDT             | 6.18       | 6.18      | 6.08      | 6.28 | 0.00       |
| Methoxychlor         | 6.75       | 6.76      | 6.66      | 6.86 | 0.01       |
| Endrin ketone        | 6.99       | 6.99      | 6.89      | 7.09 | 0.00       |
| Endrin aldehyde      | 6.26       | 6.26      | 6.16      | 6.36 | 0.00       |
| alpha-Chlordane      | 5.19       | 5.19      | 5.09      | 5.29 | 0.00       |
| gamma-Chlordane      | 5.13       | 5.13      | 5.03      | 5.23 | 0.00       |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL03 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089155.D Time Analyzed: 22:40

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| 4,4'-DDD             | 6.704 | 6.605     | 6.805 | 45.490             | 50.000            | -9.0  |
| 4,4'-DDE             | 6.195 | 6.096     | 6.296 | 46.090             | 50.000            | -7.8  |
| 4,4'-DDT             | 7.020 | 6.921     | 7.121 | 40.060             | 50.000            | -19.9 |
| Aldrin               | 5.271 | 5.171     | 5.371 | 50.000             | 50.000            | 0.0   |
| alpha-BHC            | 3.999 | 3.899     | 4.099 | 54.860             | 50.000            | 9.7   |
| alpha-Chlordane      | 6.027 | 5.927     | 6.127 | 48.640             | 50.000            | -2.7  |
| beta-BHC             | 4.515 | 4.415     | 4.615 | 52.340             | 50.000            | 4.7   |
| Decachlorobiphenyl   | 9.072 | 8.972     | 9.172 | 41.670             | 50.000            | -16.7 |
| delta-BHC            | 4.764 | 4.664     | 4.864 | 56.380             | 50.000            | 12.8  |
| Dieldrin             | 6.347 | 6.247     | 6.447 | 45.400             | 50.000            | -9.2  |
| Endosulfan I         | 6.074 | 5.975     | 6.175 | 48.330             | 50.000            | -3.3  |
| Endosulfan II        | 6.785 | 6.686     | 6.886 | 45.580             | 50.000            | -8.8  |
| Endosulfan sulfate   | 7.148 | 7.049     | 7.249 | 42.630             | 50.000            | -14.7 |
| Endrin               | 6.572 | 6.475     | 6.675 | 43.610             | 50.000            | -12.8 |
| Endrin aldehyde      | 6.914 | 6.815     | 7.015 | 43.020             | 50.000            | -14.0 |
| Endrin ketone        | 7.630 | 7.530     | 7.730 | 42.260             | 50.000            | -15.5 |
| gamma-BHC (Lindane)  | 4.330 | 4.230     | 4.430 | 54.290             | 50.000            | 8.6   |
| gamma-Chlordane      | 5.946 | 5.846     | 6.046 | 49.610             | 50.000            | -0.8  |
| Heptachlor           | 4.929 | 4.829     | 5.029 | 51.480             | 50.000            | 3.0   |
| Heptachlor epoxide   | 5.690 | 5.591     | 5.791 | 49.080             | 50.000            | -1.8  |
| Methoxychlor         | 7.491 | 7.393     | 7.593 | 38.160             | 50.000            | -23.7 |
| Tetrachloro-m-xylene | 3.551 | 3.450     | 3.650 | 52.830             | 50.000            | 5.7   |

### CALIBRATION VERIFICATION SUMMARY

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No.: CCAL03 Date Analyzed: 06/25/2025

Lab Sample No.: PSTDCCC050 Data File : PD089155.D Time Analyzed: 22:40

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| 4,4'-DDD             | 5.929 | 5.830     | 6.030 | 49.150             | 50.000            | -1.7  |
| 4,4'-DDE             | 5.375 | 5.275     | 5.475 | 49.570             | 50.000            | -0.9  |
| 4,4'-DDT             | 6.183 | 6.084     | 6.284 | 44.960             | 50.000            | -10.1 |
| Aldrin               | 4.368 | 4.269     | 4.469 | 51.690             | 50.000            | 3.4   |
| alpha-BHC            | 3.393 | 3.293     | 3.493 | 52.300             | 50.000            | 4.6   |
| alpha-Chlordane      | 5.190 | 5.091     | 5.291 | 49.730             | 50.000            | -0.5  |
| beta-BHC             | 4.025 | 3.926     | 4.126 | 49.430             | 50.000            | -1.1  |
| Decachlorobiphenyl   | 8.071 | 7.972     | 8.172 | 40.090             | 50.000            | -19.8 |
| delta-BHC            | 4.262 | 4.162     | 4.362 | 51.750             | 50.000            | 3.5   |
| Dieldrin             | 5.512 | 5.413     | 5.613 | 49.360             | 50.000            | -1.3  |
| Endosulfan I         | 5.246 | 5.147     | 5.347 | 46.120             | 50.000            | -7.8  |
| Endosulfan II        | 6.079 | 5.981     | 6.181 | 47.570             | 50.000            | -4.9  |
| Endosulfan sulfate   | 6.481 | 6.383     | 6.583 | 45.570             | 50.000            | -8.9  |
| Endrin               | 5.789 | 5.689     | 5.889 | 50.010             | 50.000            | 0.0   |
| Endrin aldehyde      | 6.258 | 6.159     | 6.359 | 45.240             | 50.000            | -9.5  |
| Endrin ketone        | 6.990 | 6.892     | 7.092 | 43.850             | 50.000            | -12.3 |
| gamma-BHC (Lindane)  | 3.730 | 3.630     | 3.830 | 52.050             | 50.000            | 4.1   |
| gamma-Chlordane      | 5.125 | 5.026     | 5.226 | 49.880             | 50.000            | -0.2  |
| Heptachlor           | 4.082 | 3.983     | 4.183 | 50.510             | 50.000            | 1.0   |
| Heptachlor epoxide   | 4.872 | 4.773     | 4.973 | 50.800             | 50.000            | 1.6   |
| Methoxychlor         | 6.752 | 6.655     | 6.855 | 42.310             | 50.000            | -15.4 |
| Tetrachloro-m-xylene | 2.881 | 2.780     | 2.980 | 52.150             | 50.000            | 4.3   |

**PESTICIDE CALIBRATION VERIFICATION SUMMARY**

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD088991.D Date Analyzed: 06/17/2025

Lab Sample No.(PEM): PEM Time Analyzed: 15:25

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| Decachlorobiphenyl   | 9.071 | 8.970     | 9.170 | 21.440             | 20.000            | 7.2   |
| Tetrachloro-m-xylene | 3.550 | 3.500     | 3.600 | 19.860             | 20.000            | -0.7  |
| alpha-BHC            | 3.999 | 3.950     | 4.050 | 8.970              | 10.000            | -10.3 |
| beta-BHC             | 4.514 | 4.460     | 4.560 | 9.720              | 10.000            | -2.8  |
| gamma-BHC (Lindane)  | 4.330 | 4.280     | 4.380 | 9.320              | 10.000            | -6.8  |
| Endrin               | 6.574 | 6.500     | 6.640 | 50.260             | 50.000            | 0.5   |
| 4,4'-DDT             | 7.020 | 6.950     | 7.090 | 100.820            | 100.000           | 0.8   |
| Methoxychlor         | 7.493 | 7.420     | 7.560 | 229.880            | 250.000           | -8.0  |

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD088991.D Date Analyzed: 06/17/2025

Lab Sample No.(PEM): PEM Time Analyzed: 15:25

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| Decachlorobiphenyl   | 8.072 | 7.970     | 8.170 | 21.290             | 20.000            | 6.5   |
| Tetrachloro-m-xylene | 2.880 | 2.830     | 2.930 | 20.440             | 20.000            | 2.2   |
| alpha-BHC            | 3.393 | 3.340     | 3.440 | 10.570             | 10.000            | 5.7   |
| beta-BHC             | 4.025 | 3.970     | 4.080 | 10.750             | 10.000            | 7.5   |
| gamma-BHC (Lindane)  | 3.729 | 3.680     | 3.780 | 10.580             | 10.000            | 5.8   |
| Endrin               | 5.789 | 5.720     | 5.860 | 50.490             | 50.000            | 1.0   |
| 4,4'-DDT             | 6.183 | 6.110     | 6.250 | 96.080             | 100.000           | -3.9  |
| Methoxychlor         | 6.754 | 6.680     | 6.820 | 198.860            | 250.000           | -20.5 |

**PESTICIDE CALIBRATION VERIFICATION SUMMARY**

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089118.D Date Analyzed: 06/25/2025

Lab Sample No.(PEM): PEM Time Analyzed: 09:25

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC       | NOM        | %D    |
|----------------------|-------|-----------|-------|------------|------------|-------|
|                      |       | FROM      | TO    | AMOUNT(ng) | AMOUNT(ng) |       |
| Decachlorobiphenyl   | 9.073 | 8.970     | 9.170 | 20.340     | 20.000     | 1.7   |
| Tetrachloro-m-xylene | 3.551 | 3.500     | 3.600 | 20.150     | 20.000     | 0.8   |
| alpha-BHC            | 3.999 | 3.950     | 4.050 | 9.340      | 10.000     | -6.6  |
| beta-BHC             | 4.516 | 4.470     | 4.570 | 10.310     | 10.000     | 3.1   |
| gamma-BHC (Lindane)  | 4.330 | 4.280     | 4.380 | 9.690      | 10.000     | -3.1  |
| Endrin               | 6.574 | 6.500     | 6.640 | 47.680     | 50.000     | -4.6  |
| 4,4'-DDT             | 7.021 | 6.950     | 7.090 | 91.830     | 100.000    | -8.2  |
| Methoxychlor         | 7.493 | 7.420     | 7.560 | 207.080    | 250.000    | -17.2 |

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089118.D Date Analyzed: 06/25/2025

Lab Sample No.(PEM): PEM Time Analyzed: 09:25

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC       | NOM        | %D    |
|----------------------|-------|-----------|-------|------------|------------|-------|
|                      |       | FROM      | TO    | AMOUNT(ng) | AMOUNT(ng) |       |
| Decachlorobiphenyl   | 8.072 | 7.970     | 8.170 | 21.190     | 20.000     | 6.0   |
| Tetrachloro-m-xylene | 2.881 | 2.830     | 2.930 | 21.190     | 20.000     | 6.0   |
| alpha-BHC            | 3.393 | 3.340     | 3.440 | 10.920     | 10.000     | 9.2   |
| beta-BHC             | 4.025 | 3.970     | 4.080 | 11.040     | 10.000     | 10.4  |
| gamma-BHC (Lindane)  | 3.729 | 3.680     | 3.780 | 10.990     | 10.000     | 9.9   |
| Endrin               | 5.789 | 5.720     | 5.860 | 46.590     | 50.000     | -6.8  |
| 4,4'-DDT             | 6.183 | 6.110     | 6.250 | 89.560     | 100.000    | -10.4 |
| Methoxychlor         | 6.753 | 6.680     | 6.820 | 175.380    | 250.000    | -29.8 |

**PESTICIDE CALIBRATION VERIFICATION SUMMARY**

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089145.D Date Analyzed: 06/25/2025

Lab Sample No.(PEM): PEM Time Analyzed: 19:02

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| Decachlorobiphenyl   | 9.071 | 8.970     | 9.170 | 20.450             | 20.000            | 2.3   |
| Tetrachloro-m-xylene | 3.550 | 3.500     | 3.600 | 20.140             | 20.000            | 0.7   |
| alpha-BHC            | 3.999 | 3.950     | 4.050 | 9.260              | 10.000            | -7.4  |
| beta-BHC             | 4.515 | 4.460     | 4.570 | 10.200             | 10.000            | 2.0   |
| gamma-BHC (Lindane)  | 4.330 | 4.280     | 4.380 | 9.720              | 10.000            | -2.8  |
| Endrin               | 6.574 | 6.500     | 6.640 | 47.960             | 50.000            | -4.1  |
| 4,4'-DDT             | 7.021 | 6.950     | 7.090 | 91.290             | 100.000           | -8.7  |
| Methoxychlor         | 7.492 | 7.420     | 7.560 | 206.430            | 250.000           | -17.4 |

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089145.D Date Analyzed: 06/25/2025

Lab Sample No.(PEM): PEM Time Analyzed: 19:02

| PEM COMPOUND         | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D    |
|----------------------|-------|-----------|-------|--------------------|-------------------|-------|
|                      |       | FROM      | TO    |                    |                   |       |
| Decachlorobiphenyl   | 8.072 | 7.970     | 8.170 | 20.280             | 20.000            | 1.4   |
| Tetrachloro-m-xylene | 2.881 | 2.830     | 2.930 | 20.900             | 20.000            | 4.5   |
| alpha-BHC            | 3.393 | 3.340     | 3.440 | 10.770             | 10.000            | 7.7   |
| beta-BHC             | 4.025 | 3.970     | 4.080 | 10.780             | 10.000            | 7.8   |
| gamma-BHC (Lindane)  | 3.729 | 3.680     | 3.780 | 10.840             | 10.000            | 8.4   |
| Endrin               | 5.789 | 5.720     | 5.860 | 47.420             | 50.000            | -5.2  |
| 4,4'-DDT             | 6.183 | 6.110     | 6.250 | 88.830             | 100.000           | -11.2 |
| Methoxychlor         | 6.754 | 6.680     | 6.820 | 180.220            | 250.000           | -27.9 |

## Analytical Sequence

|                                                   |                                                                     |
|---------------------------------------------------|---------------------------------------------------------------------|
| Client: Union Paving & Construction Company       | SDG No.: Q2393                                                      |
| Project: 190 Park Ave Hanover Twp NJ - PO 2556-00 | Instrument ID: ECD_D                                                |
| GC Column: ZB-MR1                                 | ID: 0.32 (mm)      Inst. Calib. Date(s): 06/17/2025      06/17/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 06/17/2025       | 15:11            | PD088990.D | 9.07        | 3.55        |
| PEM               | PEM              | 06/17/2025       | 15:25            | PD088991.D | 9.07        | 3.55        |
| RESCHK            | RESCHK           | 06/17/2025       | 15:39            | PD088992.D | 9.07        | 3.55        |
| PSTDICC100        | PSTDICC100       | 06/17/2025       | 15:52            | PD088993.D | 9.07        | 3.55        |
| PSTDICC075        | PSTDICC075       | 06/17/2025       | 16:06            | PD088994.D | 9.07        | 3.55        |
| PSTDICC050        | PSTDICC050       | 06/17/2025       | 16:20            | PD088995.D | 9.07        | 3.55        |
| PSTDICC025        | PSTDICC025       | 06/17/2025       | 16:33            | PD088996.D | 9.07        | 3.55        |
| PSTDICC005        | PSTDICC005       | 06/17/2025       | 16:47            | PD088997.D | 9.07        | 3.55        |
| PCHLORICC500      | PCHLORICC500     | 06/17/2025       | 17:28            | PD089000.D | 9.07        | 3.55        |
| PTOXICC500        | PTOXICC500       | 06/17/2025       | 18:36            | PD089005.D | 9.07        | 3.55        |
| PEM               | PEM              | 06/25/2025       | 09:25            | PD089118.D | 9.07        | 3.55        |
| IBLK              | IBLK             | 06/25/2025       | 15:58            | PD089133.D | 9.08        | 3.55        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 16:12            | PD089134.D | 9.07        | 3.55        |
| PB168608BL        | PB168608BL       | 06/25/2025       | 16:59            | PD089136.D | 9.07        | 3.55        |
| PB168608BS        | PB168608BS       | 06/25/2025       | 17:13            | PD089137.D | 9.07        | 3.55        |
| PARK AVE -1       | Q2393-01         | 06/25/2025       | 17:54            | PD089140.D | 9.07        | 3.55        |
| PARK AVE -1MS     | Q2393-01MS       | 06/25/2025       | 18:07            | PD089141.D | 9.07        | 3.55        |
| PARK AVE -1MSD    | Q2393-01MSD      | 06/25/2025       | 18:21            | PD089142.D | 9.07        | 3.55        |
| PARK AVE -2       | Q2393-03         | 06/25/2025       | 18:35            | PD089143.D | 9.07        | 3.55        |
| IBLK              | IBLK             | 06/25/2025       | 18:48            | PD089144.D | 9.07        | 3.55        |
| PEM               | PEM              | 06/25/2025       | 19:02            | PD089145.D | 9.07        | 3.55        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 19:15            | PD089146.D | 9.07        | 3.55        |
| PARK AVE -3       | Q2393-05         | 06/25/2025       | 19:57            | PD089147.D | 9.07        | 3.55        |
| PARK AVE -4       | Q2393-07         | 06/25/2025       | 20:10            | PD089148.D | 9.07        | 3.55        |
| PARK AVE -5       | Q2393-09         | 06/25/2025       | 20:24            | PD089149.D | 9.07        | 3.55        |
| PARK AVE -6       | Q2393-11         | 06/25/2025       | 20:37            | PD089150.D | 9.07        | 3.55        |
| IBLK              | IBLK             | 06/25/2025       | 21:32            | PD089154.D | 9.07        | 3.55        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 22:40            | PD089155.D | 9.07        | 3.55        |

## Analytical Sequence

|                                                   |                                                                     |
|---------------------------------------------------|---------------------------------------------------------------------|
| Client: Union Paving & Construction Company       | SDG No.: Q2393                                                      |
| Project: 190 Park Ave Hanover Twp NJ - PO 2556-00 | Instrument ID: ECD_D                                                |
| GC Column: ZB-MR2                                 | ID: 0.32 (mm)      Inst. Calib. Date(s): 06/17/2025      06/17/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|-------------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK              | IBLK             | 06/17/2025       | 15:11            | PD088990.D | 8.07        | 2.88        |
| PEM               | PEM              | 06/17/2025       | 15:25            | PD088991.D | 8.07        | 2.88        |
| RESCHK            | RESCHK           | 06/17/2025       | 15:39            | PD088992.D | 8.07        | 2.88        |
| PSTDICC100        | PSTDICC100       | 06/17/2025       | 15:52            | PD088993.D | 8.07        | 2.88        |
| PSTDICC075        | PSTDICC075       | 06/17/2025       | 16:06            | PD088994.D | 8.07        | 2.88        |
| PSTDICC050        | PSTDICC050       | 06/17/2025       | 16:20            | PD088995.D | 8.07        | 2.88        |
| PSTDICC025        | PSTDICC025       | 06/17/2025       | 16:33            | PD088996.D | 8.07        | 2.88        |
| PSTDICC005        | PSTDICC005       | 06/17/2025       | 16:47            | PD088997.D | 8.07        | 2.88        |
| PCHLORICC500      | PCHLORICC500     | 06/17/2025       | 17:28            | PD089000.D | 8.07        | 2.88        |
| PTOXICC500        | PTOXICC500       | 06/17/2025       | 18:36            | PD089005.D | 8.07        | 2.88        |
| PEM               | PEM              | 06/25/2025       | 09:25            | PD089118.D | 8.07        | 2.88        |
| IBLK              | IBLK             | 06/25/2025       | 15:58            | PD089133.D | 8.07        | 2.88        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 16:12            | PD089134.D | 8.07        | 2.88        |
| PB168608BL        | PB168608BL       | 06/25/2025       | 16:59            | PD089136.D | 8.07        | 2.88        |
| PB168608BS        | PB168608BS       | 06/25/2025       | 17:13            | PD089137.D | 8.07        | 2.88        |
| PARK AVE -1       | Q2393-01         | 06/25/2025       | 17:54            | PD089140.D | 8.07        | 2.88        |
| PARK AVE -1MS     | Q2393-01MS       | 06/25/2025       | 18:07            | PD089141.D | 8.07        | 2.88        |
| PARK AVE -1MSD    | Q2393-01MSD      | 06/25/2025       | 18:21            | PD089142.D | 8.07        | 2.88        |
| PARK AVE -2       | Q2393-03         | 06/25/2025       | 18:35            | PD089143.D | 8.07        | 2.88        |
| IBLK              | IBLK             | 06/25/2025       | 18:48            | PD089144.D | 8.07        | 2.88        |
| PEM               | PEM              | 06/25/2025       | 19:02            | PD089145.D | 8.07        | 2.88        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 19:15            | PD089146.D | 8.07        | 2.88        |
| PARK AVE -3       | Q2393-05         | 06/25/2025       | 19:57            | PD089147.D | 8.07        | 2.88        |
| PARK AVE -4       | Q2393-07         | 06/25/2025       | 20:10            | PD089148.D | 8.07        | 2.88        |
| PARK AVE -5       | Q2393-09         | 06/25/2025       | 20:24            | PD089149.D | 8.07        | 2.88        |
| PARK AVE -6       | Q2393-11         | 06/25/2025       | 20:37            | PD089150.D | 8.07        | 2.88        |
| IBLK              | IBLK             | 06/25/2025       | 21:32            | PD089154.D | 8.07        | 2.88        |
| PSTDCCC050        | PSTDCCC050       | 06/25/2025       | 22:40            | PD089155.D | 8.07        | 2.88        |

# COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PARK AVE -1MS

Contract: UNIO02

Lab Code: CHEM

Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: Q2393-01MS

Date(s) Analyzed: 06/25/2025

06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

| ANALYTE            | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|--------------------|-----|------|-----------|------|---------------|------|
|                    |     |      | FROM      | TO   |               |      |
| Endosulfan II      | 1   | 6.79 | 6.74      | 6.84 | 16.6          | 1.8  |
|                    | 2   | 6.08 | 6.03      | 6.13 | 16.9          |      |
| 4,4'-DDD           | 1   | 6.71 | 6.66      | 6.76 | 17.6          | 1.7  |
|                    | 2   | 5.93 | 5.88      | 5.98 | 17.3          |      |
| 4,4'-DDT           | 1   | 7.02 | 6.97      | 7.07 | 15.8          | 1.3  |
|                    | 2   | 6.18 | 6.13      | 6.23 | 16.0          |      |
| alpha-BHC          | 1   | 4.00 | 3.95      | 4.05 | 18.0          | 0    |
|                    | 2   | 3.39 | 3.34      | 3.44 | 18.0          |      |
| Aldrin             | 1   | 5.27 | 5.22      | 5.32 | 17.8          | 0.6  |
|                    | 2   | 4.37 | 4.32      | 4.42 | 17.9          |      |
| beta-BHC           | 1   | 4.52 | 4.47      | 4.57 | 17.3          | 2.3  |
|                    | 2   | 4.03 | 3.98      | 4.08 | 17.7          |      |
| delta-BHC          | 1   | 4.76 | 4.71      | 4.81 | 18.8          | 4.3  |
|                    | 2   | 4.26 | 4.21      | 4.31 | 18.0          |      |
| Endosulfan I       | 1   | 6.07 | 6.02      | 6.12 | 17.3          | 1.7  |
|                    | 2   | 5.25 | 5.20      | 5.30 | 17.6          |      |
| alpha-Chlordane    | 1   | 6.03 | 5.98      | 6.08 | 17.3          | 1.7  |
|                    | 2   | 5.19 | 5.14      | 5.24 | 17.6          |      |
| 4,4'-DDE           | 1   | 6.20 | 6.15      | 6.25 | 17.1          | 1.2  |
|                    | 2   | 5.38 | 5.33      | 5.43 | 17.3          |      |
| Dieldrin           | 1   | 6.35 | 6.30      | 6.40 | 17.4          | 0.6  |
|                    | 2   | 5.51 | 5.46      | 5.56 | 17.5          |      |
| Endrin aldehyde    | 1   | 6.92 | 6.87      | 6.97 | 17.2          | 2.4  |
|                    | 2   | 6.26 | 6.21      | 6.31 | 16.8          |      |
| Endosulfan sulfate | 1   | 7.15 | 7.10      | 7.20 | 16.7          | 0.6  |
|                    | 2   | 6.48 | 6.43      | 6.53 | 16.6          |      |
| Methoxychlor       | 1   | 7.49 | 7.44      | 7.54 | 15.6          | 1.3  |
|                    | 2   | 6.75 | 6.70      | 6.80 | 15.4          |      |

**COMPOUND DETECTION SUMMARY**

**CLIENT SAMPLE NO.**

**PARK AVE -1MS**

**Contract:** UNIO02

**Lab Code:** CHEM

**Case No.:** Q2393

**SAS No.:** Q2393

**SDG NO.:** Q2393

**Lab Sample ID:** Q2393-01MS

**Date(s) Analyzed:** 06/25/2025

06/25/2025

**Instrument ID (1):** ECD\_D

**Instrument ID (2):** ECD\_D

**GC Column: (1):** ZB-MR1

**ID:** 0.32 (mm)

**GC Column:(2):** ZB-MR2

**ID:** 0.32 (mm)

| ANALYTE             | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|---------------------|-----|------|-----------|------|---------------|------|
|                     |     |      | FROM      | TO   |               |      |
| Endrin ketone       | 1   | 7.63 | 7.58      | 7.68 | 17.0          | 3.6  |
|                     | 2   | 6.99 | 6.94      | 7.04 | 16.4          |      |
| gamma-BHC (Lindane) | 1   | 4.33 | 4.28      | 4.38 | 18.0          | 0    |
|                     | 2   | 3.73 | 3.68      | 3.78 | 18.0          |      |
| Heptachlor          | 1   | 4.93 | 4.88      | 4.98 | 17.3          | 0.6  |
|                     | 2   | 4.08 | 4.03      | 4.13 | 17.4          |      |
| Heptachlor epoxide  | 1   | 5.69 | 5.64      | 5.74 | 17.4          | 1.1  |
|                     | 2   | 4.87 | 4.82      | 4.92 | 17.6          |      |
| gamma-Chlordane     | 1   | 5.95 | 5.90      | 6.00 | 17.1          | 2.9  |
|                     | 2   | 5.13 | 5.08      | 5.18 | 17.6          |      |
| Endrin              | 1   | 6.57 | 6.52      | 6.62 | 16.6          | 4.7  |
|                     | 2   | 5.79 | 5.74      | 5.84 | 17.4          |      |

**COMPOUND DETECTION SUMMARY**

CLIENT SAMPLE NO.

PARK AVE -1MSD

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393

SAS No.: Q2393 SDG NO.: Q2393

Lab Sample ID: Q2393-01MSD

Date(s) Analyzed: 06/25/2025 06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column: (2): ZB-MR2 ID: 0.32 (mm)

| ANALYTE             | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|---------------------|-----|------|-----------|------|---------------|------|
|                     |     |      | FROM      | TO   |               |      |
| Endosulfan II       | 1   | 6.79 | 6.74      | 6.84 | 16.7          | 2.4  |
|                     | 2   | 6.08 | 6.03      | 6.13 | 17.1          |      |
| 4,4'-DDD            | 1   | 6.70 | 6.65      | 6.75 | 17.8          | 6.4  |
|                     | 2   | 5.93 | 5.88      | 5.98 | 16.7          |      |
| 4,4'-DDT            | 1   | 7.02 | 6.97      | 7.07 | 16.1          | 1.2  |
|                     | 2   | 6.18 | 6.13      | 6.23 | 16.3          |      |
| Endrin aldehyde     | 1   | 6.91 | 6.86      | 6.96 | 17.4          | 1.7  |
|                     | 2   | 6.26 | 6.21      | 6.31 | 17.1          |      |
| Endosulfan sulfate  | 1   | 7.15 | 7.10      | 7.20 | 16.9          | 0.6  |
|                     | 2   | 6.48 | 6.43      | 6.53 | 16.8          |      |
| Methoxychlor        | 1   | 7.49 | 7.44      | 7.54 | 15.7          | 0    |
|                     | 2   | 6.75 | 6.70      | 6.80 | 15.7          |      |
| Endrin ketone       | 1   | 7.63 | 7.58      | 7.68 | 17.1          | 2.4  |
|                     | 2   | 6.99 | 6.94      | 7.04 | 16.7          |      |
| alpha-BHC           | 1   | 4.00 | 3.95      | 4.05 | 17.9          | 0.6  |
|                     | 2   | 3.39 | 3.34      | 3.44 | 18.0          |      |
| gamma-BHC (Lindane) | 1   | 4.33 | 4.28      | 4.38 | 17.9          | 0.6  |
|                     | 2   | 3.73 | 3.68      | 3.78 | 18.0          |      |
| Heptachlor          | 1   | 4.93 | 4.88      | 4.98 | 17.4          | 0    |
|                     | 2   | 4.08 | 4.03      | 4.13 | 17.4          |      |
| Aldrin              | 1   | 5.27 | 5.22      | 5.32 | 17.8          | 0.6  |
|                     | 2   | 4.37 | 4.32      | 4.42 | 17.9          |      |
| beta-BHC            | 1   | 4.52 | 4.47      | 4.57 | 17.5          | 1.7  |
|                     | 2   | 4.03 | 3.98      | 4.08 | 17.8          |      |
| delta-BHC           | 1   | 4.76 | 4.71      | 4.81 | 18.8          | 4.9  |
|                     | 2   | 4.26 | 4.21      | 4.31 | 17.9          |      |
| Heptachlor epoxide  | 1   | 5.69 | 5.64      | 5.74 | 17.4          | 1.7  |
|                     | 2   | 4.87 | 4.82      | 4.92 | 17.7          |      |

### COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PARK AVE -1MSD

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: Q2393-01MSD

Date(s) Analyzed: 06/25/2025 06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column: (2): ZB-MR2 ID: 0.32 (mm)

| ANALYTE         | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|-----------------|-----|------|-----------|------|---------------|------|
|                 |     |      | FROM      | TO   |               |      |
| Endosulfan I    | 1   | 6.07 | 6.02      | 6.12 | 17.6          | 0.6  |
|                 | 2   | 5.25 | 5.20      | 5.30 | 17.7          |      |
| gamma-Chlordane | 1   | 5.94 | 5.89      | 5.99 | 17.2          | 2.9  |
|                 | 2   | 5.13 | 5.08      | 5.18 | 17.7          |      |
| alpha-Chlordane | 1   | 6.03 | 5.98      | 6.08 | 17.5          | 0.6  |
|                 | 2   | 5.19 | 5.14      | 5.24 | 17.6          |      |
| 4,4'-DDE        | 1   | 6.20 | 6.15      | 6.25 | 17.5          | 0.6  |
|                 | 2   | 5.37 | 5.32      | 5.42 | 17.4          |      |
| Dieldrin        | 1   | 6.35 | 6.30      | 6.40 | 17.4          | 0.6  |
|                 | 2   | 5.51 | 5.46      | 5.56 | 17.5          |      |
| Endrin          | 1   | 6.57 | 6.52      | 6.62 | 17.2          | 1.2  |
|                 | 2   | 5.79 | 5.74      | 5.84 | 17.0          |      |

# COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PARK AVE -3

Contract: UNIO02

Lab Code: CHEM

Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: Q2393-05

Date(s) Analyzed: 06/25/2025

06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

| ANALYTE         | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|-----------------|-----|------|-----------|------|---------------|------|
|                 |     |      | FROM      | TO   |               |      |
| 4,4'-DDD        | 1   | 6.70 | 6.65      | 6.75 | 0.70          | 60   |
|                 | 2   | 5.93 | 5.88      | 5.98 | 0.38          |      |
| 4,4'-DDT        | 1   | 7.02 | 6.97      | 7.07 | 0.40          | 27.9 |
|                 | 2   | 6.18 | 6.13      | 6.23 | 0.53          |      |
| gamma-Chlordane | 1   | 5.95 | 5.90      | 6.00 | 0.73          | 30.5 |
|                 | 2   | 5.12 | 5.07      | 5.17 | 0.53          |      |
| alpha-Chlordane | 1   | 6.03 | 5.98      | 6.08 | 1.10          | 54.9 |
|                 | 2   | 5.19 | 5.14      | 5.24 | 0.63          |      |
| 4,4'-DDE        | 1   | 6.20 | 6.15      | 6.25 | 0.27          | 51.6 |
|                 | 2   | 5.37 | 5.32      | 5.42 | 0.45          |      |

# COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PARK AVE -4

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: Q2393-07

Date(s) Analyzed: 06/25/2025 06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column:(2): ZB-MR2 ID: 0.32 (mm)

| ANALYTE         | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|-----------------|-----|------|-----------|------|---------------|------|
|                 |     |      | FROM      | TO   |               |      |
| 4,4'-DDT        | 1   | 7.02 | 6.97      | 7.07 | 0.28          | 26   |
|                 | 2   | 6.18 | 6.13      | 6.23 | 0.22          |      |
| gamma-Chlordane | 1   | 5.94 | 5.89      | 5.99 | 0.25          | 27.1 |
|                 | 2   | 5.12 | 5.07      | 5.17 | 0.19          |      |
| alpha-Chlordane | 1   | 6.03 | 5.98      | 6.08 | 0.55          | 47.2 |
|                 | 2   | 5.19 | 5.14      | 5.24 | 0.34          |      |

**COMPOUND DETECTION SUMMARY**

**CLIENT SAMPLE NO.**

**PARK AVE -5**

**Contract:** UNIO02

**Lab Code:** CHEM

**Case No.:** Q2393

**SAS No.:** Q2393

**SDG NO.:** Q2393

**Lab Sample ID:** Q2393-09

**Date(s) Analyzed:** 06/25/2025 06/25/2025

**Instrument ID (1):** ECD\_D

**Instrument ID (2):** ECD\_D

**GC Column: (1):** ZB-MR1 **ID:** 0.32 (mm)

**GC Column:(2):** ZB-MR2 **ID:** 0.32 (mm)

| ANALYTE         | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|-----------------|-----|------|-----------|------|---------------|------|
|                 |     |      | FROM      | TO   |               |      |
| 4,4'-DDT        | 1   | 7.02 | 6.97      | 7.07 | 0.16          | 54.5 |
|                 | 2   | 6.18 | 6.13      | 6.23 | 0.28          |      |
| Aldrin          | 1   | 5.27 | 5.22      | 5.32 | 0.13          | 34.5 |
|                 | 2   | 4.37 | 4.32      | 4.42 | 0.19          |      |
| gamma-Chlordane | 1   | 5.94 | 5.89      | 5.99 | 0.35          | 34.1 |
|                 | 2   | 5.12 | 5.07      | 5.17 | 0.25          |      |
| alpha-Chlordane | 1   | 6.03 | 5.98      | 6.08 | 0.56          | 37.2 |
|                 | 2   | 5.19 | 5.14      | 5.24 | 0.38          |      |
| 4,4'-DDE        | 1   | 6.19 | 6.14      | 6.24 | 0.27          | 29.3 |
|                 | 2   | 5.37 | 5.32      | 5.42 | 0.36          |      |

# COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PARK AVE -6

Contract: UNIO02

Lab Code: CHEM Case No.: Q2393 SAS No.: Q2393 SDG NO.: Q2393

Lab Sample ID: Q2393-11 Date(s) Analyzed: 06/25/2025 06/25/2025

Instrument ID (1): ECD\_D Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1 ID: 0.32 (mm) GC Column:(2): ZB-MR2 ID: 0.32 (mm)

| ANALYTE         | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|-----------------|-----|------|-----------|------|---------------|------|
|                 |     |      | FROM      | TO   |               |      |
| gamma-Chlordane | 1   | 5.94 | 5.89      | 5.99 | 0.38          | 41.5 |
|                 | 2   | 5.12 | 5.07      | 5.17 | 0.25          |      |
| alpha-Chlordane | 1   | 6.03 | 5.98      | 6.08 | 0.61          | 28   |
|                 | 2   | 5.19 | 5.14      | 5.24 | 0.46          |      |
| 4,4'-DDE        | 1   | 6.20 | 6.15      | 6.25 | 0.19          | 40   |
|                 | 2   | 5.37 | 5.32      | 5.42 | 0.29          |      |

### COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB168608BS

Contract: UNIO02

Lab Code: CHEM

Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: PB168608BS

Date(s) Analyzed: 06/25/2025

06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

| ANALYTE            | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|--------------------|-----|------|-----------|------|---------------|------|
|                    |     |      | FROM      | TO   |               |      |
| 4,4'-DDD           | 1   | 6.71 | 6.66      | 6.76 | 16.6          | 0    |
|                    | 2   | 5.93 | 5.88      | 5.98 | 16.6          |      |
| 4,4'-DDE           | 1   | 6.20 | 6.15      | 6.25 | 16.2          | 0.6  |
|                    | 2   | 5.38 | 5.33      | 5.43 | 16.1          |      |
| 4,4'-DDT           | 1   | 7.02 | 6.97      | 7.07 | 15.1          | 0.7  |
|                    | 2   | 6.18 | 6.13      | 6.23 | 15.0          |      |
| alpha-BHC          | 1   | 4.00 | 3.95      | 4.05 | 16.1          | 0.6  |
|                    | 2   | 3.39 | 3.34      | 3.44 | 16.2          |      |
| Aldrin             | 1   | 5.27 | 5.22      | 5.32 | 16.3          | 0    |
|                    | 2   | 4.37 | 4.32      | 4.42 | 16.3          |      |
| alpha-Chlordane    | 1   | 6.03 | 5.98      | 6.08 | 16.0          | 0.6  |
|                    | 2   | 5.19 | 5.14      | 5.24 | 16.1          |      |
| Endosulfan II      | 1   | 6.79 | 6.74      | 6.84 | 16.3          | 1.9  |
|                    | 2   | 6.08 | 6.03      | 6.13 | 16.0          |      |
| Endosulfan sulfate | 1   | 7.15 | 7.10      | 7.20 | 16.0          | 0.6  |
|                    | 2   | 6.48 | 6.43      | 6.53 | 15.9          |      |
| beta-BHC           | 1   | 4.52 | 4.47      | 4.57 | 15.5          | 3.2  |
|                    | 2   | 4.03 | 3.98      | 4.08 | 16.0          |      |
| delta-BHC          | 1   | 4.76 | 4.71      | 4.81 | 17.0          | 4.2  |
|                    | 2   | 4.26 | 4.21      | 4.31 | 16.3          |      |
| Endosulfan I       | 1   | 6.07 | 6.02      | 6.12 | 16.1          | 1.2  |
|                    | 2   | 5.25 | 5.20      | 5.30 | 16.3          |      |
| Dieldrin           | 1   | 6.35 | 6.30      | 6.40 | 16.2          | 0.6  |
|                    | 2   | 5.51 | 5.46      | 5.56 | 16.1          |      |
| Endrin aldehyde    | 1   | 6.92 | 6.87      | 6.97 | 15.9          | 0.6  |
|                    | 2   | 6.26 | 6.21      | 6.31 | 15.8          |      |
| Methoxychlor       | 1   | 7.49 | 7.44      | 7.54 | 14.3          | 2.8  |
|                    | 2   | 6.75 | 6.70      | 6.80 | 14.7          |      |

### COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB168608BS

Contract: UNIO02

Lab Code: CHEM

Case No.: Q2393

SAS No.: Q2393

SDG NO.: Q2393

Lab Sample ID: PB168608BS

Date(s) Analyzed: 06/25/2025

06/25/2025

Instrument ID (1): ECD\_D

Instrument ID (2): ECD\_D

GC Column: (1): ZB-MR1

ID: 0.32 (mm)

GC Column: (2): ZB-MR2

ID: 0.32 (mm)

| ANALYTE             | COL | RT   | RT WINDOW |      | CONCENTRATION | %RPD |
|---------------------|-----|------|-----------|------|---------------|------|
|                     |     |      | FROM      | TO   |               |      |
| Endrin ketone       | 1   | 7.63 | 7.58      | 7.68 | 16.4          | 0.6  |
|                     | 2   | 6.99 | 6.94      | 7.04 | 16.3          |      |
| gamma-BHC (Lindane) | 1   | 4.33 | 4.28      | 4.38 | 16.0          | 1.2  |
|                     | 2   | 3.73 | 3.68      | 3.78 | 16.2          |      |
| Heptachlor          | 1   | 4.93 | 4.88      | 4.98 | 15.8          | 0.6  |
|                     | 2   | 4.08 | 4.03      | 4.13 | 15.7          |      |
| Heptachlor epoxide  | 1   | 5.69 | 5.64      | 5.74 | 16.0          | 1.2  |
|                     | 2   | 4.87 | 4.82      | 4.92 | 16.2          |      |
| gamma-Chlordane     | 1   | 5.95 | 5.90      | 6.00 | 16.1          | 1.2  |
|                     | 2   | 5.13 | 5.08      | 5.18 | 16.3          |      |
| Endrin              | 1   | 6.57 | 6.52      | 6.62 | 15.2          | 1.3  |
|                     | 2   | 5.79 | 5.74      | 5.84 | 15.0          |      |



# SAMPLE RAW DATA

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089140.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 17:54  
Operator : AR\AJ  
Sample : Q2393-01  
Misc :  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -1

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:40:42 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2  | ng/ml  | ng/ml  |
|-----------------------------|-----------------|-------|-------|----------|---------|--------|--------|
| -----                       |                 |       |       |          |         |        |        |
| System Monitoring Compounds |                 |       |       |          |         |        |        |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 50882452 | 321.0E6 | 17.834 | 18.934 |
| 28)                         | SA Decachlor... | 9.072 | 8.071 | 69147188 | 324.0E6 | 17.605 | 16.387 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089140.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 17:54  
Operator : AR\AJ  
Sample : Q2393-01  
Misc :  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -1

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:40:42 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene


R.T.: 3.550 min  
Delta R.T.: 0.000 min  
Response: 50882452  
Conc: 17.83 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -1




## #1 Tetrachloro-m-xylene

R.T.: 2.881 min  
Delta R.T.: 0.000 min  
Response: 320995427  
Conc: 18.93 ng/ml



## #28 Decachlorobiphenyl

R.T.: 9.072 min  
Delta R.T.: 0.000 min  
Response: 69147188  
Conc: 17.61 ng/ml



## #28 Decachlorobiphenyl

R.T.: 8.071 min  
Delta R.T.: 0.000 min  
Response: 323972774  
Conc: 16.39 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089143.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 18:35  
 Operator : AR\AJ  
 Sample : Q2393-03  
 Misc :  
 ALS Vial : 25 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -2

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:14 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2  | ng/ml  | ng/ml  |
|-----------------------------|-----------------|-------|-------|----------|---------|--------|--------|
| -----                       |                 |       |       |          |         |        |        |
| System Monitoring Compounds |                 |       |       |          |         |        |        |
| 1)                          | SA Tetrachlo... | 3.551 | 2.882 | 47232586 | 296.1E6 | 16.555 | 17.465 |
| 28)                         | SA Decachlor... | 9.072 | 8.071 | 61974849 | 311.8E6 | 15.779 | 15.773 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089143.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 18:35  
Operator : AR\AJ  
Sample : Q2393-03  
Misc :  
ALS Vial : 25 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -2

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:14 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min  
Delta R.T.: 0.000 min  
Response: 47232586  
Conc: 16.55 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -2




#1 Tetrachloro-m-xylene

R.T.: 2.882 min  
Delta R.T.: 0.000 min  
Response: 296094984  
Conc: 17.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.072 min  
Delta R.T.: 0.000 min  
Response: 61974849  
Conc: 15.78 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.071 min  
Delta R.T.: 0.000 min  
Response: 311831064  
Conc: 15.77 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089147.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 19:57  
 Operator : AR\AJ  
 Sample : Q2393-05  
 Misc :  
 ALS Vial : 26 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -3

Manual Integrations  
 APPROVED

Reviewed By : Abdul Mirza 06/26/2025  
 Supervised By : mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:23 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|-----------------|-------|-------|----------|----------|---------|---------|
| -----                       |                 |       |       |          |          |         |         |
| System Monitoring Compounds |                 |       |       |          |          |         |         |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 43157521 | 269.1E6  | 15.126  | 15.874  |
| 28)                         | SA Decachlor... | 9.071 | 8.071 | 56789006 | 260.7E6  | 14.459m | 13.185  |
| Target Compounds            |                 |       |       |          |          |         |         |
| 10)                         | B gamma-Chl...  | 5.945 | 5.124 | 9031380  | 33205082 | 1.886   | 1.388m# |
| 11)                         | B alpha-Chl...  | 6.030 | 5.188 | 13308266 | 37225834 | 2.750   | 1.626m# |
| 12)                         | B 4,4'-DDE      | 6.197 | 5.373 | 3017121  | 26757879 | 0.692   | 1.168m# |
| 16)                         | A 4,4'-DDD      | 6.701 | 5.929 | 6261222  | 18796923 | 1.824m  | 0.983m# |
| 17)                         | MA 4,4'-DDT     | 7.021 | 6.182 | 3971320  | 28246117 | 1.048   | 1.393 # |
| -----                       |                 |       |       |          |          |         |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089147.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 19:57  
Operator : AR\AJ  
Sample : Q2393-05  
Misc :  
ALS Vial : 26 Sample Multiplier: 1

## Instrument :

ECD\_D

## ClientSampleId :

PARK AVE -3

## Manual Integrations



## APPROVED


Reviewed By :Abdul Mirza 06/26/2025

Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:23 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene

R.T.: 3.550 min  
Delta R.T.: 0.000 min  
Response: 43157521  
Conc: 15.13 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -3


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




## #1 Tetrachloro-m-xylene

R.T.: 2.881 min  
Delta R.T.: 0.000 min  
Response: 269113573  
Conc: 15.87 ng/ml




## #10 gamma-Chlordane

R.T.: 5.945 min  
Delta R.T.: 0.000 min  
Response: 9031380  
Conc: 1.89 ng/ml



## #10 gamma-Chlordane

R.T.: 5.124 min  
Delta R.T.: -0.002 min  
Response: 33205082  
Conc: 1.39 ng/ml m




#11 alpha-Chlordane

R.T.: 6.030 min  
Delta R.T.: 0.003 min  
Response: 13308266  
Conc: 2.75 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -3


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#11 alpha-Chlordane

R.T.: 5.188 min  
Delta R.T.: -0.002 min  
Response: 37225834  
Conc: 1.63 ng/ml m




#12 4,4'-DDE

R.T.: 6.197 min  
Delta R.T.: 0.001 min  
Response: 3017121  
Conc: 0.69 ng/ml



#12 4,4'-DDE

R.T.: 5.373 min  
Delta R.T.: -0.002 min  
Response: 26757879  
Conc: 1.17 ng/ml m




#16 4,4'-DDD

R.T.: 6.701 min  
Delta R.T.: -0.004 min  
Response: 6261222  
Conc: 1.82 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -3


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#16 4,4'-DDD

R.T.: 5.929 min  
Delta R.T.: -0.001 min  
Response: 18796923  
Conc: 0.98 ng/ml m




#17 4,4'-DDT

R.T.: 7.021 min  
Delta R.T.: 0.000 min  
Response: 3971320  
Conc: 1.05 ng/ml



#17 4,4'-DDT

R.T.: 6.182 min  
Delta R.T.: -0.002 min  
Response: 28246117  
Conc: 1.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.071 min  
Delta R.T.: -0.001 min  
Response: 56789006  
Conc: 14.46 ng/ml

Instrument :

ECD\_D

ClientSampleId :


PARK AVE -3

## Manual Integrations

APPROVED

Reviewed By :Abdul Mirza 06/26/2025

Supervised By :mohammad ahmed 06/27/2025



#28 Decachlorobiphenyl

R.T.: 8.071 min  
Delta R.T.: -0.001 min  
Response: 260675039  
Conc: 13.19 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089148.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 20:10  
 Operator : AR\AJ  
 Sample : Q2393-07  
 Misc :  
 ALS Vial : 27 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -4

Manual Integrations  
 APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
 Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:33 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml   |
|-----------------------------|-------|-------|----------|----------|--------|---------|
| -----                       |       |       |          |          |        |         |
| System Monitoring Compounds |       |       |          |          |        |         |
| 1) SA Tetrachlo...          | 3.550 | 2.881 | 33727008 | 211.9E6  | 11.821 | 12.497  |
| 28) SA Decachlor...         | 9.073 | 8.072 | 43753099 | 189.7E6  | 11.140 | 9.594   |
| Target Compounds            |       |       |          |          |        |         |
| 10) B gamma-Chl...          | 5.944 | 5.124 | 3197551  | 12167653 | 0.668m | 0.509m  |
| 11) B alpha-Chl...          | 6.030 | 5.189 | 6986922  | 20422106 | 1.444  | 0.892m# |
| 12) B 4,4'-DDE              | 6.196 | 5.373 | 1794840  | 16356893 | 0.412m | 0.714m# |
| 16) A 4,4'-DDD              | 6.703 | 5.929 | 959216   | 7118398  | 0.279m | 0.372m# |
| 17) MA 4,4'-DDT             | 7.019 | 6.182 | 2800688  | 11650801 | 0.739m | 0.575   |
| -----                       |       |       |          |          |        |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089148.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 20:10  
Operator : AR\AJ  
Sample : Q2393-07  
Misc :  
ALS Vial : 27 Sample Multiplier: 1



Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -4


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:33 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.550 min  
Delta R.T.: 0.000 min  
Response: 33727008  
Conc: 11.82 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -4


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#1 Tetrachloro-m-xylene

R.T.: 2.881 min  
Delta R.T.: 0.000 min  
Response: 211866200  
Conc: 12.50 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min  
Delta R.T.: -0.002 min  
Response: 3197551  
Conc: 0.67 ng/ml m



#10 gamma-Chlordane

R.T.: 5.124 min  
Delta R.T.: -0.001 min  
Response: 12167653  
Conc: 0.51 ng/ml m




#11 alpha-Chlordane

R.T.: 6.030 min  
Delta R.T.: 0.003 min  
Response: 6986922  
Conc: 1.44 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -4


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#11 alpha-Chlordane

R.T.: 5.189 min  
Delta R.T.: -0.002 min  
Response: 20422106  
Conc: 0.89 ng/ml m



#12 4,4'-DDE


R.T.: 6.196 min  
Delta R.T.: 0.000 min  
Response: 1794840  
Conc: 0.41 ng/ml m



#12 4,4'-DDE

R.T.: 5.373 min  
Delta R.T.: -0.002 min  
Response: 16356893  
Conc: 0.71 ng/ml m

Response\_ Signal: PD089148.D\ECD1A.ch



#16 4,4'-DDD


R.T.: 6.703 min  
Delta R.T.: -0.002 min  
Response: 959216  
Conc: 0.28 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -4

Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025


Response\_ Signal: PD089148.D\ECD2B.ch



#16 4,4'-DDD

R.T.: 5.929 min  
Delta R.T.: 0.000 min  
Response: 7118398  
Conc: 0.37 ng/ml m


Response\_ Signal: PD089148.D\ECD1A.ch



#17 4,4'-DDT


R.T.: 7.019 min  
Delta R.T.: 0.000 min  
Response: 2800688  
Conc: 0.74 ng/ml m

Response\_ Signal: PD089148.D\ECD2B.ch



#17 4,4'-DDT

R.T.: 6.182 min  
Delta R.T.: -0.002 min  
Response: 11650801  
Conc: 0.57 ng/ml




#28 Decachlorobiphenyl

R.T.: 9.073 min  
Delta R.T.: 0.000 min  
Response: 43753099  
Conc: 11.14 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -4

Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025



#28 Decachlorobiphenyl

R.T.: 8.072 min  
Delta R.T.: 0.000 min  
Response: 189671822  
Conc: 9.59 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089149.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 20:24  
 Operator : AR\AJ  
 Sample : Q2393-09  
 Misc :  
 ALS Vial : 28 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -5

Manual Integrations  
 APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
 Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:44 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml   |
|-----------------------------|-----------------|-------|-------|----------|----------|--------|---------|
| -----                       |                 |       |       |          |          |        |         |
| System Monitoring Compounds |                 |       |       |          |          |        |         |
| 1)                          | SA Tetrachlo... | 3.549 | 2.881 | 29062907 | 182.0E6  | 10.186 | 10.733  |
| 28)                         | SA Decachlor... | 9.071 | 8.071 | 35658731 | 166.9E6  | 9.079  | 8.441   |
| Target Compounds            |                 |       |       |          |          |        |         |
| 5)                          | MB Aldrin       | 5.269 | 4.368 | 1918409  | 12351970 | 0.361  | 0.510 # |
| 10)                         | B gamma-Chl...  | 5.943 | 5.124 | 4601524  | 16244417 | 0.961m | 0.679m# |
| 11)                         | B alpha-Chl...  | 6.029 | 5.188 | 7409527  | 23992526 | 1.531  | 1.048m# |
| 12)                         | B 4,4'-DDE      | 6.194 | 5.373 | 3181857  | 22374537 | 0.730m | 0.976m# |
| 16)                         | A 4,4'-DDD      | 6.702 | 5.927 | 1153743  | 5915960  | 0.336m | 0.309m  |
| 17)                         | MA 4,4'-DDT     | 7.019 | 6.180 | 1666922  | 15577952 | 0.440  | 0.768 # |
| -----                       |                 |       |       |          |          |        |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089149.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 20:24  
Operator : AR\AJ  
Sample : Q2393-09  
Misc :  
ALS Vial : 28 Sample Multiplier: 1

## Instrument :

ECD\_D

## ClientSampleId :

PARK AVE -5

## Manual Integrations



## APPROVED


Reviewed By :Abdul Mirza 06/26/2025

Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:44 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene

R.T.: 3.549 min  
Delta R.T.: 0.000 min  
Response: 29062907  
Conc: 10.19 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -5


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




## #1 Tetrachloro-m-xylene

R.T.: 2.881 min  
Delta R.T.: 0.000 min  
Response: 181958809  
Conc: 10.73 ng/ml




## #5 Aldrin

R.T.: 5.269 min  
Delta R.T.: -0.002 min  
Response: 1918409  
Conc: 0.36 ng/ml



## #5 Aldrin

R.T.: 4.368 min  
Delta R.T.: 0.000 min  
Response: 12351970  
Conc: 0.51 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min  
Delta R.T.: -0.002 min  
Response: 4601524  
Conc: 0.96 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -5


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#10 gamma-Chlordane

R.T.: 5.124 min  
Delta R.T.: -0.002 min  
Response: 16244417  
Conc: 0.68 ng/ml m




#11 alpha-Chlordane

R.T.: 6.029 min  
Delta R.T.: 0.002 min  
Response: 7409527  
Conc: 1.53 ng/ml



#11 alpha-Chlordane

R.T.: 5.188 min  
Delta R.T.: -0.002 min  
Response: 23992526  
Conc: 1.05 ng/ml m




#12 4,4'-DDE

R.T.: 6.194 min  
Delta R.T.: -0.001 min  
Response: 3181857  
Conc: 0.73 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -5


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#12 4,4'-DDE

R.T.: 5.373 min  
Delta R.T.: -0.002 min  
Response: 22374537  
Conc: 0.98 ng/ml m




#16 4,4'-DDD

R.T.: 6.702 min  
Delta R.T.: -0.002 min  
Response: 1153743  
Conc: 0.34 ng/ml m



#16 4,4'-DDD

R.T.: 5.927 min  
Delta R.T.: -0.003 min  
Response: 5915960  
Conc: 0.31 ng/ml m




#17 4,4'-DDT

R.T.: 7.019 min  
Delta R.T.: -0.001 min  
Response: 1666922  
Conc: 0.44 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -5


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#17 4,4'-DDT

R.T.: 6.180 min  
Delta R.T.: -0.004 min  
Response: 15577952  
Conc: 0.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.071 min  
Delta R.T.: -0.001 min  
Response: 35658731  
Conc: 9.08 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.071 min  
Delta R.T.: -0.001 min  
Response: 166881994  
Conc: 8.44 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089150.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 20:37  
 Operator : AR\AJ  
 Sample : Q2393-11  
 Misc :  
 ALS Vial : 29 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -6

Manual Integrations  
 APPROVED

Reviewed By : Abdul Mirza 06/26/2025  
 Supervised By : mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:55 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml   |
|-----------------------------|-----------------|-------|-------|----------|----------|--------|---------|
| -----                       |                 |       |       |          |          |        |         |
| System Monitoring Compounds |                 |       |       |          |          |        |         |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 29970356 | 187.6E6  | 10.504 | 11.068  |
| 28)                         | SA Decachlor... | 9.072 | 8.072 | 40778081 | 168.5E6  | 10.382 | 8.523   |
| Target Compounds            |                 |       |       |          |          |        |         |
| 10)                         | B gamma-Chl...  | 5.944 | 5.124 | 4751162  | 15573126 | 0.992m | 0.651m# |
| 11)                         | B alpha-Chl...  | 6.030 | 5.188 | 7699487  | 27405449 | 1.591  | 1.197m  |
| 12)                         | B 4,4'-DDE      | 6.196 | 5.373 | 2163514  | 17169392 | 0.496  | 0.749m# |
| 17)                         | MA 4,4'-DDT     | 7.019 | 6.178 | 1078162  | 13588966 | 0.285m | 0.670m# |
| -----                       |                 |       |       |          |          |        |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089150.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 20:37  
Operator : AR\AJ  
Sample : Q2393-11  
Misc :  
ALS Vial : 29 Sample Multiplier: 1

## Instrument :

ECD\_D

## ClientSampleId :

PARK AVE -6

## Manual Integrations



## APPROVED


Reviewed By :Abdul Mirza 06/26/2025

Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:55 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 3.550 min  
 Delta R.T.: 0.000 min  
 Response: 29970356  
 Conc: 10.50 ng/ml

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -6


Manual Integrations  
 APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
 Supervised By :mohammad ahmed 06/27/2025




#1 Tetrachloro-m-xylene

R.T.: 2.881 min  
 Delta R.T.: 0.000 min  
 Response: 187644495  
 Conc: 11.07 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min  
 Delta R.T.: -0.002 min  
 Response: 4751162  
 Conc: 0.99 ng/ml m



#10 gamma-Chlordane

R.T.: 5.124 min  
 Delta R.T.: -0.002 min  
 Response: 15573126  
 Conc: 0.65 ng/ml m




#11 alpha-Chlordane

R.T.: 6.030 min  
 Delta R.T.: 0.003 min  
 Response: 7699487  
 Conc: 1.59 ng/ml

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -6


Manual Integrations  
 APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
 Supervised By :mohammad ahmed 06/27/2025




#11 alpha-Chlordane

R.T.: 5.188 min  
 Delta R.T.: -0.003 min  
 Response: 27405449  
 Conc: 1.20 ng/ml m




#12 4,4'-DDE

R.T.: 6.196 min  
 Delta R.T.: 0.000 min  
 Response: 2163514  
 Conc: 0.50 ng/ml



#12 4,4'-DDE

R.T.: 5.373 min  
 Delta R.T.: -0.002 min  
 Response: 17169392  
 Conc: 0.75 ng/ml m




#17 4,4'-DDT

R.T.: 7.019 min  
Delta R.T.: -0.001 min  
Response: 1078162  
Conc: 0.28 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -6


Manual Integrations  
APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
Supervised By :mohammad ahmed 06/27/2025




#17 4,4'-DDT

R.T.: 6.178 min  
Delta R.T.: -0.006 min  
Response: 13588966  
Conc: 0.67 ng/ml m



#28 Decachlorobiphenyl

R.T.: 9.072 min  
Delta R.T.: 0.000 min  
Response: 40778081  
Conc: 10.38 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.072 min  
Delta R.T.: 0.000 min  
Response: 168492445  
Conc: 8.52 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089136.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 16:59  
Operator : AR\AJ  
Sample : PB168608BL  
Misc :  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PB168608BL

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:39:53 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2  | ng/ml  | ng/ml  |
|-----------------------------|-----------------|-------|-------|----------|---------|--------|--------|
| -----                       |                 |       |       |          |         |        |        |
| System Monitoring Compounds |                 |       |       |          |         |        |        |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 48891301 | 318.4E6 | 17.136 | 18.782 |
| 28)                         | SA Decachlor... | 9.073 | 8.072 | 73640650 | 380.9E6 | 18.749 | 19.265 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089136.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 16:59  
Operator : AR\AJ  
Sample : PB168608BL  
Misc :  
ALS Vial : 18 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PB168608BL

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:39:53 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene


R.T.: 3.550 min  
Delta R.T.: 0.000 min  
Response: 48891301  
Conc: 17.14 ng/ml

Instrument :  
ECD\_D  
ClientSampleId :  
PB168608BL




## #1 Tetrachloro-m-xylene

R.T.: 2.881 min  
Delta R.T.: 0.000 min  
Response: 318421112  
Conc: 18.78 ng/ml



## #28 Decachlorobiphenyl

R.T.: 9.073 min  
Delta R.T.: 0.000 min  
Response: 73640650  
Conc: 18.75 ng/ml



## #28 Decachlorobiphenyl

R.T.: 8.072 min  
Delta R.T.: 0.000 min  
Response: 380875865  
Conc: 19.27 ng/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089137.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 17:13  
 Operator : AR\AJ  
 Sample : PB168608BS  
 Misc :  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PB168608BS

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:40:08 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|-----------------|-------|-------|----------|----------|--------|--------|
| -----                       |                 |       |       |          |          |        |        |
| System Monitoring Compounds |                 |       |       |          |          |        |        |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 60368991 | 393.7E6  | 21.159 | 23.224 |
| 28)                         | SA Decachlor... | 9.072 | 8.072 | 92733608 | 479.6E6  | 23.611 | 24.259 |
| Target Compounds            |                 |       |       |          |          |        |        |
| 2)                          | A alpha-BHC     | 3.999 | 3.393 | 281.1E6  | 1305.3E6 | 48.224 | 48.710 |
| 3)                          | MA gamma-BHC... | 4.330 | 3.729 | 268.9E6  | 1205.7E6 | 48.174 | 48.702 |
| 4)                          | MA Heptachlor   | 4.929 | 4.083 | 259.0E6  | 1181.1E6 | 47.502 | 47.171 |
| 5)                          | MB Aldrin       | 5.271 | 4.368 | 259.3E6  | 1181.8E6 | 48.807 | 48.799 |
| 6)                          | B beta-BHC      | 4.516 | 4.025 | 102.8E6  | 517.8E6  | 46.595 | 48.183 |
| 7)                          | B delta-BHC     | 4.764 | 4.262 | 262.5E6  | 1215.4E6 | 51.142 | 48.863 |
| 8)                          | B Heptachlo...  | 5.691 | 4.872 | 231.3E6  | 1062.7E6 | 47.939 | 48.528 |
| 9)                          | A Endosulfan I  | 6.074 | 5.246 | 217.7E6  | 1021.4E6 | 48.309 | 49.005 |
| 10)                         | B gamma-Chl...  | 5.946 | 5.125 | 231.6E6  | 1169.0E6 | 48.373 | 48.868 |
| 11)                         | B alpha-Chl...  | 6.027 | 5.190 | 233.2E6  | 1106.8E6 | 48.194 | 48.337 |
| 12)                         | B 4,4'-DDE      | 6.196 | 5.375 | 212.5E6  | 1106.2E6 | 48.718 | 48.273 |
| 13)                         | MA Dieldrin     | 6.347 | 5.512 | 234.0E6  | 1124.1E6 | 48.778 | 48.436 |
| 14)                         | MA Endrin       | 6.574 | 5.789 | 188.9E6  | 981.0E6  | 45.777 | 45.178 |
| 15)                         | B Endosulfa...  | 6.785 | 6.080 | 197.8E6  | 971.7E6  | 49.006 | 48.113 |
| 16)                         | A 4,4'-DDD      | 6.705 | 5.929 | 171.3E6  | 954.6E6  | 49.909 | 49.903 |
| 17)                         | MA 4,4'-DDT     | 7.021 | 6.183 | 171.3E6  | 912.3E6  | 45.231 | 44.985 |
| 18)                         | B Endrin al...  | 6.915 | 6.258 | 146.0E6  | 727.0E6  | 47.640 | 47.482 |
| 19)                         | B Endosulfa...  | 7.149 | 6.482 | 184.3E6  | 938.3E6  | 48.028 | 47.822 |
| 20)                         | A Methoxychlor  | 7.493 | 6.754 | 86659387 | 473.8E6  | 42.887 | 44.002 |
| 21)                         | B Endrin ke...  | 7.630 | 6.991 | 200.7E6  | 1060.1E6 | 49.286 | 49.073 |
| 22)                         | Mirex           | 8.113 | 7.185 | 144.3E6  | 784.4E6  | 47.470 | 47.030 |
| -----                       |                 |       |       |          |          |        |        |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089137.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 17:13  
Operator : AR\AJ  
Sample : PB168608BS  
Misc :  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PB168608BS

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:40:08 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089141.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 18:07  
 Operator : AR\AJ  
 Sample : Q2393-01MS  
 Misc :  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -1MS

Manual Integrations  
 APPROVED

Reviewed By :Abdul Mirza 06/26/2025  
 Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:40:52 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml   |
|-----------------------------|-----------------|-------|-------|----------|----------|--------|---------|
| -----                       |                 |       |       |          |          |        |         |
| System Monitoring Compounds |                 |       |       |          |          |        |         |
| 1)                          | SA Tetrachlo... | 3.550 | 2.881 | 43687418 | 290.7E6  | 15.312 | 17.146  |
| 2)                          | SA Decachlor... | 9.071 | 8.071 | 64713848 | 308.7E6  | 16.477 | 15.615  |
| Target Compounds            |                 |       |       |          |          |        |         |
| 2)                          | A alpha-BHC     | 3.999 | 3.393 | 262.2E6  | 1206.9E6 | 44.982 | 45.040  |
| 3)                          | MA gamma-BHC... | 4.330 | 3.730 | 251.2E6  | 1114.9E6 | 45.007 | 45.033  |
| 4)                          | MA Heptachlor   | 4.929 | 4.083 | 236.2E6  | 1089.7E6 | 43.322 | 43.520  |
| 5)                          | MB Aldrin       | 5.271 | 4.369 | 236.1E6  | 1085.2E6 | 44.430 | 44.810  |
| 6)                          | B beta-BHC      | 4.515 | 4.025 | 95684739 | 477.1E6  | 43.352 | 44.401  |
| 7)                          | B delta-BHC     | 4.763 | 4.262 | 241.4E6  | 1117.5E6 | 47.031 | 44.927  |
| 8)                          | B Heptachlo...  | 5.690 | 4.872 | 209.7E6  | 965.7E6  | 43.479 | 44.098  |
| 9)                          | A Endosulfan I  | 6.074 | 5.247 | 195.2E6  | 915.7E6  | 43.298 | 43.933  |
| 10)                         | B gamma-Chl...  | 5.945 | 5.125 | 204.6E6  | 1054.3E6 | 42.728 | 44.072  |
| 11)                         | B alpha-Chl...  | 6.026 | 5.190 | 209.0E6  | 1005.7E6 | 43.187 | 43.923  |
| 12)                         | B 4,4'-DDE      | 6.196 | 5.375 | 187.2E6  | 991.0E6  | 42.914 | 43.245  |
| 13)                         | MA Dieldrin     | 6.347 | 5.512 | 208.3E6  | 1013.8E6 | 43.417 | 43.683  |
| 14)                         | MA Endrin       | 6.574 | 5.789 | 171.4E6  | 944.5E6  | 41.537 | 43.496  |
| 15)                         | B Endosulfa...  | 6.785 | 6.080 | 167.8E6  | 852.6E6  | 41.568 | 42.214  |
| 16)                         | A 4,4'-DDD      | 6.705 | 5.928 | 150.9E6  | 826.6E6  | 43.981 | 43.210m |
| 17)                         | MA 4,4'-DDT     | 7.021 | 6.183 | 149.7E6  | 810.4E6  | 39.526 | 39.963  |
| 18)                         | B Endrin al...  | 6.915 | 6.258 | 131.9E6  | 642.2E6  | 43.042 | 41.941  |
| 19)                         | B Endosulfa...  | 7.149 | 6.482 | 160.5E6  | 815.4E6  | 41.834 | 41.557  |
| 20)                         | A Methoxychlor  | 7.492 | 6.754 | 79072173 | 415.4E6  | 39.132 | 38.577  |
| 21)                         | B Endrin ke...  | 7.630 | 6.991 | 173.8E6  | 886.5E6  | 42.661 | 41.039  |
| 22)                         | Mirex           | 8.113 | 7.185 | 128.4E6  | 677.8E6  | 42.243 | 40.639  |
| -----                       |                 |       |       |          |          |        |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089141.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 18:07  
Operator : AR\AJ  
Sample : Q2393-01MS  
Misc :  
ALS Vial : 23 Sample Multiplier: 1

## Instrument :

ECD\_D

## ClientSampleId :

PARK AVE -1MS

## Manual Integrations



## APPROVED

Reviewed By :Abdul Mirza 06/26/2025

Supervised By :mohammad ahmed 06/27/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:40:52 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
 Data File : PD089142.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 25 Jun 2025 18:21  
 Operator : AR\AJ  
 Sample : Q2393-01MSD  
 Misc :  
 ALS Vial : 24 Sample Multiplier: 1

Instrument :  
 ECD\_D  
 ClientSampleId :  
 PARK AVE -1MSD

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jun 26 06:41:03 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
 Quant Title : GC Extractables  
 QLast Update : Wed Jun 18 05:39:05 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1  | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|-----------------|-------|-------|----------|----------|--------|--------|
| -----                       |                 |       |       |          |          |        |        |
| System Monitoring Compounds |                 |       |       |          |          |        |        |
| 1)                          | SA Tetrachlo... | 3.549 | 2.881 | 44146990 | 291.0E6  | 15.473 | 17.167 |
| 28)                         | SA Decachlor... | 9.071 | 8.071 | 64212523 | 316.9E6  | 16.349 | 16.027 |
| Target Compounds            |                 |       |       |          |          |        |        |
| 2)                          | A alpha-BHC     | 3.999 | 3.393 | 262.1E6  | 1208.3E6 | 44.962 | 45.090 |
| 3)                          | MA gamma-BHC... | 4.330 | 3.729 | 250.8E6  | 1115.5E6 | 44.940 | 45.059 |
| 4)                          | MA Heptachlor   | 4.929 | 4.083 | 238.0E6  | 1095.5E6 | 43.662 | 43.753 |
| 5)                          | MB Aldrin       | 5.271 | 4.368 | 237.7E6  | 1085.9E6 | 44.741 | 44.841 |
| 6)                          | B beta-BHC      | 4.515 | 4.025 | 96643636 | 478.7E6  | 43.787 | 44.550 |
| 7)                          | B delta-BHC     | 4.763 | 4.262 | 242.0E6  | 1116.6E6 | 47.148 | 44.889 |
| 8)                          | B Heptachlo...  | 5.690 | 4.872 | 211.1E6  | 969.5E6  | 43.753 | 44.272 |
| 9)                          | A Endosulfan I  | 6.074 | 5.246 | 198.6E6  | 922.8E6  | 44.053 | 44.277 |
| 10)                         | B gamma-Chl...  | 5.944 | 5.125 | 206.3E6  | 1064.7E6 | 43.084 | 44.504 |
| 11)                         | B alpha-Chl...  | 6.026 | 5.189 | 211.8E6  | 1011.2E6 | 43.773 | 44.165 |
| 12)                         | B 4,4'-DDE      | 6.195 | 5.374 | 191.2E6  | 998.5E6  | 43.852 | 43.571 |
| 13)                         | MA Dieldrin     | 6.346 | 5.512 | 209.8E6  | 1018.7E6 | 43.726 | 43.895 |
| 14)                         | MA Endrin       | 6.574 | 5.788 | 178.2E6  | 925.5E6  | 43.206 | 42.624 |
| 15)                         | B Endosulfa...  | 6.785 | 6.079 | 168.9E6  | 867.9E6  | 41.853 | 42.972 |
| 16)                         | A 4,4'-DDD      | 6.704 | 5.928 | 153.4E6  | 803.3E6  | 44.687 | 41.993 |
| 17)                         | MA 4,4'-DDT     | 7.020 | 6.182 | 152.5E6  | 829.0E6  | 40.245 | 40.882 |
| 18)                         | B Endrin al...  | 6.914 | 6.257 | 133.5E6  | 655.7E6  | 43.572 | 42.826 |
| 19)                         | B Endosulfa...  | 7.148 | 6.481 | 162.7E6  | 825.6E6  | 42.388 | 42.078 |
| 20)                         | A Methoxychlor  | 7.492 | 6.753 | 79740477 | 425.1E6  | 39.463 | 39.478 |
| 21)                         | B Endrin ke...  | 7.629 | 6.990 | 175.0E6  | 906.3E6  | 42.964 | 41.956 |
| 22)                         | Mirex           | 8.113 | 7.184 | 129.2E6  | 692.0E6  | 42.506 | 41.492 |
| -----                       |                 |       |       |          |          |        |        |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD062525\  
Data File : PD089142.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 25 Jun 2025 18:21  
Operator : AR\AJ  
Sample : Q2393-01MSD  
Misc :  
ALS Vial : 24 Sample Multiplier: 1

Instrument :  
ECD\_D  
ClientSampleId :  
PARK AVE -1MSD

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jun 26 06:41:03 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD061825.M  
Quant Title : GC Extractables  
QLast Update : Wed Jun 18 05:39:05 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | PD061825 | Instrument | ECD_d |
|-----------|----------|------------|-------|

| Sample ID  | File ID    | Parameter          | Review By | Review On            | Supervised By | Supervised On     | Reason                      |
|------------|------------|--------------------|-----------|----------------------|---------------|-------------------|-----------------------------|
| PEM        | PD088991.D | 4,4"-DDD           | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | 4,4"-DDD #2        | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | beta-BHC           | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | Endrin aldehyde    | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | Endrin aldehyde #2 | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | Endrin ketone      | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PEM        | PD088991.D | Endrin ketone #2   | Abdul     | 6/18/2025 8:40:15 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PSTDICC025 | PD088996.D | Endrin #2          | Abdul     | 6/18/2025 8:40:24 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PSTDICC005 | PD088997.D | Endrin #2          | Abdul     | 6/18/2025 8:40:30 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |
| PSTDICC005 | PD088997.D | Endrin ketone #2   | Abdul     | 6/18/2025 8:40:30 AM | mohammad      | 6/19/2025 2:43:55 | Peak Integrated by Software |

## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | pd062525 | Instrument | ECD_d |
|-----------|----------|------------|-------|

| Sample ID        | File ID    | Parameter          | Review By | Review On                | Supervised By | Supervised On     | Reason                      |
|------------------|------------|--------------------|-----------|--------------------------|---------------|-------------------|-----------------------------|
| PEM              | PD089118.D | 4,4"-DDE           | Abdul     | 6/26/2025<br>11:16:45 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PEM              | PD089118.D | 4,4"-DDE #2        | Abdul     | 6/26/2025<br>11:16:45 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PCHLORCCC5<br>00 | PD089120.D | Chlordane-1        | Abdul     | 6/26/2025<br>11:16:48 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PCHLORCCC5<br>00 | PD089135.D | Chlordane-1        | Abdul     | 6/26/2025<br>11:17:16 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-01MS       | PD089141.D | 4,4"-DDD #2        | Abdul     | 6/26/2025<br>11:17:24 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PEM              | PD089145.D | 4,4"-DDE           | Abdul     | 6/26/2025<br>11:17:27 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PEM              | PD089145.D | 4,4"-DDE #2        | Abdul     | 6/26/2025<br>11:17:27 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PEM              | PD089145.D | Endrin ketone      | Abdul     | 6/26/2025<br>11:17:27 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PEM              | PD089145.D | Endrin ketone #2   | Abdul     | 6/26/2025<br>11:17:27 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-05         | PD089147.D | 4,4"-DDD           | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-05         | PD089147.D | 4,4"-DDD #2        | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-05         | PD089147.D | 4,4"-DDE #2        | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-05         | PD089147.D | alpha-Chlordane #2 | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |

## Manual Integration Report

Sequence:

pd062525

Instrument

ECD\_d

| Sample ID | File ID    | Parameter          | Review By | Review On                | Supervised By | Supervised On     | Reason                      |
|-----------|------------|--------------------|-----------|--------------------------|---------------|-------------------|-----------------------------|
| Q2393-05  | PD089147.D | Decachlorobiphenyl | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-05  | PD089147.D | gamma-Chlordane #2 | Abdul     | 6/26/2025<br>11:17:30 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | 4,4"-DDD           | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | 4,4"-DDD #2        | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | 4,4"-DDE           | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | 4,4"-DDE #2        | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | 4,4"-DDT           | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | alpha-Chlordane #2 | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | gamma-Chlordane    | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-07  | PD089148.D | gamma-Chlordane #2 | Abdul     | 6/26/2025 2:43:20<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09  | PD089149.D | 4,4"-DDD           | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09  | PD089149.D | 4,4"-DDD #2        | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09  | PD089149.D | 4,4"-DDE           | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |

## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | pd062525 | Instrument | ECD_d |
|-----------|----------|------------|-------|

| Sample ID  | File ID    | Parameter          | Review By | Review On                | Supervised By | Supervised On     | Reason                      |
|------------|------------|--------------------|-----------|--------------------------|---------------|-------------------|-----------------------------|
| Q2393-09   | PD089149.D | 4,4"-DDE #2        | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09   | PD089149.D | alpha-Chlordane #2 | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09   | PD089149.D | gamma-Chlordane    | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-09   | PD089149.D | gamma-Chlordane #2 | Abdul     | 6/26/2025<br>11:17:36 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | 4,4"-DDE #2        | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | 4,4"-DDT           | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | 4,4"-DDT #2        | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | alpha-Chlordane #2 | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | gamma-Chlordane    | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| Q2393-11   | PD089150.D | gamma-Chlordane #2 | Abdul     | 6/26/2025 2:43:23<br>PM  | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PSTDCCC050 | PD089155.D | Endrin             | Abdul     | 6/26/2025<br>11:17:50 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |
| PSTDCCC050 | PD089155.D | Methoxychlor       | Abdul     | 6/26/2025<br>11:17:50 AM | mohammad      | 6/27/2025 2:49:12 | Peak Integrated by Software |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:

pd062525

Instrument

ECD\_d

Sample ID

File ID

Parameter

Review By

Review On

Supervised  
By

Supervised On

Reason

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD061825**

|                          |                                                                                                                                                                                 |                   |                                    |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Review By                | Abdul                                                                                                                                                                           | Review On         | 6/18/2025 8:40:56 AM               |
| Supervise By             | mohammad                                                                                                                                                                        | Supervise On      | 6/19/2025 2:43:55 AM               |
| SubDirectory             | PD061825                                                                                                                                                                        | HP Acquire Method | HP Processing Method pd061825 8081 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                 |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,PP24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                 |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                 |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                         |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                 |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                 |                   |                                    |
| LCS Standard             |                                                                                                                                                                                 |                   |                                    |

| Sr# | SampleId      | Data File Name | Date-Time         | Operator | Status |
|-----|---------------|----------------|-------------------|----------|--------|
| 1   | HEXANE        | PD088989.D     | 17 Jun 2025 14:58 | AR\AJ    | Ok     |
| 2   | I.BLK         | PD088990.D     | 17 Jun 2025 15:11 | AR\AJ    | Ok     |
| 3   | PEM           | PD088991.D     | 17 Jun 2025 15:25 | AR\AJ    | Ok,M   |
| 4   | RESCHK        | PD088992.D     | 17 Jun 2025 15:39 | AR\AJ    | Ok     |
| 5   | PSTDICC100    | PD088993.D     | 17 Jun 2025 15:52 | AR\AJ    | Ok     |
| 6   | PSTDICC075    | PD088994.D     | 17 Jun 2025 16:06 | AR\AJ    | Ok     |
| 7   | PSTDICC050    | PD088995.D     | 17 Jun 2025 16:20 | AR\AJ    | Ok     |
| 8   | PSTDICC025    | PD088996.D     | 17 Jun 2025 16:33 | AR\AJ    | Ok,M   |
| 9   | PSTDICC005    | PD088997.D     | 17 Jun 2025 16:47 | AR\AJ    | Ok,M   |
| 10  | PCHLORICC1000 | PD088998.D     | 17 Jun 2025 17:00 | AR\AJ    | Ok     |
| 11  | PCHLORICC750  | PD088999.D     | 17 Jun 2025 17:14 | AR\AJ    | Ok     |
| 12  | PCHLORICC500  | PD089000.D     | 17 Jun 2025 17:28 | AR\AJ    | Ok     |
| 13  | PCHLORICC250  | PD089001.D     | 17 Jun 2025 17:41 | AR\AJ    | Ok     |
| 14  | PCHLORICC050  | PD089002.D     | 17 Jun 2025 17:55 | AR\AJ    | Ok     |
| 15  | PTOXICC1000   | PD089003.D     | 17 Jun 2025 18:09 | AR\AJ    | Ok     |
| 16  | PTOXICC750    | PD089004.D     | 17 Jun 2025 18:22 | AR\AJ    | Ok     |
| 17  | PTOXICC500    | PD089005.D     | 17 Jun 2025 18:36 | AR\AJ    | Ok     |
| 18  | PTOXICC250    | PD089006.D     | 17 Jun 2025 18:50 | AR\AJ    | Ok     |
| 19  | PTOXICC100    | PD089007.D     | 17 Jun 2025 19:03 | AR\AJ    | Ok,M   |
| 20  | PSTDICV050    | PD089008.D     | 17 Jun 2025 19:17 | AR\AJ    | Ok     |
| 21  | PCHLORICV500  | PD089009.D     | 17 Jun 2025 19:31 | AR\AJ    | Ok     |

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD061825**

| Review By                | Abdul                                                                                                                                                                           | Review On         | 6/18/2025 8:40:56 AM               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Supervise By             | mohammad                                                                                                                                                                        | Supervise On      | 6/19/2025 2:43:55 AM               |
| SubDirectory             | PD061825                                                                                                                                                                        | HP Acquire Method | HP Processing Method pd061825 8081 |
| STD. NAME                | STD REF.#                                                                                                                                                                       |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                 |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,PP24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                 |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                 |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                         |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                 |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                 |                   |                                    |
| LCS Standard             |                                                                                                                                                                                 |                   |                                    |

|    |            |            |                   |       |    |
|----|------------|------------|-------------------|-------|----|
| 22 | PTOXICV500 | PD089010.D | 17 Jun 2025 19:44 | AR\AJ | Ok |
|----|------------|------------|-------------------|-------|----|

M : Manual Integration

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD062525**

|                          |                                                                                                                                                                                 |                   |                                    |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Review By                | Abdul                                                                                                                                                                           | Review On         | 6/26/2025 11:18:16 AM              |
| Supervise By             | mohammad                                                                                                                                                                        | Supervise On      | 6/27/2025 2:49:12 AM               |
| SubDirectory             | PD062525                                                                                                                                                                        | HP Acquire Method | HP Processing Method pd061825 8081 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                 |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,PP24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                 |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                 |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                         |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                 |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                 |                   |                                    |
| LCS Standard             |                                                                                                                                                                                 |                   |                                    |

| Sr# | Sampleld     | Data File Name | Date-Time         | Operator | Status |
|-----|--------------|----------------|-------------------|----------|--------|
| 1   | HEXANE       | PD089116.D     | 25 Jun 2025 08:58 | AR\AJ    | Ok     |
| 2   | I.BLK        | PD089117.D     | 25 Jun 2025 09:11 | AR\AJ    | Ok     |
| 3   | PEM          | PD089118.D     | 25 Jun 2025 09:25 | AR\AJ    | Ok,M   |
| 4   | PSTDCCC050   | PD089119.D     | 25 Jun 2025 09:39 | AR\AJ    | Ok     |
| 5   | PCHLORCCC500 | PD089120.D     | 25 Jun 2025 09:52 | AR\AJ    | Ok,M   |
| 6   | PTOXCCC500   | PD089121.D     | 25 Jun 2025 10:06 | AR\AJ    | Ok     |
| 7   | PB168531BL   | PD089122.D     | 25 Jun 2025 10:20 | AR\AJ    | Ok     |
| 8   | Q2126-01     | PD089123.D     | 25 Jun 2025 10:36 | AR\AJ    | Ok,M   |
| 9   | Q2126-07     | PD089124.D     | 25 Jun 2025 10:50 | AR\AJ    | Ok,M   |
| 10  | Q2126-01     | PD089125.D     | 25 Jun 2025 13:52 | AR\AJ    | Not Ok |
| 11  | Q2126-07     | PD089126.D     | 25 Jun 2025 14:06 | AR\AJ    | Not Ok |
| 12  | Q2126-02     | PD089127.D     | 25 Jun 2025 14:19 | AR\AJ    | Ok,M   |
| 13  | Q2126-08     | PD089128.D     | 25 Jun 2025 14:33 | AR\AJ    | Ok     |
| 14  | Q2126-02     | PD089129.D     | 25 Jun 2025 14:47 | AR\AJ    | Not Ok |
| 15  | Q2126-08     | PD089130.D     | 25 Jun 2025 15:00 | AR\AJ    | Not Ok |
| 16  | Q2126-01     | PD089131.D     | 25 Jun 2025 15:14 | AR\AJ    | Not Ok |
| 17  | Q2381-01DL   | PD089132.D     | 25 Jun 2025 15:28 | AR\AJ    | Ok,M   |
| 18  | I.BLK        | PD089133.D     | 25 Jun 2025 15:58 | AR\AJ    | Ok     |
| 19  | PSTDCCC050   | PD089134.D     | 25 Jun 2025 16:12 | AR\AJ    | Ok     |
| 20  | PCHLORCCC500 | PD089135.D     | 25 Jun 2025 16:46 | AR\AJ    | Ok,M   |
| 21  | PB168608BL   | PD089136.D     | 25 Jun 2025 16:59 | AR\AJ    | Ok     |

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD062525**

| Review By                | Abdul                                                                                                                                                                           | Review On         | 6/26/2025 11:18:16 AM              |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Supervise By             | mohammad                                                                                                                                                                        | Supervise On      | 6/27/2025 2:49:12 AM               |
| SubDirectory             | PD062525                                                                                                                                                                        | HP Acquire Method | HP Processing Method pd061825 8081 |
| STD. NAME                | STD REF.#                                                                                                                                                                       |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                 |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,PP24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                 |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                 |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                         |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                 |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                 |                   |                                    |
| LCS Standard             |                                                                                                                                                                                 |                   |                                    |

|    |             |            |                   |       |      |
|----|-------------|------------|-------------------|-------|------|
| 22 | PB168608BS  | PD089137.D | 25 Jun 2025 17:13 | AR\AJ | Ok   |
| 23 | Q2392-01    | PD089138.D | 25 Jun 2025 17:27 | AR\AJ | Ok,M |
| 24 | Q2412-01    | PD089139.D | 25 Jun 2025 17:40 | AR\AJ | Ok,M |
| 25 | Q2393-01    | PD089140.D | 25 Jun 2025 17:54 | AR\AJ | Ok   |
| 26 | Q2393-01MS  | PD089141.D | 25 Jun 2025 18:07 | AR\AJ | Ok,M |
| 27 | Q2393-01MSD | PD089142.D | 25 Jun 2025 18:21 | AR\AJ | Ok   |
| 28 | Q2393-03    | PD089143.D | 25 Jun 2025 18:35 | AR\AJ | Ok   |
| 29 | I.BLK       | PD089144.D | 25 Jun 2025 18:48 | AR\AJ | Ok   |
| 30 | PEM         | PD089145.D | 25 Jun 2025 19:02 | AR\AJ | Ok,M |
| 31 | PSTDCCC050  | PD089146.D | 25 Jun 2025 19:15 | AR\AJ | Ok   |
| 32 | Q2393-05    | PD089147.D | 25 Jun 2025 19:57 | AR\AJ | Ok,M |
| 33 | Q2393-07    | PD089148.D | 25 Jun 2025 20:10 | AR\AJ | Ok,M |
| 34 | Q2393-09    | PD089149.D | 25 Jun 2025 20:24 | AR\AJ | Ok,M |
| 35 | Q2393-11    | PD089150.D | 25 Jun 2025 20:37 | AR\AJ | Ok,M |
| 36 | Q2394-01    | PD089151.D | 25 Jun 2025 20:51 | AR\AJ | Ok   |
| 37 | Q2398-03    | PD089152.D | 25 Jun 2025 21:05 | AR\AJ | Ok   |
| 38 | Q2398-06    | PD089153.D | 25 Jun 2025 21:18 | AR\AJ | Ok,M |
| 39 | I.BLK       | PD089154.D | 25 Jun 2025 21:32 | AR\AJ | Ok   |
| 40 | PSTDCCC050  | PD089155.D | 25 Jun 2025 22:40 | AR\AJ | Ok,M |

M : Manual Integration

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD061825**

|              |          |                   |                                    |
|--------------|----------|-------------------|------------------------------------|
| Review By    | Abdul    | Review On         | 6/18/2025 8:40:56 AM               |
| Supervise By | mohammad | Supervise On      | 6/19/2025 2:43:55 AM               |
| SubDirectory | PD061825 | HP Acquire Method | HP Processing Method pd061825 8081 |

| STD. NAME                | STD REF.#                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                     |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,P<br>P24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                     |
| Internal Standard/PEM    |                                                                                                                                                                                     |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                             |
| Surrogate Standard       |                                                                                                                                                                                     |
| MS/MSD Standard          |                                                                                                                                                                                     |
| LCS Standard             |                                                                                                                                                                                     |

| Sr# | SampleId      | ClientID      | Data File Name | Date-Time         | Comment | Operator | Status |
|-----|---------------|---------------|----------------|-------------------|---------|----------|--------|
| 1   | HEXANE        | HEXANE        | PD088989.D     | 17 Jun 2025 14:58 |         | AR\AJ    | Ok     |
| 2   | I.BLK         | I.BLK         | PD088990.D     | 17 Jun 2025 15:11 |         | AR\AJ    | Ok     |
| 3   | PEM           | PEM           | PD088991.D     | 17 Jun 2025 15:25 |         | AR\AJ    | Ok,M   |
| 4   | RESCHK        | RESCHK        | PD088992.D     | 17 Jun 2025 15:39 |         | AR\AJ    | Ok     |
| 5   | PSTDICC100    | PSTDICC100    | PD088993.D     | 17 Jun 2025 15:52 |         | AR\AJ    | Ok     |
| 6   | PSTDICC075    | PSTDICC075    | PD088994.D     | 17 Jun 2025 16:06 |         | AR\AJ    | Ok     |
| 7   | PSTDICC050    | PSTDICC050    | PD088995.D     | 17 Jun 2025 16:20 |         | AR\AJ    | Ok     |
| 8   | PSTDICC025    | PSTDICC025    | PD088996.D     | 17 Jun 2025 16:33 |         | AR\AJ    | Ok,M   |
| 9   | PSTDICC005    | PSTDICC005    | PD088997.D     | 17 Jun 2025 16:47 |         | AR\AJ    | Ok,M   |
| 10  | PCHLORICC1000 | PCHLORICC1000 | PD088998.D     | 17 Jun 2025 17:00 |         | AR\AJ    | Ok     |
| 11  | PCHLORICC750  | PCHLORICC750  | PD088999.D     | 17 Jun 2025 17:14 |         | AR\AJ    | Ok     |
| 12  | PCHLORICC500  | PCHLORICC500  | PD089000.D     | 17 Jun 2025 17:28 |         | AR\AJ    | Ok     |
| 13  | PCHLORICC250  | PCHLORICC250  | PD089001.D     | 17 Jun 2025 17:41 |         | AR\AJ    | Ok     |
| 14  | PCHLORICC050  | PCHLORICC050  | PD089002.D     | 17 Jun 2025 17:55 |         | AR\AJ    | Ok     |
| 15  | PTOXICC1000   | PTOXICC1000   | PD089003.D     | 17 Jun 2025 18:09 |         | AR\AJ    | Ok     |
| 16  | PTOXICC750    | PTOXICC750    | PD089004.D     | 17 Jun 2025 18:22 |         | AR\AJ    | Ok     |
| 17  | PTOXICC500    | PTOXICC500    | PD089005.D     | 17 Jun 2025 18:36 |         | AR\AJ    | Ok     |
| 18  | PTOXICC250    | PTOXICC250    | PD089006.D     | 17 Jun 2025 18:50 |         | AR\AJ    | Ok     |

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD061825**

| Review By                | Abdul                                                                                                                                                                               | Review On         | 6/18/2025 8:40:56 AM               |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Supervise By             | mohammad                                                                                                                                                                            | Supervise On      | 6/19/2025 2:43:55 AM               |
| SubDirectory             | PD061825                                                                                                                                                                            | HP Acquire Method | HP Processing Method pd061825 8081 |
| STD. NAME                | STD REF.#                                                                                                                                                                           |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                     |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,P<br>P24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                     |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                     |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                             |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                     |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                     |                   |                                    |
| LCS Standard             |                                                                                                                                                                                     |                   |                                    |

|    |              |                  |            |                   |  |       |      |
|----|--------------|------------------|------------|-------------------|--|-------|------|
| 19 | PTOXICC100   | PTOXICC100       | PD089007.D | 17 Jun 2025 19:03 |  | AR\AJ | Ok,M |
| 20 | PSTDICV050   | ICVPD061825      | PD089008.D | 17 Jun 2025 19:17 |  | AR\AJ | Ok   |
| 21 | PCHLORICV500 | ICVPD061825CHLOR | PD089009.D | 17 Jun 2025 19:31 |  | AR\AJ | Ok   |
| 22 | PTOXICV500   | ICVPD061825TOX   | PD089010.D | 17 Jun 2025 19:44 |  | AR\AJ | Ok   |

M : Manual Integration

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD062525**

|              |          |                   |                                    |
|--------------|----------|-------------------|------------------------------------|
| Review By    | Abdul    | Review On         | 6/26/2025 11:18:16 AM              |
| Supervise By | mohammad | Supervise On      | 6/27/2025 2:49:12 AM               |
| SubDirectory | PD062525 | HP Acquire Method | HP Processing Method pd061825 8081 |

| STD. NAME                | STD REF.#                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                     |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,P<br>P24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                     |
| Internal Standard/PEM    |                                                                                                                                                                                     |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                             |
| Surrogate Standard       |                                                                                                                                                                                     |
| MS/MSD Standard          |                                                                                                                                                                                     |
| LCS Standard             |                                                                                                                                                                                     |

| Sr# | SampleID     | ClientID            | Data File Name | Date-Time         | Comment                                                      | Operator | Status |
|-----|--------------|---------------------|----------------|-------------------|--------------------------------------------------------------|----------|--------|
| 1   | HEXANE       | HEXANE              | PD089116.D     | 25 Jun 2025 08:58 |                                                              | AR\AJ    | Ok     |
| 2   | I.BLK        | I.BLK               | PD089117.D     | 25 Jun 2025 09:11 |                                                              | AR\AJ    | Ok     |
| 3   | PEM          | PEM                 | PD089118.D     | 25 Jun 2025 09:25 |                                                              | AR\AJ    | Ok,M   |
| 4   | PSTDCCC050   | PSTDCCC050          | PD089119.D     | 25 Jun 2025 09:39 |                                                              | AR\AJ    | Ok     |
| 5   | PCHLORCCC500 | PCHLORCCC500        | PD089120.D     | 25 Jun 2025 09:52 |                                                              | AR\AJ    | Ok,M   |
| 6   | PTOXCCC500   | PTOXCCC500          | PD089121.D     | 25 Jun 2025 10:06 |                                                              | AR\AJ    | Ok     |
| 7   | PB168531BL   | PB168531BL          | PD089122.D     | 25 Jun 2025 10:20 |                                                              | AR\AJ    | Ok     |
| 8   | Q2126-01     | LOD-MDL-SOIL-03-QT  | PD089123.D     | 25 Jun 2025 10:36 | CHLOR LOD 25PPB SOIL                                         | AR\AJ    | Ok,M   |
| 9   | Q2126-07     | LOD-MDL-WATER-01-Q  | PD089124.D     | 25 Jun 2025 10:50 | CHLOR LOD 25PPB WATER                                        | AR\AJ    | Ok,M   |
| 10  | Q2126-01     | LOD-MDL-SOIL-03-QT  | PD089125.D     | 25 Jun 2025 13:52 | TOX end ccc missing , TOX<br>LOD 50 PPB SOIL                 | AR\AJ    | Not Ok |
| 11  | Q2126-07     | LOD-MDL-WATER-01-Q  | PD089126.D     | 25 Jun 2025 14:06 | TOX end ccc missing , TOX LOD<br>50 PPB WATER                | AR\AJ    | Not Ok |
| 12  | Q2126-02     | LOQ-SOIL-02-QT2-202 | PD089127.D     | 25 Jun 2025 14:19 | CHLOR LOQ 50 PPB SOIL                                        | AR\AJ    | Ok,M   |
| 13  | Q2126-08     | LOQ-WATER-02-QT2-2  | PD089128.D     | 25 Jun 2025 14:33 | CHLOR LOQ 50 PPB WATER                                       | AR\AJ    | Ok     |
| 14  | Q2126-02     | LOQ-SOIL-02-QT2-202 | PD089129.D     | 25 Jun 2025 14:47 | TOX LOQ 100PPB SOIL , TOX<br>end ccc missing                 | AR\AJ    | Not Ok |
| 15  | Q2126-08     | LOQ-WATER-02-QT2-2  | PD089130.D     | 25 Jun 2025 15:00 | TOX LOQ 100PPB WATER ,<br>TOX end ccc missing                | AR\AJ    | Not Ok |
| 16  | Q2126-01     | LOD-MDL-SOIL-03-QT  | PD089131.D     | 25 Jun 2025 15:14 | PEST LOD 1PPB SOIL , U Flag<br>in delta-BHC and Methoxychlor | AR\AJ    | Not Ok |
| 17  | Q2381-01DL   | 291431DL            | PD089132.D     | 25 Jun 2025 15:28 |                                                              | AR\AJ    | Ok,M   |

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD062525**

|                          |                                                                                                                                                                                     |                   |                                    |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Review By                | Abdul                                                                                                                                                                               | Review On         | 6/26/2025 11:18:16 AM              |
| Supervise By             | mohammad                                                                                                                                                                            | Supervise On      | 6/27/2025 2:49:12 AM               |
| SubDirectory             | PD062525                                                                                                                                                                            | HP Acquire Method | HP Processing Method pd061825 8081 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                    |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                     |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,P<br>P24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                     |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                     |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                             |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                     |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                     |                   |                                    |
| LCS Standard             |                                                                                                                                                                                     |                   |                                    |

|    |              |                |            |                   |  |       |      |
|----|--------------|----------------|------------|-------------------|--|-------|------|
| 18 | I.BLK        | I.BLK          | PD089133.D | 25 Jun 2025 15:58 |  | AR\AJ | Ok   |
| 19 | PSTDCCC050   | PSTDCCC050     | PD089134.D | 25 Jun 2025 16:12 |  | AR\AJ | Ok   |
| 20 | PCHLORCCC500 | PCHLORCCC500   | PD089135.D | 25 Jun 2025 16:46 |  | AR\AJ | Ok,M |
| 21 | PB168608BL   | PB168608BL     | PD089136.D | 25 Jun 2025 16:59 |  | AR\AJ | Ok   |
| 22 | PB168608BS   | PB168608BS     | PD089137.D | 25 Jun 2025 17:13 |  | AR\AJ | Ok   |
| 23 | Q2392-01     | S-1            | PD089138.D | 25 Jun 2025 17:27 |  | AR\AJ | Ok,M |
| 24 | Q2412-01     | TR-05-062425   | PD089139.D | 25 Jun 2025 17:40 |  | AR\AJ | Ok,M |
| 25 | Q2393-01     | PARK AVE -1    | PD089140.D | 25 Jun 2025 17:54 |  | AR\AJ | Ok   |
| 26 | Q2393-01MS   | PARK AVE -1MS  | PD089141.D | 25 Jun 2025 18:07 |  | AR\AJ | Ok,M |
| 27 | Q2393-01MSD  | PARK AVE -1MSD | PD089142.D | 25 Jun 2025 18:21 |  | AR\AJ | Ok   |
| 28 | Q2393-03     | PARK AVE -2    | PD089143.D | 25 Jun 2025 18:35 |  | AR\AJ | Ok   |
| 29 | I.BLK        | I.BLK          | PD089144.D | 25 Jun 2025 18:48 |  | AR\AJ | Ok   |
| 30 | PEM          | PEM            | PD089145.D | 25 Jun 2025 19:02 |  | AR\AJ | Ok,M |
| 31 | PSTDCCC050   | PSTDCCC050     | PD089146.D | 25 Jun 2025 19:15 |  | AR\AJ | Ok   |
| 32 | Q2393-05     | PARK AVE -3    | PD089147.D | 25 Jun 2025 19:57 |  | AR\AJ | Ok,M |
| 33 | Q2393-07     | PARK AVE -4    | PD089148.D | 25 Jun 2025 20:10 |  | AR\AJ | Ok,M |
| 34 | Q2393-09     | PARK AVE -5    | PD089149.D | 25 Jun 2025 20:24 |  | AR\AJ | Ok,M |
| 35 | Q2393-11     | PARK AVE -6    | PD089150.D | 25 Jun 2025 20:37 |  | AR\AJ | Ok,M |
| 36 | Q2394-01     | MH-K/L         | PD089151.D | 25 Jun 2025 20:51 |  | AR\AJ | Ok   |

Instrument ID: ECD\_D

**Daily Analysis Runlog For Sequence/QC Batch ID # PD062525**

| Review By                | Abdul                                                                                                                                                                               | Review On         | 6/26/2025 11:18:16 AM              |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------|
| Supervise By             | mohammad                                                                                                                                                                            | Supervise On      | 6/27/2025 2:49:12 AM               |
| SubDirectory             | PD062525                                                                                                                                                                            | HP Acquire Method | HP Processing Method pd061825 8081 |
| STD. NAME                | STD REF.#                                                                                                                                                                           |                   |                                    |
| Tune/Reschk              | PP24433,PP24651                                                                                                                                                                     |                   |                                    |
| Initial Calibration Stds | PP24260,PP24261,PP24262,PP24269,PP24266,PP24267,PP24268,PP24269,PP24270,PP24271,PP24272,PP24273,PP24274,PP24275,PP24277,P<br>P24278,PP24279,PP24280,PP24281,PP24282,PP24283,PP24284 |                   |                                    |
| CCC                      | PP24261,PP24273,PP24279,PP24284                                                                                                                                                     |                   |                                    |
| Internal Standard/PEM    |                                                                                                                                                                                     |                   |                                    |
| ICV/I.BLK                | PP24273,PP24279,PP24284                                                                                                                                                             |                   |                                    |
| Surrogate Standard       |                                                                                                                                                                                     |                   |                                    |
| MS/MSD Standard          |                                                                                                                                                                                     |                   |                                    |
| LCS Standard             |                                                                                                                                                                                     |                   |                                    |

|    |            |             |            |                   |                               |       |      |
|----|------------|-------------|------------|-------------------|-------------------------------|-------|------|
| 37 | Q2398-03   | M00-25-0179 | PD089152.D | 25 Jun 2025 21:05 |                               | AR\AJ | Ok   |
| 38 | Q2398-06   | ARS20-0036  | PD089153.D | 25 Jun 2025 21:18 |                               | AR\AJ | Ok,M |
| 39 | I.BLK      | I.BLK       | PD089154.D | 25 Jun 2025 21:32 | DCB Low in 2nd column         | AR\AJ | Ok   |
| 40 | PSTDCCC050 | PSTDCCC050  | PD089155.D | 25 Jun 2025 22:40 | Methoxychlor low in 1t column | AR\AJ | Ok,M |

M : Manual Integration

|                           |                                                                                                                                                                                                                      |                                |            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------|
| <b>SOP ID:</b>            | M3541-ASE Extraction-14                                                                                                                                                                                              |                                |            |
| <b>Clean Up SOP #:</b>    | Florisol                                                                                                                                                                                                             | <b>Extraction Start Date :</b> | 06/25/2025 |
| <b>Matrix :</b>           | Solid                                                                                                                                                                                                                | <b>Extraction Start Time :</b> | 08:45      |
| <b>Weigh By:</b>          | EH                                                                                                                                                                                                                   | <b>Extraction By:</b>          | RJ         |
| <b>Balance check:</b>     | RJ                                                                                                                                                                                                                   | <b>Filter By:</b>              | RJ         |
| <b>Balance ID:</b>        | EX-SC-2                                                                                                                                                                                                              | <b>pH Meter ID:</b>            | N/A        |
| <b>pH Strip Lot#:</b>     | N/A                                                                                                                                                                                                                  | <b>Hood ID:</b>                | 3,7        |
|                           |                                                                                                                                                                                                                      | <b>Concentration By:</b>       | EH         |
|                           |                                                                                                                                                                                                                      | <b>Supervisor By :</b>         | RUPESH     |
| <b>Extraction Method:</b> | <input type="checkbox"/> Separatory Funnel <input type="checkbox"/> Continuous Liquid/Liquid <input type="checkbox"/> Sonication <input type="checkbox"/> Waste Dilution <input checked="" type="checkbox"/> Soxhlet |                                |            |

| Standard Name | MLS USED | Concentration ug/mL | STD REF. # FROM LOG |
|---------------|----------|---------------------|---------------------|
| Spike Sol 1   | 1.0ML    | 500 PPB             | PP24627             |
| Surrogate     | 1.0ML    | 200 PPB             | PP24597             |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |

| Chemical Used              | ML/SAMPLE USED | Lot Number |
|----------------------------|----------------|------------|
| Hexane/Acetone/1:1         | N/A            | EP2613     |
| Baked Na2SO4               | N/A            | EP2622     |
| Sand                       | N/A            | E2865      |
| Hexane                     | N/A            | E3945      |
| Florisol                   | N/A            | E3927      |
| 9:1 Hexane:Acetone Mixture | N/A            | EP2596     |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |
| N/A                        | N/A            | N/A        |

**Extraction Conformance/Non-Conformance Comments:**

40ML Vial Lot # 03-40BTS723.

|                             |     |                           |           |
|-----------------------------|-----|---------------------------|-----------|
| <b>KD Bath ID:</b>          | N/A | <b>Envap ID:</b>          | NE VAP-02 |
| <b>KD Bath Temperature:</b> | N/A | <b>Envap Temperature:</b> | 40 °C     |

| Date / Time | Prepped Sample Relinquished By/Location | Received By/Location |
|-------------|-----------------------------------------|----------------------|
| 6/25/25     | RS (Ext Lab)                            | RS (Ext Lab)         |
| 12:05       | Preparation Group                       | Analysis Group       |

Analytical Method: M3541-ASE Extraction-14

Concentration Date: 06/25/2025

| Sample ID       | Client Sample ID | Test          | g/mL  | PH  | Surr/Spike By: |            | Final Vol.<br>(mL) | JarID | Comments       | Prep<br>Pos |
|-----------------|------------------|---------------|-------|-----|----------------|------------|--------------------|-------|----------------|-------------|
|                 |                  |               |       |     | AddedBy        | VerifiedBy |                    |       |                |             |
| PB168608BL      | PBLK608          | Pesticide-TCL | 30.01 | N/A | ritesh         | Evelyn     | 10                 |       |                | U2-1        |
| PB168608BS      | PLCS608          | Pesticide-TCL | 30.03 | N/A | ritesh         | Evelyn     | 10                 |       |                | 2           |
| Q2392-01        | S-1              | Pesticide-TCL | 30.07 | N/A | ritesh         | Evelyn     | 10                 | B     |                | 3           |
| Q2393-01        | PARK AVE -1      | Pesticide-TCL | 30.05 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 4           |
| Q2393-01MS      | PARK AVE -1MS    | Pesticide-TCL | 30.04 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 5           |
| Q2393-01MS<br>D | PARK AVE -1MSD   | Pesticide-TCL | 30.10 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 6           |
| Q2393-03        | PARK AVE -2      | Pesticide-TCL | 30.02 | N/A | ritesh         | Evelyn     | 10                 | D     |                | U3-1        |
| Q2393-05        | PARK AVE -3      | Pesticide-TCL | 30.06 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 2           |
| Q2393-07        | PARK AVE -4      | Pesticide-TCL | 30.03 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 3           |
| Q2393-09        | PARK AVE -5      | Pesticide-TCL | 30.01 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 4           |
| Q2393-11        | PARK AVE -6      | Pesticide-TCL | 30.08 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 5           |
| Q2394-01        | MH-K/L           | Pesticide-TCL | 30.05 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 6           |
| Q2398-03        | M00-25-0179      | Pesticide-TCL | 30.02 | N/A | ritesh         | Evelyn     | 10                 | D     | Small Partical | U6-1        |
| Q2398-06        | ARS20-0036       | Pesticide-TCL | 30.01 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 2           |
| Q2399-01        | TP-13            | Pesticide-TCL | 30.04 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 3           |
| Q2399-05        | EP-7             | Pesticide-TCL | 30.06 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 4           |
| Q2403-03        | LAW-25-0093      | Pesticide-TCL | 30.05 | N/A | ritesh         | Evelyn     | 10                 | D     | Small Partical | 5           |
| Q2403-07        | ARS 20-006       | Pesticide-TCL | 30.04 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 6           |
| Q2405-01        | MH-M/H           | Pesticide-TCL | 30.01 | N/A | ritesh         | Evelyn     | 10                 | D     |                | U1-1        |
| Q2412-01        | TR-05-062425     | Pesticide-TCL | 30.05 | N/A | ritesh         | Evelyn     | 10                 | D     |                | 2           |

\* Extracts relinquished on the same date as received.



10608  
8-14-25

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q2393P      WorkList ID : 190368      Department : Extraction      Date : 06-25-2025 08:40:54

| Sample   | Customer Sample | Matrix | Test          | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|---------------|--------------|----------|-----------------------------|--------------|--------|
| Q2392-01 | S-1             | Solid  | Pesticide-TCL | Cool 4 deg C | EARTH03  | A41                         | 06/23/2025   | 8081B  |
| Q2393-01 | PARK AVE -1     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2393-03 | PARK AVE -2     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2393-05 | PARK AVE -3     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2393-07 | PARK AVE -4     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2393-09 | PARK AVE -5     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2393-11 | PARK AVE -6     | Solid  | Pesticide-TCL | Cool 4 deg C | UNIO02   | A22                         | 06/23/2025   | 8081B  |
| Q2394-01 | MH-K/L          | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A21                         | 06/23/2025   | 8081B  |
| Q2398-03 | M00-25-0179     | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A33                         | 06/23/2025   | 8081B  |
| Q2398-06 | ARS20-0036      | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A33                         | 06/23/2025   | 8081B  |
| Q2399-01 | TP-13           | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A41                         | 06/23/2025   | 8081B  |
| Q2399-05 | EP-7            | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A41                         | 06/23/2025   | 8081B  |
| Q2403-03 | LAW-25-0093     | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | A32                         | 06/23/2025   | 8081B  |
| Q2403-07 | ARS 20-006      | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   |                             | 06/23/2025   | 8081B  |
| Q2405-01 | MH-M/H          | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG03   | D41                         | 06/24/2025   | 8081B  |
| Q2412-01 | TR-05-062425    | Solid  | Pesticide-TCL | Cool 4 deg C | PSEG05   | D41                         | 06/24/2025   | 8081B  |

Date/Time 06/25/25 8:40  
Raw Sample Received by: RS (LAW-25-0093)  
Raw Sample Relinquished by: CP SM

Date/Time 06/25/25 9:10  
Raw Sample Received by: OP SM  
Raw Sample Relinquished by: RS (LAW-25-0093)

## LAB CHRONICLE

|                                                    |                                                           |
|----------------------------------------------------|-----------------------------------------------------------|
| <b>OrderID:</b> Q2393                              | <b>OrderDate:</b> 6/23/2025 11:43:58 AM                   |
| <b>Client:</b> Union Paving & Construction Company | <b>Project:</b> 190 Park Ave Hanover Twp NJ - PO 2556-001 |
| <b>Contact:</b> Gerard Busacco                     | <b>Location:</b> A22,VOA Lab                              |

| LabID    | ClientID    | Matrix | Test          | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-------------|--------|---------------|--------|-------------|-----------|-----------|----------|
| Q2393-01 | PARK AVE -1 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |
| Q2393-03 | PARK AVE -2 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |
| Q2393-05 | PARK AVE -3 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |
| Q2393-07 | PARK AVE -4 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |
| Q2393-09 | PARK AVE -5 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |
| Q2393-11 | PARK AVE -6 | SOIL   | Pesticide-TCL | 8081B  | 06/23/25    | 06/25/25  | 06/25/25  | 06/23/25 |