

## **DATA PACKAGE**

### **SUB - DATA**

**PROJECT NAME : HALOGENS**

**PARADIGM ENVIRONMENTAL SERVICES, INC.**

**179 Lake Avenue**

**Rochester, NY - 14608**

**Phone No: (585) 647-2530**

**ORDER ID : Q2408**

**ATTENTION : Quintin McCooey**



## Cover Page

**Order ID :** Q2408

**Project ID :** Halogens

**Client :** Paradigm Environmental Services, Inc.

**Lab Sample Number**

Q2408-01

**Client Sample Number**

STORAGE-TOTES

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 6/27/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

June 26, 2025

PM  
ATG - NEWARK LAB  
284 Sheffield Street  
Mountainside, NJ 07092  
TEL:  
FAX:  
RE: Q2408

Order No.: 25061865

Dear PM:

Alliance Technical Group - Akron received 1 sample(s) on 6/24/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Jennifer Woolf". The signature is fluid and cursive, with the first name and last name clearly distinguishable.

Jennifer Woolf

Project Manager

3310 Win St.  
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## Case Narrative

WO#: 25061865  
Date: 6/26/2025

---

**CLIENT:** ATG - NEWARK LAB

**Project:** Q2408

---

### WorkOrder Narrative:

25061865: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

---

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

### Qualifiers

<b>U</b>	The compound was analyzed for but was not detected above the MDL.
<b>J</b>	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
<b>H</b>	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
<b>D</b>	The result is reported from a dilution.
<b>E</b>	The result exceeded the linear range of the calibration or is estimated due to interference.
<b>MC</b>	The result is below the Minimum Compound Limit.
<b>*</b>	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
<b>m</b>	Manual integration was used to determine the area response.
<b>d</b>	Manual integration in which peak was deleted
<b>N</b>	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
<b>P</b>	The second column confirmation exceeded 25% difference.
<b>C</b>	The result has been confirmed by GC/MS.
<b>X</b>	The result was not confirmed when GC/MS Analysis was performed.
<b>B</b>	The analyte was detected in the Method Blank at a concentration greater than the RL.
<b>MB+</b>	The analyte was detected in the Method Blank at a concentration greater than the MDL.
<b>G</b>	The ICB or CCB contained reportable amounts of analyte.
<b>QC-/+</b>	The CCV recovery failed low (-) or high (+).
<b>R/QDR</b>	The RPD was outside of accepted recovery limits.
<b>QL-/+</b>	The LCS or LCSD recovery failed low (-) or high (+).
<b>QLR</b>	The LCS/LCSD RPD was outside of accepted recovery limits.
<b>QM-/+</b>	The MS or MSD recovery failed low (-) or high (+).
<b>QMR</b>	The MS/MSD RPD was outside of accepted recovery limits.
<b>QV-/+</b>	The ICV recovery failed low (-) or high (+).
<b>S</b>	The spike result was outside of accepted recovery limits.
<b>W</b>	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
<b>Z</b>	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

### Acronyms

<b>ND</b>	Not Detected	<b>RL</b>	Reporting Limit
<b>QC</b>	Quality Control	<b>MDL</b>	Method Detection Limit
<b>MB</b>	Method Blank	<b>LOD</b>	Level of Detection
<b>LCS</b>	Laboratory Control Sample	<b>LOQ</b>	Level of Quantitation
<b>LCSD</b>	Laboratory Control Sample Duplicate	<b>PQL</b>	Practical Quantitation Limit
<b>QCS</b>	Quality Control Sample	<b>CRQL</b>	Contract Required Quantitation Limit
<b>DUP</b>	Duplicate	<b>PL</b>	Permit Limit
<b>MS</b>	Matrix Spike	<b>RegLvl</b>	Regulatory Limit
<b>MSD</b>	Matrix Spike Duplicate	<b>MCL</b>	Maximum Contamination Limit
<b>RPD</b>	Relative Percent Different	<b>MinCL</b>	Minimum Compound Limit
<b>ICV</b>	Initial Calibration Verification	<b>RA</b>	Reanalysis
<b>ICB</b>	Initial Calibration Blank	<b>RE</b>	Reextraction
<b>CCV</b>	Continuing Calibration Verification	<b>TIC</b>	Tentatively Identified Compound
<b>CCB</b>	Continuing Calibration Blank	<b>RT</b>	Retention Time
<b>RLC</b>	Reporting Limit Check	<b>CF</b>	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

**Workorder**  
**Sample Summary**  
WO#: **25061865**  
**26-Jun-25**

---

**CLIENT:** ATG - NEWARK LAB  
**Project:** Q2408

---

---

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25061865-001	Storage-TOTES		6/23/2025 1:00:00 PM	6/24/2025 10:00:00 AM	Non-Potable Water

---



*Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>*

## DATES REPORT

WO#: 25061865  
26-Jun-25

**Client:** ATG - NEWARK LAB

**Project:** Q2408

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25061865-001A	Storage-TOTES	6/23/2025 1:00:00 PM	Non-Potable Water	Extractable Organic Halides (EOX) (9)			6/26/2025 12:12:00 PM

Original



Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

WO#: 25061865  
Date Reported: 6/26/2025  
Company: ATG - NEWARK LAB  
Address: 284 Sheffield Street  
Mountainside NJ 07092  
Received: 6/24/2025  
Project#: Q2408

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
Storage-TOTES	001	6/23/2025	Extractable Organic Halides	140.0	ppm	J	Non-Potable Water	EPA 9023	1	20.00	200.0	6/26/2025	CXS





Alliance Technical Group - Akron  
3310 Win St.  
Cuyahoga Falls, Ohio 44223  
TEL: (330) 253-8211 FAX: (330) 253-4489  
Website: <http://www.settek.com>

## QC SUMMARY REPORT

WO#: 25061865

26-Jun-25

Client: ATG - NEWARK LAB

Project: Q2408

BatchID: R211455

Sample ID: <b>MB-R211455</b>	SampType: <b>MBLK</b>	TestCode: <b>EOX_S(9023)</b>	Units: <b>mg/Kg</b>	Prep Date:	RunNo: <b>211455</b>						
Client ID: <b>BatchQC</b>	Batch ID: <b>R211455</b>	TestNo: <b>SW9023</b>		Analysis Date: <b>6/26/2025</b>	SeqNo: <b>5653238</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	ND	40.0									U

Sample ID: <b>LCS-R211455</b>	SampType: <b>LCS</b>	TestCode: <b>EOX_S(9023)</b> Units: <b>mg/Kg</b>				Prep Date:			RunNo: <b>211455</b>		
Client ID: <b>BatchQC</b>	Batch ID: <b>R211455</b>	TestNo: <b>SW9023</b>				Analysis Date: <b>6/26/2025</b>			SeqNo: <b>5653239</b>		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	56.2	40.0	50.00	0	112	72	125				

**Qualifiers:** H Holding times for preparation or analysis exceeded  
ND Not Detected  
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits  
PL Permit Limit  
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response  
RL Reporting Detection Limit

Original

25061865

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q2408	BILL TO: CHEMTECH PO# : Q2408
ADDRESS : 3310 Win Street	PROJECT ID: Halogens	ADDRESS : 284, Sheffield Street
CITY: Cuyahoga Fal State : OH ZIP : 44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail : jennifer.woolf@alliancetg.com	E-mail : yazmeen.gomez@alliancetg.com	ATTENTION : YAZMEE
PHONE : 330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : EXCEL NJCLEAN	Report : Level 1	Comment : COMP SAMPLE. STATE - NY.
---------------------	------------------	------------------------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	STORAGE-TOTES	Water	TOX	Conc H2SO4 to pH < 2	9020	06/23/2025	13:00:00	1	2

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER:	DATETIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:						
1.		1. <i>[Signature]</i>	6/24/25 1000						
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	UPS 5.7-0.1 = 5.6						
2.		2.							
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 8 of 10						
3.		3.	Page 1 of 1						
			<input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant					Cooler Temp _____	
								Ice or Cooler? _____	
			<input type="checkbox"/> OVERNIGHT					Shipment Complete:	
			<input type="checkbox"/> OVERNIGHT					<input type="checkbox"/> YES <input type="checkbox"/> NO	



# CHAIN OF CUSTODY

Alliance

REPORT TO:		INVOICE TO:		LAB PROJECT ID											
CLIENT:	Paradigm Environmental	CLIENT:	Same												
ADDRESS:	179 Lake Ave	ADDRESS:													
CITY:	Rochester	STATE:	NY	ZIP:	14608										
PHONE:		PHONE:		Quotation #:											
ATTN:	Reporting	ATTN:		Email:											
				reporting@paradigmenv.com											
PROJECT REFERENCE		Matrix Codes:													
Bryne Dairy		AQ - Aqueous Liquid    WA - Water    DW - Drinking Water    SO - Soil    SD - Solid    WP - Wipe    OL - Oil NQ - Non-Aqueous Liquid    WG - Groundwater    WW - Wastewater    SL - Sludge    PT - Paint    CK - Caulk    AR - Air													
REQUESTED ANALYSIS															
DATE COLLECTED	TIME COLLECTED	COMPOSITE	GRAB	SAMPLE IDENTIFIER	MATRIX	CONTAINER	OF	Total Halogens						REMARKS	PARADIGM LAB SAMPLE NUMBER
6/23/2025	13:00	X		Storage Totes	AQ	1	X								

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard Turn	<input type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Batch QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input checked="" type="checkbox"/>	Category B	<input type="checkbox"/>
Rush 1 day	<input type="checkbox"/>		
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
please indicate date needed:		please indicate package needed:	
6/26/2025			

Client	
Sampled By	Date/Time
Brain Zol	6/23/25 1450
Relinquished By	Date/Time
M. M. A.	6/24/25 1000 UPS
Received By	Date/Time
S.7-0.1 = S.6	
Received @ Lab By	Date/Time

Total Cost:

P.I.F.

Page 9 of 10

By signing this form, client agrees to Paradigm Terms and Conditions (reverse).

See additional page for sample conditions.

## Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25061865**

RcptNo: **1**

Logged by: **Spencer M. Hartwell** **6/24/2025 10:00:00 AM**

*Spencer M. Hartwell*

Completed By: **Spencer M. Hartwell** **6/24/2025 2:21:56 PM**

*Spencer M. Hartwell*

Reviewed By: **Jennifer Woolf** **6/25/2025 8:12:57 PM**

*Jennifer M. Woolf*

### Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐  
2. How was the sample delivered? UPS  
Tracking No.: 882130816330

### Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐  
4. Shipping container/cooler in good condition? Yes ☒ No ☐  
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒  
No. Seal Date: Signed By:  
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐  
6. Were all samples received at a temperature of  $>0^{\circ}\text{C}$  to  $6.0^{\circ}\text{C}$ ? Yes ☒ No ☐ NA ☐  
7. Sample(s) in proper container(s)? Yes ☒ No ☐  
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐  
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐  
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐  
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒  
12. Were any sample containers received broken? Yes ☐ No ☒  
13. Does paperwork match bottle labels? Yes ☒ No ☐  
(Note discrepancies on chain of custody)  
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐  
15. Is it clear what analyses were requested? Yes ☒ No ☐  
16. Were all holding times able to be met? Yes ☒ No ☐  
(If no, notify customer for authorization.)

### Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:  Date:   
By Whom:  Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person  
Regarding:   
Client Instructions:

18. Additional remarks:  
Headspace

### Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.6	Good	Not Present			



25061865

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION	CLIENT PROJECT INFORMATION	CLIENT BILLING INFORMATION
COMPANY : Alliance Technical Group - Akron	ORDER ID : Q2408	BILL TO: CHEMTECH PO# : Q2408
ADDRESS : 3310 Win Street	PROJECT ID: Halogens	ADDRESS : 284, Sheffield Street
CITY: Cuyahoga Fal State : OH ZIP : 44223	PROJECT MANAGER YAZMEEN	CITY: Mountainside State : NJ ZIP : 07092
E-mail : jennifer.woolf@alliancetg.com	E-mail : yazmeen.gomez@alliancetg.com	ATTENTION : YAZMEE
PHONE : 330-253-8211	PHONE : (908) 789 8900 FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922

EDD : EXCEL NJCLEAN	Report : Level 1	Comment : COMP SAMPLE. STATE - NY.
---------------------	------------------	------------------------------------

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	STORAGE-TOTES	Water	TOX	Conc H2SO4 to pH < 2	9020	06/23/2025	13:00:00	1	2

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY									
RELINQUISHED BY SAMPLER:	DATETIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:						
1.		1. <i>[Signature]</i>	6/24/25 1000						
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	UPS 5.7-0.1 = 5.6						
2.		2.							
RELINQUISHED BY:	DATETIME:	RECEIVED BY:	Page 1 of 1						
3.		3.	<input type="checkbox"/> OVERNIGHT <input type="checkbox"/> OVERNIGHT						
								Shipment Complete:	
								<input type="checkbox"/> YES	<input type="checkbox"/> NO

## ***Alliance***

Turnaround Time		Report Supplements	
Availability contingent upon lab approval; additional fees may apply.			
Standard Turn	<input type="checkbox"/>	None Required	<input type="checkbox"/>
10 day	<input type="checkbox"/>	Batch QC	<input type="checkbox"/>
Rush 3 day	<input type="checkbox"/>	Category A	<input type="checkbox"/>
Rush 2 day	<input checked="" type="checkbox"/>	Category B	<input type="checkbox"/>
Rush 1 day	<input type="checkbox"/>		
Other	<input type="checkbox"/>	Other	<input type="checkbox"/>
please indicate date needed:		please indicate package needed:	
6/26/2025			

Sampled By <i>Brian Zed</i>	Date/Time <i>6/23/25 1450</i>
Relinquished By <i>James M. [Signature]</i>	Date/Time <i>6/24/25 1000 UPT</i>
Received By <i>5.7 - 0.1 = 5.6</i>	Date/Time
Received @ Lab By	Date/Time

P.I.F.

See additional page for sample conditions.